

EN



GENERAL CATALOGUE

MADE FOR WORK.



**EU**  
MANUFACTURER  
SINCE  
1919

# Warranty



Unior d.d. awards warranty against defects in material and workmanship for all our tools. If the tools were used correctly, they will be repaired or replaced free-of-charge, when proper documentation is submitted. The warranty does not apply to tools that were modified without Unior's consent, were misused, or damaged in any other way.

The warranty cannot be enforced for any injuries caused by the use of these tools.

**FOR MORE INFORMATION, VISIT [UNIORTOOLS.COM/ENG/SUPPORT](http://UNIORTOOLS.COM/ENG/SUPPORT)**

## • **Unior warranty**

*We are so confident in the quality we offer the UNIOR Lifetime Warranty. Should your tool ever malfunction from defects in workmanship or materials, we will repair or replace the tool free of charge.*

## • **What is Covered?**

*UNIOR tools are warranted to be free of material and workmanship defects.*

## • **How Long Coverage Lasts?**

*This warranty lasts for the lifetime of the UNIOR tool excluding pneumatic and measuring tools, which are covered for a period of one year from date of sale. Warranty coverage ends when the product becomes unusable for reasons other than defects in workmanship or material.*

## • **What We Will Do to Correct Problems?**

*Warranted products, found to be defective due to faulty workmanship or material will be repaired or replaced, at UNIOR'S discretion, and returned at no charge.*

## • **What is Not Covered?**

*Failures due to misuse, abuse or normal wear and tear are not covered by this warranty. UNIOR will not be responsible for any incidental or consequential damages.*

## • **How Local Laws Relate to the Warranty?**

*Some areas do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you. This warranty gives you specific rights, and you may also have other rights, which vary, from state to state, province to province, or country to country.*

## • **No Other Express Warranty Applies**

*This Full Lifetime Warranty is the sole and exclusive warranty for UNIOR products. No employee, agent, dealer, or other person is authorized to alter this warranty or make any other warranty on behalf of UNIOR.*

## • **Executing the UNIOR Lifetime Warranty**

*UNIOR offers a comprehensive lifetime warranty to support products purchased under the UNIOR brand.*

*In the event that you have a problem with your UNIOR product due to a defect in materials or poor workmanship, we will attempt to remedy the problem in accordance with our printed warranty policy as quickly as possible.*

## • **Normal wear and tear**

*Commonly, our tools are used in the most demanding conditions. Under these conditions and over time, UNIOR products may experience normal wear and tear and require service, this is not covered by the lifetime warranty. For many of our products we offer spare parts to maximize the life of our tools, this particularly applies to pneumatic and measuring tools. Full details are available on our website [www.uniortools.com](http://www.uniortools.com) or your local distributor will be pleased to help.*

## • **Defects in materials or workmanship**

*It is our experience that if a product that fails prematurely due to a manufacturing defect in materials or workmanship, will generally do so very early in the product's life cycle, often the first or second time the product is used. When returned for inspection, these products are generally found to still be in as new condition and show very little signs of use. It is uncommon for a product that was manufactured with a defect, to survive under normal use for any extended period of time. Products that are returned for warranty inspection after months or years of continuous reliable service are rarely found to be defective, failure being generally due to wear and tear. In such cases the tools are not covered by the lifetime warranty.*

# Product categories

<b>Wrenches</b>	<b>1</b>
<b>Ratchets, sockets and accessories</b>	<b>29</b>
<b>Pliers</b>	<b>71</b>
<b>Insulated tools</b>	<b>99</b>
<b>Tin snips and bolt cutters</b>	<b>121</b>
<b>Screwdrivers</b>	<b>131</b>
<b>Pullers</b>	<b>149</b>
<b>Hammers, punches and chisels</b>	<b>153</b>
<b>Workshop equipment</b>	<b>163</b>
<b>Pneumatic tools and accessories</b>	<b>233</b>
<b>Measuring tools</b>	<b>247</b>
<b>Other workshop tools</b>	<b>255</b>
<b>Safe tools at heights</b>	<b>281</b>
<b>Tool sets</b>	<b>295</b>

# Wrenches

Check products online.



- ✓ **premium chrome vanadium steel**
- ✓ **drop forged, entirely hardened and tempered**
- ✓ **surface finish: trivalent chrome plated according to ISO 1456:2009**

## PRODUCTS



**Open end wrenches**



**Combination wrenches**



**Ring wrenches**



**Ratchet wrenches**



**Slogging wrenches**



**Adjustable wrenches**



**Hook wrenches**



**Socket wrenches**



**Tubular wrenches**



**Hex & Torx wrenches**



**Wrenches for car repair shops**



## Premium

### RELIABILITY WITHOUT WEAR AND TEAR


When it comes to tools, such as wrenches and pipe pliers, for example, which need to withstand high loads, properties such as high tensile strength, the corresponding ductility of the material with higher elasticity and the lowest possible susceptibility to cracking are of particular importance. These requirements are particularly well met by Premium chrome/vanadium steel, an alloyed tool steel with manganese, chrome, silicon and carbon. Tools made from this steel have a long service life and are an excellent choice for many years of use. Alloyed tool steel 31CrV3, in accordance with EU directive 2000/53/EC

- 0.60% manganese for higher tensile strength and ductility
- 0.60% chrome for lower susceptibility to cracking and higher tensile strength
- 0.30% silicon for higher elasticity
- 0.35% carbon for appropriate tool hardness



110/1

Open end wrench



Premium

- > material: premium chrome vanadium steel
- > drop forged, entirely hardened and tempered
- > surface finish: trivalent chrome plated according to ISO 1456:2009
- > polished head
- > made according to standard ISO 10102 (only metric dimension)
- > head of the wrench under 15°

SKU	Ømm	L	B1	B2	A	📦
603316	4x4.5	100	14	14	3.4	10
603317	4x5	100	14	14	3.4	10
603318	5x5.5	100	14	14	3.4	10
600060	5.5x7	121	14.4	16.4	3.4	15
600061	6x7	121	14.4	16.4	3.4	15
600062	7x8	140	18.4	22.9	3.7	24
600064	8x9	140	18.4	22.9	3.7	24
600065	8x10	140	18.4	22.9	3.7	23
600068	10x11	159	22.7	24.2	4.5	40
600070	10x13	172	26.2	29.2	4.9	59
600072	11x13	172	26.2	29.2	4.9	58
600074	12x13	172	26.2	29.2	4.9	58
600075	12x14	172	26.2	29.2	4.9	58
600076	13x14	192	31.2	33.2	5.4	81
600077	13x15	192	31.2	33.2	5.4	84
600078	13x17	200	31.2	37.7	5.7	101
600079	14x15	192	31.2	33.2	5.4	83
600082	16x17	206	35.7	37.7	5.7	108
600083	17x19	223	39.5	41.5	6.2	143

600085	18x19	223	39.5	41.5	6.2	148
600086	19x22	232	43.5	46	6.7	183
600088	20x22	232	43.5	46	6.7	180
600089	21x23	249	46	52	7.2	235
600090	22x24	249	46	52	7.2	237
600092	24x26	265	51.8	55.3	7.7	289
600093	24x27	265	53.8	51.8	7.7	289
600095	25x28	279	62.8	53.8	8.2	344
600096	27x29	309	62.8	67.3	9.2	535
600097	27x30	309	62.8	67.3	9.2	527
600098	27x32	309	62.8	67.3	9.2	541
600099	30x32	309	62.8	67.3	9.2	532
603848	30x34	315	62.8	68.8	9.6	568
602593	30x36	319	62.8	78.8	9.6	591
600101	34x36	327	68.8	78.8	9.6	628
600102	36x41	360	78.8	86.8	9.6	823
602594	41x46	410	86.8	94.8	14.6	1735
602595	46x50	460	94.8	103.9	15.6	2365

110/1CB

Set of open end wrenches in carton box



SKU	ΣDIM	📦
600105	110/1 (6x7,8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22)	8
611018	110/1 (6x7,8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22, 21x23, 24x27)	10
600106	110/1 (6x7,8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22, 21x23, 24x26, 25x28, 27x32)	12
603715	110/1 (6x7,8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22, 21x23, 24x26, 25x28, 27x29, 30x32)	13
600107	110/1 (6x7,8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22, 21x23, 24x26, 25x28, 27x32, 36x41)	13



Premium

110/1CS


Set of open end wrenches in carton box



SKU	📦
602844	8
🔑 110/1 (6x7,8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22)	



Premium



## 110/1CT

## Set of open end wrenches in bag



SKU	
615465	8

110/1 (6 x 7, 8 x 9, 10 x 11, 12 x 13, 14 x 15, 16 x 17, 18 x 19, 20 x 22), CT110 (430 x 275)



Premium

## 110/1PB

## Set of open end wrenches in plastic wallet



SKU	ΣDIM	
600108	110/1 (6 x 7, 8 x 9, 10 x 11, 12 x 13, 14 x 15, 16 x 17)	6
600109	110/1 (6 x 7, 8 x 9, 10 x 11, 12 x 13, 14 x 15, 16 x 17, 18 x 19, 20 x 22)	8



Premium

## 110/1MS

## Set of open end wrenches on metal stand



SKU	
605528	12


110/1 (6 x 7, 8 x 9, 10 x 11, 12 x 13, 14 x 15, 16 x 17, 18 x 19, 20 x 22, 21 x 23, 24 x 26, 25 x 28, 27 x 32), 977/1 (6 - 32/12)



Premium

## 112/2

## Open end wrench




Premium

- > material: premium chrome vanadium steel
- > drop forged, entirely hardened and tempered
- > surface finish: trivalent chrome plated according to ISO 1456:2009
- > made according to standard DIN 895 and DIN 475

SKU	Ømm	L	B1	B2	A1	A2	⚖
605045	10 x 12	128	22	28	5	5	37
603611	10 x 13	137	26	28.5	5.2	5.2	43
602083	11 x 13	132	26	28.5	5	5.4	41
602085	13 x 15	152	28	32	6	6	63
602086	14 x 17	158	30	35	6.5	6.5	62

## 114/2

## Small double open ended wrench ELECTRIC




Premium

- > material: premium chrome vanadium steel
- > entirely hardened and tempered
- > surface finish: trivalent chrome plated according to ISO 1456:2009

SKU	Ømm	L	B	A	⚖		⚖				
618623	3.2	75	10	2	2	618630	7	95	14.5	2	6
618625	4	75	10.5	2	2	618633	10	110	21	3	18
618627	5	85	12	2	4	618634	11	110	23.5	3	20
618628	5.5	85	12.2	2	4	618635	12	125	24	3	30
618629	6	85	12.5	2	4	618636	13	125	27.5	3	33

117/4

Single open end wrench



- > material: premium chrome vanadium steel
- > drop forged, entirely hardened and tempered
- > surface finish: phosphated to standard ISO 9717
- > made according to standard DIN 894

**Usage:**

- > In industry for working on machines, engines and other equipment.
- > larger dimensions are useful in shipbuilding, the oil industry and other heavy industries where larger machines and equipment are used
- > this wrench is especially suitable for work that requires higher torque.

Premium


SKU	Ømm	L	B	A	📦
620207	12	123	26	5	29
615263	13	132	28	5.4	35
615264	17	157	36	6.5	68
615265	19	170	40	6.9	78
615267	22	195	46	7.9	106
615268	24	218	50	9.2	147
615272	34	295	74	12.5	399
615273	36	295	74	12.5	438
615274	38	295	74	12.5	390
615275	41	335	84	13.5	537

615276	46	365	94	14.5	747
615277	50	400	102	15.5	890
615278	55	475	110	16	1170
615279	60	475	120	17	1365
615280	65	550	130	18	1665
615281	70	550	140	19	1995
615282	75	620	150	20	2995
615283	80	665	160	21	3895
615285	90	740	190	23	4795

135/2

Single open end wrench for gas




- > material: premium sheet metal
- > surface finish: trivalent chrome plated according to ISO 1456:2009

SKU	Ømm	L	B1	B2	A	📦
600262	27	187	52	22	4	149

250/1

Adjustable wrench



- > material: premium chrome vanadium steel
- > drop forged, entirely hardened and tempered
- > surface finish: trivalent chrome plated according to ISO 1456:2009
- > polished head
- > with scale
- > made according to standard ISO 6787

Premium


SKU	DIM	DIM"	L	A	Ømm	📦
611917	100	4"	108.4	10.5	13	61
611918	150	6"	157.4	13	19	133
601016	200	8"	205.9	15	24	243
601017	250	10"	255.5	17	27	439

601018	300	12"	306.1	20	34	702
601019	380	16"	383	26	41	1315
605113	450	18"	460.5	32	48	1730
615148	600	24"	612.3	36	57	3240

250/1AP

Adjustable wrench




- > material: premium chrome vanadium steel
- > drop forged, entirely hardened and tempered
- > surface finish: trivalent chrome plated according to ISO 1456:2009
- > polished head
- > with scale
- > double plastic dipped handles
- > made according to standard ISO 6787

Premium

SKU	DIM	DIM"	L	A	Ømm	📦
617246	200	8"	205	15	24	280
617247	250	10"	255	17	27	490
617248	300	12"	305	20	34	785
617249	380	16"	385	26	41	1395

## 251/4

## Adjustable wrench




Premium

- › material: premium chrome vanadium steel
- › drop forged, entirely hardened and tempered
- › surface finish: phosphated to standard ISO 9717
- › left turning
- › with scale
- › made according to standard ISO 6787

SKU	DIM	L	A	Ømm	📦
612870	150	155.7	11.7	20	137
612871	200	204.3	14.4	25	257
612872	250	254	16.9	30	447
612873	300	303.5	19.1	36	700

## 120/1

## Combination wrench, long type



Premium

- › material: premium chrome vanadium steel
- › drop forged, entirely hardened and tempered
- › surface finish: trivalent chrome plated according to ISO 1456:2009
- › polished head
- › ring part with LIFE profile
- › made according to standard ISO 7738 (metric dimensions only)

SKU	Ømm	L	B1	B2	A1	A2	📦
616746	4	105	8	14	4	3.2	11
616747	4.5	105	8	14	4	3.2	7
616748	5	119	10.4	14.5	5	3.5	7
600357	6	119	10.4	14.5	5	3.5	16
600358	7	129	11.5	16.5	5.8	3.9	15
600359	8	141	13.2	18.5	6.9	3.9	23
600360	9	152	14.3	21	7.3	4	27
600361	10	163	15.9	23	7.5	4.2	37
600362	11	176	17.8	24.5	8	4.5	45
600363	12	186	19.4	26.5	8.5	4.7	55
600364	13	199	20.4	29.5	8.5	5.2	68
600365	14	210	22	31.5	9	5.2	83
600366	15	222	23.2	33.5	9.5	5.7	96
600367	16	234	24.8	36	10.5	6.2	121
600368	17	245	26.1	38	10.5	6.7	144
600369	18	257	27.7	40	11	7.2	165
600370	19	268	29.3	42	12	7.2	186
600371	20	280	31	44	12.5	7.7	225
600372	21	291	32.6	45.5	13	8.2	251
600373	22	303	34.1	46.5	13	8.2	266
600374	23	314	35.7	50.5	13	8.2	300
600375	24	330	37.3	52.5	14	8.5	382
600376	25	337	39	54.5	14.5	8.5	377
600377	26	349	40.1	56	15	8.5	422
600378	27	360	41.6	57.5	15	9	453
600379	28	373	43.2	59.5	15.5	9	532
600380	29	383	44.9	61.5	16	9.5	567
600381	30	395	46.5	63.5	16	10	632
600382	32	416	49	68	16.5	10.5	719
607019	35	500	53.5	78.8	20	13.6	1405
602601	36	500	53.5	78.8	20	13.6	1415
605838	38	515	58	82.8	20.5	14.1	1310
602602	41	540	62	86.8	21	14.6	1984
618514	46	560	69	94	23	16	2445
618517	50	580	75	103	24	17	1955
616752	55	600	83	112	26	18	3395
616753	60	620	91	120	28	20	4120
616754	65	640	100	130	30	21	5205
616756	75	680	116	150	34	24	6995
616757	80	700	124	160	36	26	8595
618491	1/4"	119	10.4	14.5	5	3.5	14
618492	5/16"	142	13.2	18.5	6.9	3.9	23
618493	3/8"	153	14.3	21	7.3	4	27
618494	7/16"	176	17.8	24.5	8	4.5	45
618495	1/2"	199	20.4	29.5	8.5	5.2	68
618496	9/16"	211	22	31.5	9	5.2	82
618497	5/8"	234	24.8	36	10.5	6.2	121
618498	11/16"	245	26.1	38	10.5	6.7	144
618499	3/4"	268	29.3	42	12	7.2	186
618500	13/16"	291	32.6	45.5	13	8.2	251
618501	7/8"	303	34.1	46.5	13	8.2	266
618502	15/16"	330	37.3	52.5	14	8.5	382
618503	1"	337	39	54.5	14.5	8.5	377
618504	1.1/16"	360	41.6	57.5	15	9	453
618505	1.1/8"	372	43.2	59.5	15.5	9	532
618506	1.1/4"	417	49	68	16.5	10.5	719
618507	1.5/16"	417	49	68	16.5	10.5	732
618508	1.3/8"	500	53.5	78.8	20	13.6	1425
618509	1.7/16"	500	53.5	78.8	20	13.6	1395
618510	1.1/2"	500	53.5	78.8	20	13.6	1335
618511	1.5/8"	540	62	86.8	21	14.6	2000
618512	1.11/16"	540	62	86.8	21	14.6	1960
618513	1.3/4"	560	69	94	23	16	2435
618515	1.13/16"	560	69	94	23	16	2495
618516	1.7/8"	560	69	94	23	16	2445
618518	2"	580	75	103	24	17	2985

120/1CB

Set of combination wrenches, long type in carton box



SKU	ΣDIM	
611019	120/1 (8, 10, 11, 12, 13, 14, 15, 17, 19, 22)	10
629610	120/1 (8, 10, 12, 13, 14, 17, 19, 22, 24, 30, 32)	11
611020	120/1 (10, 11, 12, 13, 14, 15, 17, 19, 22, 24, 27, 30)	12
619398	120/1 (1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1.1/16", 1.1/8", 1.1/4")	16
600383	120/1 (6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22)	17
600384	120/1 (6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 32)	26



120/1CS

Set of combination wrenches, long type in carton box



SKU	
603709	8
120/1 (8, 9, 10, 12, 13, 14, 17, 19)	



120/1CT

Set of combination wrenches, long type in bag



SKU	
615475	8
120/1 (8, 10, 11, 13, 15, 17, 19, 22), CT129 (470 x 330)	




120/1MS

Set of combination wrenches, long type on metal stand




SKU	
605537	17
120/1 (6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22), 977/2 (6 - 22/17)	



## 125/1

## Combination wrench, short type



- > material: premium chrome vanadium steel
- > drop forged, entirely hardened and tempered
- > surface finish: trivalent chrome plated according to ISO 1456:2009
- > polished head
- > ring part with LIFE profile
- > made according to standard ISO 7738
- > made according to standard ISO 3318 in 3113A


SKU	Ømm	L	B1	B2	A1	A2	📦								
618651	5	84	5.8	12	3	3	9	600428	20	220	31	44	12.5	7.7	186
618652	5.5	84	5.8	12	3	3	9	600429	21	230	32.6	45.5	13	8.2	198
600414	6	100	10.4	14.5	5	3.5	11	600430	22	247	34.1	46.5	13	8.2	230
600415	7	109	11.5	16.5	5.8	3.9	15	602089	23	250	35.7	50.5	13	8.2	254
600416	8	119	13.2	18.5	6.9	3.9	20	602090	24	266	37.3	52.5	14	8.5	300
600417	9	123	14.3	21	7.3	4	25	602091	25	270	39	54.5	14.5	8.5	330
600418	10	128	15.9	23	7.5	4.2	29	602092	26	275	40.1	56	15	8.5	342
600419	11	135	17.8	24.5	8	4.5	35	602093	27	292	41.6	57.5	15	9	365
600420	12	139	19.4	26.5	8.5	4.7	45	602094	28	296	43.2	59.5	15.5	9	432
600421	13	150	20.4	29.5	8.5	5.2	54	602095	29	300	44.9	61.5	16	9.5	455
600422	14	160	22	31.5	9	5.2	63	602096	30	323	46.5	63.5	16	10	522
600423	15	170	23.2	33.5	9.5	5.7	78	602097	32	343	49	68	16.5	10.5	602
600424	16	180	24.8	36	10.5	6.2	95	603332	36	400	54.5	79.5	20	13.5	1115
600425	17	190	26.1	38	10.5	6.7	121	618566	41	420	62	86.8	21	14.6	1575
600426	18	200	27.7	40	11	7.2	135	618570	46	440	69	94	23	16	1985
600427	19	210	29.3	42	12	7.2	157								

## 125/1CB

## Set of combination wrenches, short type in carton box



SKU	ΣDIM	📦
611021	125/1 (8, 10, 11, 12, 13, 14, 15, 17, 19, 22)	10
611022	125/1 (10, 11, 12, 13, 14, 15, 17, 19, 22, 24, 27, 30)	12
600431	125/1 (6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22)	17
602098	125/1 (6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 32)	26



125/1CS

Set of combination wrenches, short type in carton box



SKU	
603711	8

125/1 (8, 9, 10, 12, 13, 14, 17, 19)



125/1CT

Set of combination wrenches, short type in bag




SKU	ΣDIM	
615478	125/1 (8, 10, 11, 13, 15, 17, 19, 22), CT110 (430x275)	8
625675	125/1 (6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 32), CT125 (250x480x3)	26



160/6

Ratchet combination wrench



- > material: premium chrome vanadium steel
- > drop forged, entirely hardened and tempered
- > Surface finish: black electrolaquered

Advantages:

- > ratchet works both way, screw direction can be changed by turning the wrench
- > 72 - teeth, 5° working angle



SKU	Ømm	L	B1	B2	A1	A2	⚖
622818	8	134	17,1	16,7	8,4	4,7	40
622819	9	158	21	21	8,4	5,5	55
622820	10	158	21	21	8,4	5,5	60
622821	11	164	22,6	23	9,7	6	70
622822	12	167	23,8	25	9,7	6,2	80
622823	13	177	24,9	27,5	9,7	6,0	96
622824	14	189	27	29	10,1	7	125
622825	15	198	28,1	31,5	11,7	7,2	150

622826	16	204	29,9	33	11,7	7,5	165
622827	17	224	31,9	34,9	11,7	8	183
622828	18	245	34,4	38,9	12	8,8	210
622829	19	245	34,4	38,9	19	12	230
622831	21	280	45,7	42,6	14,2	9,5	358
622832	22	280	45,7	42,6	14,2	9,5	378
622834	24	310	51,7	46,5	14,7	10	480



## 160/6CB



## Set of ratchet combination wrenches in carton box

SKU	
623080	9

160/6 (8, 10, 13, 16, 17, 18, 19, 22, 24)



## 160/6CS



## Set of ratchet combination wrenches in carton box

SKU	
623709	6

160/6 (8, 10, 13, 15, 17, 19)



## 160/6CT



## Set of ratchet combination wrenches in a bag

SKU	
627001	6

160/6 (8, 10, 13, 15, 17, 19), CT252 (360x290x3)




## 178/2



## Single offset ring wrench

- > material: premium chrome vanadium steel
- > drop forged, entirely hardened and tempered
- > surface finish: trivalent chrome plated according to ISO 1456:2009



SKU	Ømm	L	B	H	A	d	⚖
620821	24	180	42	30	17	18.5	481
620822	27	180	42	30	17	18.5	456
620823	30	180	42	30	17	18.5	454
620824	32	235	50	35	18	20.5	733
620825	36	235	50	35	18	20.5	686
620826	41	235	55	35	18	20.5	712

620827	46	265	70	40	22	23.5	1208
620828	50	265	70	40	22	23.5	1218
620829	55	265	75	40	22	23.5	1156
620831	65	345	94	50	30	29.5	2582
620835	85	385	125	59	40	29.5	3741

## 178.1/2



## Handle for 178/2


- > material: premium chrome vanadium steel
- > surface finish: trivalent chrome plated according to ISO 1456:2009



SKU	DIM	L	D	d	⚖
620840	24-30	460	25	19	744
620841	32-41	610	27	21	1049
620842	46-55	760	30	24	1509
620843	60-95	860	37	30	2476

179/2

Scaffolding wrench




- > material: premium chrome vanadium steel
- > drop forged, entirely hardened and tempered
- > surface finish: trivalent chrome plated according to ISO 1456:2009
- > to assemble scaffolding



SKU	Ømm	L	B1	B2	A1	A2	📦
605042	21 x 22	316	34	35	17	17	657

180/1

Offset ring wrench



- > material: premium chrome vanadium steel
- > drop forged, entirely hardened and tempered
- > surface finish: trivalent chrome plated according to ISO 1456:2009
- > polished head
- > ring part with LIFE profile
- > made according to standard ISO 10104 (only metric dimension)
- > made according to standard DIN 838



SKU	Ømm	L	B1	B2	A1	A2	📦
600511	6 x 7	178	10.3	11.8	5.5	6.1	48
600512	8 x 9	190	14	15.5	6.7	7.3	60
602663	9 x 11	205	15.5	18.5	7.3	8.4	65
600514	10 x 11	205	17	18.5	7.9	8.4	81
600516	12 x 13	220	20	21.5	9	9.5	108
600520	14 x 15	235	23	24	10	10.5	140
600522	16 x 17	258	26	27	11	11.4	187
600523	17 x 19	270	27	30	11.4	12.4	233
600524	18 x 19	270	29	30	11.9	12.4	233
600525	19 x 22	295	30	35	12.4	13.7	308
600526	20 x 22	295	32	35	12.8	13.7	320
600527	21 x 23	305	33	37	13.3	14.1	336
600529	24 x 26	325	38	41	14.6	15.4	459
600530	24 x 27	325	38	42	14.6	15.8	453
600531	25 x 28	335	40	44	15	16.2	522
600534	27 x 32	360	42	49	15.8	17.8	672
600535	30 x 32	370	46	49	17	17.8	680
603124	30 x 36	395	43	48	15	18	845
600536	32 x 36	410	48.2	54.2	17.8	19.4	915
600537	36 x 41	450	48	56	19	21	945
602664	41 x 46	472	56	61	21	23	1430

180/1CB

Set of offset ring wrenches in carton box

SKU	ΣDIM	📦
600541	180/1 (6 x 7, 8 x 9, 10 x 11, 12 x 13, 14 x 15, 16 x 17, 18 x 19, 20 x 22)	8
600542	180/1 (6 x 7, 8 x 9, 10 x 11, 12 x 13, 14 x 15, 16 x 17, 18 x 19, 20 x 22, 21 x 23, 24 x 26, 25 x 28, 27 x 32)	12
600543	180/1 (6 x 7, 8 x 9, 10 x 11, 12 x 13, 14 x 15, 16 x 17, 18 x 19, 20 x 22, 21 x 23, 24 x 26, 25 x 28, 27 x 32, 36 x 41)	13




180/1CS

Set of offset ring wrenches in carton box

SKU	📦
602845	8



## 182/2A



## Flat ring wrench

- › material: premium chrome vanadium steel
- › drop forged, entirely hardened and tempered
- › surface finish: trivalent chrome plated according to ISO 1456:2009
- › ring part with LIFE profile
- › made according to standard DIN 837 (only metric dimension)

SKU	Ømm	L	B1	B2	A	📦
612004	6 x 7	97	10	11.3	4.6	11
612005	8 x 9	112	12.7	14	5.6	19
612006	10 x 11	132	15.6	16.5	6.6	29
612007	12 x 13	147	18	19	7.6	44
612008	14 x 15	162	20.5	21.5	7.6	59
612009	16 x 17	172	23.2	24.2	8.6	90

612010	18 x 19	186	25.9	27.4	9.6	112
612011	20 x 22	206	28.9	31.8	11	161
612013	24 x 26	258	34.8	37.3	11.5	289
612015	27 x 29	298	38.3	41.8	13	378
612016	30 x 32	318	42.7	45.2	13.5	467

## 182/2ACB



## SKU

612568




11

182/2A (6 x 7, 8 x 9, 10 x 11, 12 x 13, 14 x 15, 16 x 17, 18 x 19, 20 x 22, 24 x 26, 27 x 29, 30 x 32)



## Set of flat ring wrenches in carton box

## 182/2BTX




## Flat ring wrench with offset head TX profile

- › material: premium chrome vanadium steel
- › drop forged, entirely hardened and tempered
- › surface finish: trivalent chrome plated according to ISO 1456:2009
- › 15° angle allows access in difficult places

SKU	⊕	L	B1	B2	A	📦
612893	E10 x E12	112	12.7	14	5.6	20
612894	E14 x E18	137	16.5	21	6.6	38

## 183/2



## Offset open ring wrench

- › material: premium chrome vanadium steel
- › drop forged, entirely hardened and tempered
- › surface finish: trivalent chrome plated according to ISO 1456:2009
- › profile up to dimension 12x14 is 6 point, from 17x19 to 30x32 is 12 point

## Usage:

- › In industry and repair shops specializing in hydraulic and pneumatic installations
- › This wrench helps working on joints where the use of standard ring wrench is impossible due to the nature of the job (ex. unions on steel cables, hydraulic and water pipes and on valves etc).

SKU	Ømm	L	B1	B2	A1	A2	C1	C2	📦
612701	8 x 10	145	18	20	7	8.5	6	7	48
612702	10 x 11	152	20	22	8.5	9	7	8.5	64
612703	11 x 13	165	22	26	9	11	8.5	10	88
612704	12 x 14	178	24	28	10	12	9	11	125
615147	16 x 18	196	30.5	33.5	12	12.5	13	14	203
612705	17 x 19	210	32	35	13	14	14	15	204
612706	19 x 22	233	35	41	14	16	15	17	242
612707	22 x 24	265	41	45	16	17	17	18	297
612708	24 x 27	265	45	48	17	17	18	20	367
612709	30 x 32	285	50	52	21	23	22	24	552



## 183/2CB

### Set of offset open ring wrenches in carton box



SKU	ΣDIM	
612985	183/2 (8 x 10, 10 x 11, 11 x 13, 12 x 14, 17 x 19, 19 x 22)	6
612986	183/2 (8 x 10, 10 x 11, 11 x 13, 12 x 14, 17 x 19, 19 x 22, 22 x 24, 24 x 27, 30 x 32)	9



## 183/2CT

### Set of offset open ring wrenches in bag



SKU	
615467	6
183/2 (8 x 10, 11 x 13, 12 x 14, 16 x 18, 17 x 19, 22 x 24), CT252 (360x290x3)	




## 118/7

### Slogging open end wrench



- > material: premium chrome vanadium steel
- > drop forged, entirely hardened and tempered
- > surface finish: anticorrosive oiled
- > made according to standard DIN 133



**Premium**


SKU	Ømm	L	B	A	
620466	24	170	56	15	489
620467	27	170	56	15	477
620468	30	200	70	18	863
620469	32	200	70	18	863
620470	36	200	70	18	834
620471	41	240	88	20	1490
620472	46	240	88	20	1450
620473	50	265	102	20	1790
620474	55	305	112	24	2700
620475	60	305	112	24	2615
620476	65	335	123	27	3645
620477	70	370	143	30	2200
620478	75	370	143	30	4865
620479	80	400	175	33	6450
620480	85	400	175	33	5775
620481	90	450	192	38	7620
620482	95	450	192	38	9400
620485	110	515	235	48	12400
620486	115	515	235	52	15800
620492	145	635	307	58	28800
620493	150	635	307	58	28200

## 184/7

### Slogging ring wrench



- > material: premium chrome vanadium steel
- > drop forged, entirely hardened and tempered
- > surface finish: anticorrosive oiled
- > made according to standard DIN 7444 (metric dimension only)




**Premium**



SKU	Ømm	L	B	A	
620494	24	180	48.6	16	534
620495	27	180	48.6	16	514
620496	30	180	48.6	16	488
620497	32	190	58.4	18	739
620498	36	190	58.4	18	694
620499	41	235	74	22	1425
620500	46	235	74	22	1360
620501	50	235	74	22	1272
620502	55	275	97.6	27	2800
620503	60	275	97.6	27	2710
620504	65	275	97.6	27	2580
620505	70	335	117	35	4685
620506	75	335	117	35	4570
620507	80	350	124	35	4305
620508	85	358	130	39	4220
620509	90	395	144	41	5335
620510	95	395	144	39	5090
620511	100	420	155	43	6800
620512	105	420	155	42	5930

## 255/2

## Hook wrench



- > material: premium chrome vanadium steel
- > entirely hardened and tempered
- > surface finish: trivalent chrome plated according to ISO 1456:2009
- > made according to standard DIN 1810 type A

**Premium**

SKU	Ø	L	B	A	C	D	📦
613050	12-14	109	12	3	1.2	1.5	27
613051	16-20	109	12	3	1.5	2	28
613052	25-28	136	21	4	2	2.5	56
613053	30-32	136	21	4	2	2.5	55
613054	34-36	171	28.5	5	2.5	3	114
613055	40-42	171	28.5	5	2.5	3	111
613056	45-50	207	37	6	3	3.5	206

613057	52-55	207	37	6	3	3.5	209
613058	58-62	242	46	7	3.5	4	320
613059	68-75	242	46	7	3.5	4	303
613060	80-90	281	61	8	4	5	472
613061	95-100	281	61	8	4	5	436
613062	110-115	334	81	10	4	5	805
613063	120-130	334	81	10	4	5	829

## 255/2CT

## Set of hook wrenches in bag




SKU	📦
615156	9

→ 255/2 (30 - 32, 40 - 42, 45 - 50, 52 - 55, 58 - 62, 68 - 75, 80 - 90, 95 - 100, 110 - 115)



## 255/2F

## Flexible hook wrench




- > material: premium chrome vanadium steel
- > entirely hardened and tempered
- > surface finish: trivalent chrome plated according to ISO 1456:2009


**Premium**

SKU	Ø	L	B	A	C	D	📦
615027	15-35	140	25	7	2,5	2,5	83
615028	35-50	201	41.5	10	4	4	196
615029	50-80	262	68	12	5	5	455
615030	80-120	320	86	14	5.5	5.5	829
615031	120-180	418	134	16	7.5	9	1768

## 193N

## Socket wrench with T-handle



**Premium**

- > material: premium chrome vanadium steel
- > handle - polypropylene
- > surface finishing: blade trivalent chrome plated according to ISO 1456:2009

SKU	Ø <sub>mm</sub>	L	B	D	📦
608284	6	230	88	9	107
608285	7	230	88	11	112
608286	8	230	88	12	135
608288	10	230	88	14	161
608290	12	230	88	17.5	196
608291	13	230	88	18	199
608292	14	230	88	20	208
608295	17	230	88	23	223

### 193NTX

### Socket with internal TX profile and T-handle



- > material: premium chrome vanadium steel
- > handle - polypropylene
- > surface finishing: blade trivalent chrome plated according to ISO 1456:2009




SKU	⊕	L	B	D	📦
621376	E10	231	89	12	157



### 202/1

### Double swivel end socket wrench



- > material: premium chrome vanadium steel
- > surface finish: trivalent chrome plated according to ISO 1456:2009
- > drop forged, entirely hardened and tempered



SKU	⊕mm	L	D1	D2	📦
609132	8 x 9	198	12	13	96
609134	10 x 11	214	14.6	16	95
609135	12 x 13	227	17	18	148
609136	13 x 17	242	18	23	213


  

609137	14 x 15	241	19.5	20.5	211
609138	16 x 17	255	22	24	295
609139	18 x 19	273	24.5	26	391



### 176

### Double ended offset socket wrench



- > material: premium chrome vanadium steel
- > drop forged, entirely hardened and tempered
- > surface finish: trivalent chrome plated according to ISO 1456:2009



SKU	⊕mm	L1	L2	L3	C	D1	D2	T	📦
609103	7	108	25	30,5	23	12	5	8	47
609104	8	113	26	30	27	13	6,5	10	76
609105	9	118	27	33	29	14,5	7	10	78
609106	10	123	31	35	32	16	7,5	11	123
609107	11	128,5	32	37	31	17	7,5	12	125
609108	12	135	33	40	34	18	8,5	12	161
609109	13	143	36,5	47	40	19	9	14	186
609112	16	173	46,5	54	47	24	13	17	340
609113	17	184,5	46,5	56	49	25	13	18	360
609114	18	198	49	58	51,5	26,5	13	19,5	411

609115	19	204	52	62	52,5	28	14	20,5	445
609118	22	231	57	67	58	32	16	23,5	590
609119	23	238	62	74	64,5	33,5	18	24,5	640
609120	24	249	64,5	77	68,5	34	18	25,5	713
609123	27	280	68	80	71	37	20	25,5	867
609124	28	290,5	70	84	73,5	38,5	21	27,5	1045
609125	29	298,5	72	90	78,5	41	22	28,5	1140
609126	30	311	75	93	80,5	42	23	28,5	1257
609127	32	330,5	79	95	82,5	45	24	28,5	1434
609129	36	376	80	100	86	50	25	30	2235

### 176CB

### Set of double ended offset socket wrenches in carton box



SKU	ΣDIM	📦
609130	176 (8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 23, 24)	16
609131	176 (8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 23, 24, 26, 27, 28, 29, 30, 32)	22



## 176CS11

## Set of double ended offset socket wrenches in carton box



SKU

620582



11

176 (8, 10, 11, 12, 13, 16, 17, 18, 19, 22, 24)




## 177

## Double ended offset socket wrench



- › material: premium chrome vanadium steel
- › drop forged, entirely hardened and tempered
- › surface finish: trivalent chrome plated according to ISO 1456:2009



SKU	Ø mm	L1	L2	L3	C	D1	D2	T	📦
609083	8	113	26	30	27	13	6,5	10	76
609084	9	118	27	33	29	14,5	7	10	78
609085	10	123	31	35	32	16	7,5	11	123
609086	11	128,5	32	37	31	17	7,5	12	125
609087	12	135	33	40	34	18	8,5	12	161
609088	13	143	36,5	47	40	19	9	11	186
609089	14	149,5	40	48	41	21	10,5	14	226
609090	15	163	41,5	50	43	22,5	11	15	236

609091	16	173	46,5	54	47	24	13	17	340
609092	17	184,5	46,5	56	49	25	13	18	360
609093	18	198	49	58	51,5	26,5	13	19,5	411
609094	19	204	52	62	52,5	28	14	20,5	445
609096	21	216	57	65	57,7	30,5	15	23,5	487
609097	22	231	57	67	58	32	16	23,5	590
609099	24	249	64,5	77	68,5	34,5	18	25,5	713

## 177CB

## Set of double ended offset socket wrenches in carton box



SKU

609100



16

177 (8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 23, 24)



177CS6

Set of double ended offset socket wrenches in carton box



SKU	
620583	6
177 (8, 10, 11, 13, 17, 19)	




215/2

Tubular box wrench



- > material: premium chrome vanadium steel
- > entirely hardened and tempered
- > surface finish: trivalent chrome plated according to ISO 1456:2009
- > made according to standard DIN 896 (only metric dimension)



SKU	Ømm	L	D1	D2	D3	T	📦
600696	6x7	105	10	11.2	6.3	8	28
600697	8x9	105	12.7	14	6.3	9	39
600698	8x10	120	12.8	15	6.3	8	64
600699	10x11	120	15.5	16.7	6.3	10	64
600700	12x13	140	18.2	19.5	8.5	12	104
600717	13x17	150	20	24.6	10.5	13	144
600701	14x15	140	21.2	22.3	8.5	14	134
600718	14x17	150	21.2	24.6	10.5	13	142
600702	16x17	150	23.5	24.6	10.5	15	158
600719	17x19	160	24.6	27	12.5	16	183


600703	18x19	155	25.8	27	12.5	16	184
605044	19x22	170	27	31.4	12.5	18	266
607960	19x24	160	27	33.7	14.5	20	230
600705	20x22	165	29	31.4	12.5	18	262
607962	22x24	160	31.4	33.7	14.5	20	299
600707	24x26	185	33.7	36	14.5	22	356
600723	24x27	190	33.7	37.2	14.5	22	374
602557	30x32	200	41.6	44	16.5	27	585
603128	30x36	215	42.6	49.6	18.5	28	730

215.1/2

Rod for 215/2



- > material: premium chrome vanadium steel
- > entirely hardened and tempered
- > surface finish: trivalent chrome plated according to ISO 1456:2009



SKU	DIM	L	D1	D2	D3	📦
600745	6-17	230	6	8	10	137
600747	18-32	330	12	14	16	493
624342	36-55	500		18	20	1202

215/2CB

Set of tubular box wrenches in carton box




SKU	
600710	14
215/2 (6 x 7, 8 x 9, 10 x 11, 12 x 13, 14 x 15, 16 x 17, 18 x 19, 20 x 22, 24 x 26, 24 x 27, 30 x 32),  215.1/2 (6 - 17, 18 - 32)	



## 216/1

## Forged tubular box wrench



- > material: premium chrome vanadium steel
- > entirely hardened and tempered
- > surface finish: trivalent chrome plated according to ISO 1456:2009
- > polished head
- > made according to standard DIN 896 (only metric dimension)




SKU	Ø <sub>mm</sub>	L	D1	D2	D3	T1	T2	📦
615229	6x7	105	10	11	4	5	6	39
615230	8x9	110	12.5	13.5	5	6	7	54
615231	10x11	120	15	16	7	7.5	8	66
615232	12x13	140	17.5	19	8	8	9.5	128

615233	14 x 15	145	20	21.5	8	10	11	144
615234	16 x 17	155	22.5	24	10	11	12	195
615235	18 x 19	165	25.5	26	12	13	15	275
615236	20 x 22	175	28	30	14	15	16	289

## 216.1

## Rod for 216/1



- > material: premium chrome vanadium steel
- > entirely hardened and tempered
- > surface finish: trivalent chrome plated according to ISO 1456:2009



SKU	DIM	L	D1	D2	D3	📦
615243	6-19	165	3.5	4.5	5.5	52
615244	20-36	210	9.5	11.8		178

## 216/1CB

## Set of forged tubular box wrenches in carton box




SKU	📦
615252	9

📏 216/1 (6 x 7, 8 x 9, 10 x 11, 12 x 13, 14 x 15, 16 x 17, 18 x 19, 20 x 22), 📏 216.1 (6-19)



## 217/2

## Offset tubular box wrench



- > material: premium chrome vanadium steel
- > entirely hardened and tempered
- > surface finish: trivalent chrome plated according to ISO 1456:2009

**Usage:**

- > In industry or repair shops for working in inaccessible areas. The through hole enables tightening of fasteners with a long projecting thread.



SKU	Ø <sub>mm</sub>	L1	L2	D1	D2	D3	T	📦
617053	5.5	98	25	7	8,5	4.3	7	18
617055	7	106	26	9	10	5.3	8	36
617056	8	112	34	11	12,5	6.3	9	48
617060	12	135	46	16	18,2	8.5	12	123


617061	13	133	46	16	19,5	8.5	12	126
617065	17	140	56	20	24,6	10.5	15	197
617070	22	159	71	25	31,4	12.5	20	353

193HX

T-handle hex wrench



- > material: blade from premium chrome vanadium steel
- > handle - polypropylene
- > blade chrome plated, black anodised tip



SKU	Hex	L1	L2	C1	C2	Weight
623238	2	132	61	100	15	12
607161	2.5	132	61	100	15	13
607162	3	132	61	100	15	16
607163	3.5	155	61	125	15	20
607164	4	155	61	125	15	24
607165	4.5	188	88	150	20	57

607166	5	188	88	150	20	56
607167	6	188	88	150	20	74
607168	7	223	113	175	25	128
607169	8	223	113	175	25	155
607170	10	248	113	200	25	233

193HXCB

T-handle hex wrench set



SKU	Count
608879	10

→ 193HX (2.5, 3, 3.5, 4, 4.5, 5, 6, 7, 8, 10)



193HXCS

T-handle hex wrench set



SKU	Count
607890	7

→ 193HX (2.5, 3, 4, 5, 6, 8, 10)




193HXS

T-handle ball-end hex wrench



- > material: blade from premium chrome vanadium steel
- > handle - polypropylene
- > blade chrome plated, black anodised tip



SKU	Hex	L1	L2	C1	C2	Weight
608276	2.5	132	61	100	15	13
608277	3	132	61	100	15	16
608278	4	155	61	125	15	25
608279	5	188	88	150	20	56

608280	6	188	88	150	20	72
608281	8	223	113	175	25	153
608282	10	248	113	200	25	234

193HXSCS

T-handle ball - end hex wrench set



SKU	
609337	7

193HXS (2.5, 3, 4, 5, 6, 8, 10)




193TX

T-handle TX wrench



- > material: premium chrome vanadium steel
- > handle - polypropylene
- > blade chrome plated, black anodised tip



SKU	★	L1	L2	C1	C2	📦	
607171	TX 6	132	61	100	15	15	607178
607173	TX 8	132	61	100	15	15	607179
607174	TX 9	132	61	100	15	15	607180
607175	TX 10	132	61	100	15	15	607181
607176	TX 15	132	61	100	15	19	607182
607177	TX 20	155	61	125	15	22	



193TXCB

T-handle TX wrench set



SKU	
608880	10

193TX (TX 6, TX 8, TX 10, TX 15, TX 20, TX 25, TX 27, TX 30, TX 40, TX 45)



193TXCS

T-handle TX wrench set



SKU	
607888	7

193TX (TX 10, TX 15, TX 20, TX 25, TX 30, TX 40, TX 45)




220/3

Hex wrench



- > material: premium chrome vanadium steel
- > entirely hardened and tempered
- > surface finish: nickel plated
- > made according to standard ISO 2936



SKU	Hex	L1	L2	Weight					
607823	1.5	46.5	15.5	2.8	601041	7	102	41	47
607824	2	52	18	1.72	601042	8	108	44	65
607825	2.5	58.5	20.5	3	601044	10	122	50	108
601036	3	66	23	5	601045	12	137	57	163
601037	4	74	29	9.85	601046	14	154	70	258
601038	5	85	33	18	601047	17	177	80	433
601040	6	96	38	35	601048	19	199	89	603

220/3-SET

Set of hex wrenches



SKU	
629440	4

220/3 (1.5, 2, 2.5, 3)



220/3PB

Set of hex wrenches in plastic wallet



SKU	ΣDIM	
601059	220/3 (3, 4, 5, 6, 8, 10, 12, 14)	8
601061	220/3 (3, 4, 5, 6, 8, 10, 12, 14, 17, 19)	10



**220/3PB1**

**Set of hex wrenches in plastic box**



SKU	ΣDIM	
610914	220/3 (2, 2.5, 3, 4, 5, 6, 8, 10)	8
612161	220/3 (5/64", 3/32", 1/8", 5/32", 3/16", 1/4", 5/16", 3/8")	8



**220/3PH**

**Set of hex wrenches on plastic clip**



SKU	ΣDIM	
607852	220/3 (1.5, 2, 2.5, 3, 4, 5, 6, 8, 10)	9
617079	220/3 (1.5, 2, 2.5, 3, 4, 5, 6, 8, 10, 12)	10



**220FH**

**Set of hexagon wrenches in folding holder**




SKU	ΣDIM	
617146	2.5, 3, 4, 5, 6, 8, 10	300



**220/3L**

**Hex wrench, long type**



- > material: premium chrome vanadium steel
- > entirely hardened and tempered
- > surface finish: nickel plated
- > made according to standard ISO 2936 (only metric dimension)

SKU	●	L1	L2	📦	▼
608510	1.5	91.5	15.5	1	616976
608511	2	102	18	7	616977
608512	2.5	114.5	20.5	10	616978
608513	3	129	23	14	616979
608514	4	144	29	22	616980
608515	5	165	33	35	616981
608516	6	186	38	55	616982
608518	8	208	44	105	616983
608519	10	234	50	105	616984
608520	12	262	57	280	616985
608521	14	294	70	437	616986
608522	17	337	80	753	616988
608523	19	379	89	1026	616989
616975	1/16"	92	16	6	616990
					5/64"
					3/32"
					1/8"
					9/64"
					5/32"
					3/16"
					7/32"
					1/4"
					5/16"
					3/8"
					7/16"
					9/16"
					5/8"
					3/4"

**220/3L-SET**

**Set of hex wrenches, long type**



SKU	ΣDIM	
629442	220/3L (1.5, 2, 2.5, 3)	4
629443	220/3L (1/16", 5/64", 3/32", 1/8")	4



**220/3LPB2**

**Set of hex wrenches, long type in plastic box**



SKU	ΣDIM	
610915	220/3L (2, 2.5, 3, 4, 5, 6, 8, 10)	8



**220/3LPH**

**Set of hex wrenches, long type on plastic clip**



SKU	ΣDIM	
608533	220/3L (1.5, 2, 2.5, 3, 4, 5, 6, 8, 10)	9
617080	220/3L (1.5, 2, 2.5, 3, 4, 5, 6, 8, 10, 12)	10
617082	220/3L (1/16", 5/64", 3/32", 1/8", 5/32", 3/16", 1/4", 5/16", 3/8")	9




**220/3S**

**Ball-end hex wrench**



- > material: premium chrome vanadium steel
- > entirely hardened and tempered
- > surface finish: nickel plated




SKU	Hex Size	L1	L2	Ball Diameter
607826	1.5	46.5	15.5	5
607827	2	52	18	6
607828	2.5	58.5	20.5	7
607829	3	66	23	10
607830	4	74	29	15

607831	5	85	33	23
607832	6	96	38	35
607834	8	108	44	65
607835	10	122	50	108



**220/3S-SET**

**Set of ball-end hex wrenches**



SKU	
629444	220/3S (1.5, 2, 2.5, 3)



220/3SFH

Set of ball-end hex wrenches in folding holder



SKU	ΣDIM	
617147	2,5, 3, 4, 5, 6, 8, 10	298



220/3SPB1

Set of ball-end hex wrenches in plastic box



SKU	
610916	8

220/3S (2, 2.5, 3, 4, 5, 6, 8, 10)



220/3SPH

Set of ball-end hex wrenches on plastic clip




SKU	
607853	9

220/3S (1.5, 2, 2.5, 3, 4, 5, 6, 8, 10)



220/3SL

Ball-end hex wrench, long type



- > material: premium chrome vanadium steel
- > entirely hardened and tempered
- > surface finish: nickel plated

SKU	Hex Size	L1	L2	Weight
608524	1.5	91.5	15.5	6
608525	2	102	18	7
608526	2.5	114.5	20.5	10
608527	3	129	23	14
608528	4	144	29	22

608529	5	165	33	35
608530	6	186	38	55
608531	8	208	44	105
608532	10	234	50	105


220/3SL-SET

Set of ball-end hex wrenches, long type



SKU	
629445	4

220/3SL (1.5, 2, 2.5, 3)



**220/3SLPB2****Set of ball-end hex wrenches, long type in plastic box**

SKU	
610917	8

220/3SL (2, 2.5, 3, 4, 5, 6, 8, 10)

**220/3SLPH****Set of ball-end hex wrenches, long type on plastic clip**

SKU	
608534	9

220/3SL (1.5, 2, 2.5, 3, 4, 5, 6, 8, 10)

**220/7TXPH****Set of wrenches with TX profile and hole in plastic clip**

SKU	
613089	9

220/7TX (TR 8, TR 9, TR 10, TR 15, TR 20, TR 25, TR 27, TR 30, TR 40)

**220/7TXNFH****Set of wrenches with TX profile in folding holder**

SKU	ΣDIM	
617150	TX 9, TX 10, TX 15, TX 20, TX 25, TX 27, TX 30, TX 40	300

**220/7TXNPH****Set of wrenches with TX profile in plastic clip**

SKU	
617077	9

220/7TXN (TX 8, TX 9, TX 10, TX 15, TX 20, TX 25, TX 27, TX 30, TX 40)



196/2

## Socket wrench with T-handle



- > material: premium chrome vanadium steel
- > entirely hardened and tempered
- > surface finish: trivalent chrome plated according to ISO 1456:2009



**Premium**


SKU	Ømm	L	B	D	
602077	13	260	180	19.2	307

175/2

## Wrench for oil drain plugs



- > material: premium chrome vanadium steel
- > entirely hardened and tempered
- > surface finish: trivalent chrome plated according to ISO 1456:2009



**Premium**


SKU		L1	L2	D	
605112	8 x 10	202	169	13	305

185/2

## Spark plug wrench



- > material: premium chrome vanadium steel
- > surface finish: trivalent chrome plated according to ISO 1456:2009



**Premium**


SKU	Ømm	L	B	D	
600771	16	145	120	19	182
607956	19	115	120	22	199
600772	21	115	120	24	177

205/2

## Strap wrench



- > material: premium chrome vanadium steel
- > strap from rubberized cloth
- > drop forged, entirely hardened and tempered
- > surface finish: trivalent chrome plated according to ISO 1456:2009



**Premium**

SKU	Ø	L	
601024	60 - 140	225	225



## 205.1

## Strap for 205/2



> strap from rubberized cloth

SKU	L	
602841	540	62



## 206/2

## Chain wrench



> material: premium chrome vanadium steel  
 > drop forged, entirely hardened and tempered  
 > surface finish: trivalent chrome plated according to ISO 1456:2009

SKU	Ø	L	
601025	60 - 140	224,5	330



**Premium**

## 206.1

## Chain for 206/2




SKU	L	
620938	500	150



## 210/2

## Wheel nut wrench



> material: premium chrome vanadium steel  
 > drop forged, entirely hardened and tempered  
 > surface finish: trivalent chrome plated according to ISO 1456:2009

SKU	Ø mm	L1	L2	
600782	17	255	27	476
600783	19	285	29,5	541




**Premium**

## 212/2

## Wheel nut wrench



- > material: premium chrome vanadium steel
- > drop forged, entirely hardened and tempered
- > surface finish: trivalent chrome plated according to ISO 1456:2009
- > made according to standard ISO DIN 3112



SKU	Ø mm	L1	L2	D1	D2	📦
600788	24	315	400	33	14	1280
600789	27	355	400	38	20	2220
600791	32	430	400	47,5	20	2815




## 213/6

## Four-way rim wrench



- > material: premium chrome vanadium steel
- > drop forged, entirely hardened and tempered
- > lacquered
- > made according to standard ISO 6788 (only metric dimension)



SKU	Ø mm	L	📦
600811	17 x 19 x 22 x 1/2"	370	1430
600809	17 x 19 x 21 x 23	370	1511
600812	17 x 19 x 22 x 24	370	1500
600813	24 x 27 x 30 x 3/4"	700	4400
600814	24 x 27 x 30 x 32	700	4600




## 200/2

## Starter and block wrench



- > material: premium chrome vanadium steel
- > drop forged, entirely hardened and tempered
- > surface finish: trivalent chrome plated according to ISO 1456:2009



SKU	DIM	L	B1	B2	A1	A2	📦
600671	11 x 13	150	16.5	19	7	8.5	54
600672	13 x 17	185	19.2	24.2	8.7	10.3	99
600674	15 x 16	185	21.6	23.6	8.7	10.3	104
600676	19 x 22	230	27.2	31.8	10	11.5	178



## 200/2CB

## Set of starter and block wrenches in carton box



SKU	📦
600677	5

200/2 (11 x 13, 13 x 17, 14 x 17, 15 x 16, 19 x 22)



## CT110

## Empty bag



- > Dimension 430 x 275, for article 110 in 125
- > velcro fastening is used for easy opening and closing
- > strap is not required
- > material: polyester fabric

SKU	DIM	
615480	430x275	117

## CT129

## Empty bag



- > material: polyester fabric
- > velcro fastening is used for easy opening and closing
- > strap is not required
- > Dimension 470 x 330, for article 129,120,180,202

SKU	DIM	
615464	470 x 330	150


## CT252

## Empty bag



- > for article 160,161,170,171,183
- > velcro fastening is used for easy opening and closing
- > strap is not required
- > material: polyester fabric

SKU	DIM	
615155	370x290x3	98



# Ratchets, sockets and accessories

Check products online.



- ✓ **material: premium flex chrome vanadium steel**
- ✓ **body drop forged, entirely hardened and tempered**
- ✓ **surface finish: trivalent chrome plated to standard ISO 1456:2009**
- ✓ **ergonomic heavy duty double component handle**
- ✓ **safety lock system**
- ✓ **the socket is simple released from the ratchet by pressing the button**



## PRODUCTS

-  **1/4" drive sockets and accessories**
-  **3/8" drive sockets and accessories**
-  **1/2" drive sockets and accessories**
-  **3/4" drive sockets and accessories**
-  **1" drive sockets and accessories**
-  **Impact accessories**

## Premium Flex

### EXCELLENCE THAT CAN WITHSTAND HIGH TORQUE

A lower susceptibility to cracking is particularly important for tools such as socket wrenches. Tool steel with a higher chrome and manganese content guarantees a higher tensile strength. An appropriate carbon content simultaneously ensures the corresponding hardness of the tool. Premium Flex chrome vanadium steel, an alloyed tool steel with manganese, chrome and carbon, allows for the redesign of tools that can withstand high torques.

Alloyed tool steel 25CrMo4, in accordance with EU directive 2000/53/EC

- 0.75% manganese for higher tensile strength and ductility
- 1,00% chrome for lower susceptibility to cracking and higher tensile strength
- 0.35% carbon for appropriate tool hardness

Tools made from high-quality chrome vanadium steel with a higher content of selected alloyed elements can now be even better adapted to specific uses, due to their suitability for high torques and their corresponding strength.




**187/2HX**

**Hex socket 1/4"**



- > material (Socket): Premium flex chrome vanadium steel
- > material: bit from premium plus carbon steel
- > entirely hardened and tempered
- > made according to standard DIN 7422




SKU	Hex	L	L1	D	Weight
625741	2,5	32	13	12	15
607898	3	32	13	12	18
607899	4	32	13	12	18
607900	5	32	13	12	18
607901	6	32	13	12	18
607902	7	32	13	12	18

**187/2PH**

**Crosstip screwdriver socket 1/4"**



- > material (Socket): Premium flex chrome vanadium steel
- > material: bit from premium plus carbon steel
- > entirely hardened and tempered




SKU	Profile	L	L1	D	Weight
607892	PH1	32	13	12	14
607893	PH2	32	13	12	14
607894	PH3	32	13	12	15

**187/2SL**

**Slotted screwdriver socket 1/4"**



- > material (Socket): Premium flex chrome vanadium steel
- > material: bit from premium plus carbon steel
- > entirely hardened and tempered




SKU	axb	L	L1	D	Weight
607895	0,8x4	32	13	12	15
607896	1,0x5,5	32	13	12	15
607897	1,2x7	32	13	12	17

**187/2TX**

**Screwdriver socket with TX profile 1/4"**



- > material (Socket): Premium flex chrome vanadium steel
- > material: bit from premium plus carbon steel
- > entirely hardened and tempered




SKU	Profile	L	L1	D	Weight
607903	TX 8	32	13	12	15
607904	TX 10	32	13	12	15
607905	TX 15	32	13	12	15
607906	TX 20	32	13	12	15
607907	TX 25	32	13	12	15
607908	TX 27	32	13	12	15
607909	TX 30	32	13	12	15
607910	TX 40	32	13	12	17

## 188/2 6p

### Socket 1/4", 6 point



- › material: premium flex chrome vanadium steel
- › drop forged, entirely hardened and tempered
- › surface finish: trivalent chrome plated according to ISO 1456:2009
- › made according to standard ISO 2725-1



SKU	Ømm	L	D1	D2	T	■
600815	4	25	6,8	11,9	5	15
600816	4,5	25	7,1	11,9	5	15
600817	5	25	8	11,9	5	15
600818	5,5	25	8,3	11,9	5	15
600819	6	25	9,3	11,9	5	15
600820	7	25	10,5	11,9	5	15
600821	8	25	11,9	11,9	5	15


600822	9	25	12,9	12,9	8	15
600823	10	25	13,9	13,9	8	39
600824	11	25	15,9	15,9	8	39
603130	12	25	16,9	16,9	8	39
600825	13	25	17,9	17,9	10	39
603131	14	25	19,7	19,7	10	39

## 188/2L6p

### Socket 1/4", long type, 6 point



- › material: premium flex chrome vanadium steel
- › drop forged, entirely hardened and tempered
- › surface finish: trivalent chrome plated according to ISO 1456:2009
- › made according to standard ISO 2725-1



SKU	Ømm	L	D1	D2	T	■
616885	6	50	9,3	11,9	8	20
616886	7	50	10,5	11,9	8	31
616887	8	50	11,9	11,9	8	71
616888	9	50	13,1	13,1	11	71
616889	10	50	14,5	14,5	11	71


616890	11	50	15,8	15,8	11	71
616891	12	50	16,8	16,8	13	71
616892	13	50	17,8	17,8	13	71
616893	14	50	19,6	19,6	16	71

## 189/2

### Socket with internal TX profile 1/4"



- › material: premium flex chrome vanadium steel
- › drop forged, entirely hardened and tempered
- › surface finish: trivalent chrome plated according to ISO 1456:2009




SKU	⊕	L	D1	D2	■
607911	E4	25	5,4	12	15
607912	E5	25	6,7	12	15
607913	E6	25	7,7	12	15
607914	E7	25	8,3	12	15
607915	E8	25	10,1	12	15
607916	E10	25	11,3	12	15
607917	E11	25	12,9	12	15

## 188.1/1ABI

### Reversible ratchet 1/4"



- › material: premium flex chrome vanadium steel
- › body drop forged
- › entirely hardened and tempered
- › surface finish: trivalent chrome plated to standard ISO 1456:2009
- › ergonomic heavy duty double component handle
- › made according to standard ISO 3315




- Advantages:**
- › with 40 - teeth
  - › 9° working angle
  - › Safety lock system
  - › The socket is simple released from the ratchet by pressing the button.

SKU	■	L	B	A	■
611901	1/4"	157	25	24,5	111

### 188.1/1BBI

### Ratchet for bits 6,3



- > material: premium flex chrome vanadium steel
- > body drop forged
- > entirely hardened and tempered
- > surface finish: trivalent chrome plated to standard ISO 1456:2009
- > ergonomic heavy duty double component handle
- > for bits 6,3 mm

**Advantages:**  
> The magnet in the ratchet head holds the bit in place, preventing it from falling out.

**Premium Flex**

SKU	Ø mm	L	B	A	Weight
625355	6,3	157	25	17,5	114

### 188.2/2BI

### Swivel handle 1/4"




- > material: premium flex chrome vanadium steel
- > body drop forged
- > entirely hardened and tempered
- > surface finish: trivalent chrome plated to standard ISO 1456:2009
- > ergonomic heavy duty double component handle
- > made according to standard ISO 3315

1/4"  
**Premium Flex**

SKU	Weight	L	Weight
611902	1/4"	150	81

### 188.3/2

### Sliding T - handle 1/4"




- > material: premium flex chrome vanadium steel
- > entirely hardened and tempered
- > surface finish: trivalent chrome plated to standard ISO 1456:2009
- > made according to standard ISO 3315

1/4"  
**Premium Flex**

SKU	Weight	L	A	D1	D2	Weight
600830	1/4"	120	24	7	14	47

### 188.4/2

### Extension bar 1/4"




- > material: premium flex chrome vanadium steel
- > drop forged, entirely hardened and tempered
- > surface finish: trivalent chrome plated according to ISO 1456:2009
- > made according to standard ISO 3316

1/4" 1/4"  
**Premium Flex**

SKU	Weight	L	D1	D2	Weight
600826	1/4"	55	8,3	12	18
625393	1/4"	100	8,3	12	35
600827	1/4"	150	8,3	12	50

### 188.4/2F

### Flexible extension bar 1/4"



- > material: premium flex chrome vanadium steel
- > entirely hardened and tempered
- > surface finish: trivalent chrome plated according to ISO 1456:2009

1/4" 1/4"  
**Premium Flex**


SKU	Weight	L	D1	D2	Weight
612868	1/4"	150	8,3	12	56

188.6/2

Universal joint 1/4"



- > material: premium flex chrome vanadium steel
- > drop forged, entirely hardened and tempered
- > surface finish: trivalent chrome plated according to ISO 1456:2009
- > made according to standard ISO 3316



SKU	■	L	D1	📦
607821	1/4"	41	14	35




188.7/2

Adaptor 1/4"



- > material: premium flex chrome vanadium steel
- > drop forged, entirely hardened and tempered
- > surface finish: trivalent chrome plated according to ISO 1456:2009
- > made according to standard ISO 3316



SKU	■	L	D	📦
607976	1/4" - 3/8"	35	12	23




188.8

Spinner handle 1/4"



- > material: premium flex chrome vanadium steel
- > handle - polypropylene
- > made according to standard ISO 3315



SKU	■	L	C	📦
607349	1/4"	150	50	97




188.9

Adaptor for bits



- > material: premium flex chrome vanadium steel
- > drop forged, entirely hardened and tempered
- > surface finish: trivalent chrome plated according to ISO 1456:2009

**Usage:**  
> for bits E6,3, C6,3



SKU	DIM	L	D	📦
612867	1/4" - 1/4"	25	12	18




188.10

Socket adaptor



- > material: premium flex chrome vanadium steel
- > entirely hardened and tempered
- > made according to standard DIN 7428

SKU	DIM	L	📦
604531	1/4"(6.3)-1/4"	50	15
616808	1/4"(6.3)-3/8"	50	20
616809	1/4"(6.3)-1/2"	50	33




188.10A

Bit with socket wrench



- > material: premium flex chrome vanadium steel
- > entirely hardened and tempered
- > with magnet
- > made according to standard DIN 7424



SKU	DIM	Ømm	L	D	T	📦
619448	6.3(1/4")	8	65	12.5	3.9	27
618701	6.3(1/4")	10	65	14.5	5	33
618702	6.3(1/4")	13	65	18	6	47
618703	6.3(1/4")	17	65	23.3	9.5	74

188H

Rail for 1/4" sockets



- > dimension 165 - for set 10 pcs 4-13, maximum numbers of clips 13
- > dimension 205 - 10 pcs set same dimension (14), maximum numbers of clips 17



1/4"

SKU	L	📦
619088	165	43
619235	205	53

188H1

Set of 10 pieces socket clips 1/4" for 188H



SKU	📦
619410	11



1/4"

**187HXP6****Screwdriver socket set with HX profile 1/4" on rail**

- > material (Socket): Premium flex chrome vanadium steel
- > material (Bit): Premium plus carbon steel
- > entirely hardened and tempered
- > made according to standard DIN 7422

SKU	ΣDIM	
629697	187/2HX (2,5, 3, 4, 5, 6, 7)	7

**188H6P12****Socket set 1/4" on rail****Set includes:**

- > 12x socket 1/4", 6 point (article 188/2 6P) dim. 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13
- > 1x rail, lenght 205mm

SKU	ΣDIM	
622628	188/2 6P (4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13)	13

**188H6LP9****Socket set 1/4", long type on rail****Set includes:**

- > 9x Socket 1/4", long type, 6 point (article 188/2L6P) dim. 4, 5, 6, 7, 8, 9, 10, 12, 13
- > 1x rail, lenght 205mm

SKU	ΣDIM	
622629	188/2L6P (4, 5, 6, 7, 8, 9, 10, 12, 13)	10

**188H6P11****Socket set 1/4" on rail**

- > material: premium flex chrome vanadium steel
- > drop forged, entirely hardened and tempered
- > surface finish: trivalent chrome plated according to ISO 1456:2009
- > made according to standard ISO 2725-1

SKU	ΣDIM	
629699	188/2 6P 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14	12

188B

Socket set 1/4" in metal box



> Dimension of box: 321 x 198 x 54

Set includes:

- > 13x socket 1/4", 6 point (article 188/2 6P) dim. 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14
- > 7x socket 1/4" with internal TX profile (article 189/2) dim. E4, E5, E6, E7, E8, E10, E11
- > 19x screwdriver socket 1/4"; hex (article 187/2HX dim. 3, 4, 5, 6, 7), TX profile (article 187/2TX dim. TX8, TX10, TX15, TX20, TX25, TX27, TX30, TX40), crosstip (article 187/2PH dim. PH 1, PH 2, PH 3), flat (article 187/2SL dim. 0.8x4, 1,0x5,5, 1,2x7)
- > 1x Reversible ratchet 1/4"
- > accessories 1/4"; 1x sliding T - handle, 2x extension bar (55, 150mm), 1x universal joint

SKU
615150



44

188/2 6p (4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14), 188.1/1ABI (1/4"), 188.3/2 (1/4"), 188.4/2 (1/4"x55, 1/4"x150), 188.6/2 (1/4"), 187/2PH (PH 1, PH 2, PH 3), 187/2SL (0.8 x 4, 1,0 x 5,5, 1,2 x 7), 187/2HX (3, 4, 5, 6, 7), 187/2TX (TX 8, TX 10, TX 15, TX 20, TX 25, TX 27, TX 30, TX 40), 189/2 (E 4, E 5, E 6, E 7, E 8, E 10, E 11), 981K3/8 (3/8"x321x198x54)



188BI

Socket set 1/4" in metal box



> Dimension of box: 197 x 105 x 38

Set includes:

- > 11x socket 1/4", 6 point (article 188/2 6P) dim. 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 13
- > 1x Reversible ratchet 1/4"
- > accessories 1/4"; 1x swivel handle, 1x sliding T - handle, 2x extension bar (55, 150mm)

SKU
611996



16

188/2 6p (4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 13), 188.1/1ABI (1/4"), 188.2/2BI (1/4"), 188.3/2 (1/4"), 188.4/2 (1/4"x55, 1/4"x150), 981K1/4 (1/4"x197x105x38)



188BI12P16

Socket set 1/4" in metal box



> Dimension of box: 197 x 105 x 38

Set includes:

- > 11x socket 1/4", 12 point (article 188/2 12P) dim. 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 13
- > 1x Reversible ratchet 1/4"
- > accessories 1/4"; 1x swivel handle, 1x sliding T - handle, 2x extension bar (55, 150mm)

SKU
617118



16

188/2 12p (4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 13), 188.4/2 (1/4"x55, 1/4"x150), 188.3/2 (1/4"), 188.1/1ABI (1/4"), 188.2/2BI (1/4"), 981K1/4 (1/4"x197x105x38)



MADE FOR WORK.

188C

Socket set 1/4" in metal box



> Dimension of box: 321 x 198 x 54

Set includes:


- > 13x socket 1/4", 6 point (article 188/2 6P) dim. 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14
- > 15x screwdriver socket 1/4"; hex (article 187/2HX dim. 3, 4, 5, 6, 7), TX profile (article 187/2TX dim. TX8, TX10, TX15, TX25, TX27, TX30, TX40), crosstip (article 187/2PH dim. PH 1, PH 2, PH 3)
- > 1x Reversible ratchet 1/4"
- > accessories 1/4"; 1x sliding T - handle, 2x extension bar (55, 150mm), 1x universal joint

SKU	33
615151	33

188/2 6p (4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14), 
 188.1/1ABI (1/4"), 
 188.3/2 (1/4"), 
 188.4/2 (1/4"x55, 1/4"x150), 
 187/2PH (PH 1, PH 2, PH 3), 
 187/2HX (3, 4, 5, 6, 7), 
 187/2TX (TX 8, TX 10, TX 15, TX 25, TX 27, TX 30, TX 40), 
 **981K3/8** (3/8"x321x198x54)

186.4/2

Spark plug socket 3/8"



- > material: premium flex chrome vanadium steel
- > drop forged, entirely hardened and tempered
- > surface finish: trivalent chrome plated according to ISO 1456:2009

SKU	Ø mm	L	D	Weight
603193	16	63	22	68
603192	19	63	26	68
600776	21	66	27	68

186.4/2A

Spark plug socket 3/8"




- > material: premium flex chrome vanadium steel
- > drop forged, entirely hardened and tempered
- > surface finish: trivalent chrome plated according to ISO 1456:2009

SKU	Ø mm	L	D	Weight
622513	14	63	18	61

236/2HX

Hex screwdriver socket 3/8"




- > material (Socket): Premium flex chrome vanadium steel
- > material: bit from premium plus carbon steel
- > entirely hardened and tempered
- > made according to standard DIN 7422

SKU	Hex	L	L1	D	Weight
612082	4	48	22	18	39
612083	5	48	22	18	39
612084	6	48	22	18	41
612085	8	48	22	18	45
612086	10	48	22	18	56

**236/2HXL**

**Long hex screwdriver socket 3/8"**




- > material (Socket): Premium flex chrome vanadium steel
- > material: bit from premium plus carbon steel
- > entirely hardened and tempered
- > made according to standard DIN 7422 (only metric dimension)



SKU	Hex	L	L1	D	Weight
612087	4	92	66	18	65
612088	5	92	66	18	65
612089	6	92	66	18	65
612090	8	92	66	18	65
612091	10	92	66	18	65

**236/2PH**

**Crosstip screwdriver socket 3/8"**



- > material (Socket): Premium flex chrome vanadium steel
- > material: bit from premium plus carbon steel
- > entirely hardened and tempered



SKU	Bit	L	L1	D	Weight
612093	PH2	48	22	18	39
612094	PH3	48	22	18	39

**238/1 6p**

**Socket 3/8", 6 point**



- > material: premium flex chrome vanadium steel
- > drop forged, entirely hardened and tempered
- > surface finish: trivalent chrome plated according to ISO 1456:2009
- > polished
- > made according to standard ISO 2725-1




SKU	Ø mm	L	D1	D2	T <sup>MIN</sup>	Weight
605322	6	28	10,2	16,9	8	28
605323	7	28	10,6	16,9	8	28
605324	8	28	11,8	16,9	8	28
605325	9	28	13,2	16,9	8	29
605326	10	28	14,5	16,9	8	29
605327	11	28	15,7	16,9	8	30
605328	12	28	16,9	16,9	8	31
605329	13	28	17,9	17,9	8	35
605330	14	28	19,7	19,7	12	41

605331	15	28	20,9	20,9	12	44
605332	16	30	21,9	21,9	12	52
605333	17	30	23,5	23,5	12	57
605334	18	30	24,7	21	12	57
605335	19	30	25,9	23	14	59
605336	20	32	27,2	24	14	73
605337	21	32	27,9	25	14	73
605338	22	32	29,7	26	14	88

**238.1/1ABI**

**Reversible ratchet 3/8"**



- > material: premium flex chrome vanadium steel
- > body drop forged
- > entirely hardened and tempered
- > surface finish: trivalent chrome plated to standard ISO 1456:2009
- > ergonomic heavy duty double component handle
- > made according to standard ISO 3315


**Advantages:**

- > 75 - teeth
- > 4,8° working angle
- > Safety lock system
- > The socket is simple released from the ratchet by pressing the button.



SKU	Size	L	B	A	Weight
612501	3/8"	200	35	30	239

238.1/1FBI



3/8" Premium Flex

Flexible reversible ratchet 3/8"


- > material: premium flex chrome vanadium steel
- > body drop forged
- > entirely hardened and tempered
- > surface finish: trivalent chrome plated to standard ISO 1456:2009
- > ergonomic heavy duty double component handle

Advantages:

- > 75 - teeth
- > 4,8° working angle
- > flexible ratchet allows working with the handle inclination up to max 90° with the 22,5° grade of inclination
- > Safety lock system
- > The socket is simple released from the ratchet by pressing the button.

SKU	■	L	B	A	📦
618368	3/8"	260	35	30	322

238.2/1BI




3/8" Premium Flex

Swivel handle 3/8"

- > material: premium flex chrome vanadium steel
- > body drop forged
- > entirely hardened and tempered
- > surface finish: trivalent chrome plated to standard ISO 1456:2009
- > ergonomic heavy duty double component handle
- > made according to standard ISO 3315

SKU	■	L	📦
612502	3/8"	210	188

238.3/1



3/8" Premium Flex

Sliding T-handle 3/8"

- > material: premium flex chrome vanadium steel
- > entirely hardened and tempered
- > surface finish: trivalent chrome plated according to ISO 1456:2009
- > polished head
- > made according to standard ISO 3315

SKU	■	L	A	D1	D2	📦
605341	3/8"	165	34	10.4	19	149

238.4/2




3/8" 3/8" Premium Flex

Extension bar 3/8"


- > material: premium flex chrome vanadium steel
- > drop forged, entirely hardened and tempered
- > surface finish: trivalent chrome plated according to ISO 1456:2009
- > made according to standard ISO 3316

SKU	■	L	D1	D2	📦
600777	3/8"	45	12.5	18	48
600778	3/8"	75	12.5	18	76



**238.4/1**

**Extension bar 3/8"**




- > material: premium flex chrome vanadium steel
- > drop forged, entirely hardened and tempered
- > surface finish: trivalent chrome plated according to ISO 1456:2009
- > polished head
- > made according to standard ISO 3316



SKU	■	L	D1	D2	📦
605343	3/8"	125	12.5	18	121
605342	3/8"	250	12.5	18	233

**238.5/2**

**Offset handle 3/8"**



- > material: premium flex chrome vanadium steel
- > drop forged, entirely hardened and tempered
- > surface finish: trivalent chrome plated according to ISO 1456:2009
- > made according to standard ISO 3315



SKU	■	L1	L2	D	📦
611962	3/8"	200	45	10	145

**238.6/1**

**Universal joint 3/8"**



- > material: premium flex chrome vanadium steel
- > drop forged, entirely hardened and tempered
- > surface finish: trivalent chrome plated according to ISO 1456:2009
- > made according to standard ISO 3316



SKU	■	L	D	📦
605344	3/8"	54	19	72

**238.7/1**

**Adaptor 3/8"**



- > material: premium flex chrome vanadium steel
- > drop forged, entirely hardened and tempered
- > surface finish: trivalent chrome plated according to ISO 1456:2009
- > polished head
- > made according to standard ISO 3316
- > code 605345 do not have polished heads



SKU	DIM	L	D	📦
607977	3/8" - 1/4"	28	16.5	20
605345	3/8" - 1/2"	38	17	38

**238H**

**Rail for 3/8" sockets**



- > dimension 260 - for set 10 pcs 6-22, maximum numbers of clips 15
- > dimension 345 - 10 pcs set same dimension (22), maximum numbers of clips 20



SKU	L	📦
619089	260	69
619236	345	84

## 238H1

## Set of 10 pieces socket clips 3/8" for 238H



3/8"

## SKU

619411



16

## 239A

## Socket set 3/8" in metal box



> Dimension of box: 321 x 198 x 54

**Set includes:**

- > 17x socket 3/8", 6 point (article 238/1 6P) dim. 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22
- > 1x reversible ratchet 3/8"
- > accessories 3/8"; 1x swivel handle, 1x sliding T - handle, 2x extension bar (125, 250mm), 1x universal joint, 1x adaptor (3/8 - 1/2")

## SKU

612509



24

238/1 6p (6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22), 238.3/1 (3/8"), 238.4/1 (3/8"x250, 3/8"x125), 238.6/1 (3/8"), 238.1/1ABI (3/8"), 238.2/1BI (3/8"), 238.7/1 (3/8" - 1/2")

## 239C

## Socket set 3/8" in metal box



> Dimension of box: 321 x 198 x 54

**Set includes:**

- > 17x socket 3/8", 6 point (article 238/1 6P) dim. 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22
- > 1x reversible ratchet 3/8"
- > accessories 3/8"; 1x sliding T - handle, 2x extension bar (125, 250mm), 1x universal joint
- > 8x screwdriver socket 3/8"; hex (article 236/2HX dim. 4, 5, 6, 8), crosstip (article 236/2PH dim. PH 2, PH 3), flat (article 236/2SL dim. 5.5, 8)

## SKU

613072



30

238/1 6p (6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22), 238.1/1ABI (3/8"), 238.3/1 (3/8"), 238.4/1 (3/8"x250, 3/8"x125), 238.6/1 (3/8"), 236/2HX (4, 5, 6, 8), 236/2PH (PH 2, PH 3), 236/2SL (5.5, 8)

239D

Socket set 3/8" in metal box



- > Dimension of box: 321 x 198 x 54
- Set includes:**
- > 14x socket 3/8", 6 point (article 238/1 6P) dim. 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19
- > 1x reversible ratchet 3/8"
- > accessories 3/8"; 1x offset handle, 1x sliding T - handle, 2x extension bar (125, 250mm), 1x universal joint
- > 10x screwdriver socket 3/8"; hex (article 236/2HX dim. 4, 5, 6, 8, 10, article 236/2HXL dim. 4, 5, 6, 8, 10)




SKU	30
613073	30

190/1 6p

Socket 1/2", 6 point



- > material: premium flex chrome vanadium steel
- > drop forged, entirely hardened and tempered
- > surface finish: trivalent chrome plated according to ISO 1456:2009
- > polished
- > made according to standard ISO 2725-1 (only metric dimension)
- > made according to standard DIN 3124



SKU	Ø mm	L	D1	D2	T <sup>MIN</sup>	📦							
605307	8	38	13.2	22.9	12	55	600866	25	42	34.2	29	16	126
610155	9	38	13.9	22.9	12	55	600867	26	42	35.3	30	16	147
600851	10	38	15	22.9	12	45	600868	27	43	37	30	18	150
600852	11	38	16.3	22.9	12	49	600869	28	43	38	31	20	177
600853	12	38	17.9	22.9	12	49	600871	30	46	40.7	34	22	210
600854	13	38	18.8	22.9	12	50	600872	32	46	43.2	36	22	222
600855	14	38	19.7	22.9	12	53	610106	3/8"	38	15	22.9	12	55
600856	15	38	20.4	22.9	12	58	610108	1/2"	38	18.8	22.9	12	65
600857	16	38	22.9	21.5	12	57	610109	9/16"	38	20.4	22.9	12	65
600858	17	38	24.3	22	12	62	610111	11/16"	38	25.5	23	12	95
600859	18	38	25.5	23	12	70	610112	3/4"	38	26.8	24	14	105
600860	19	38	26.8	24	14	63	610115	15/16"	42	33.1	28	16	165
600861	20	38	28.1	24	14	76	610116	1"	42	35.3	30	16	126
600862	21	38	29.3	25	14	95	610117	1.1/16"	43	37	30	18	180
600863	22	38	30.4	25	14	95	610118	1.1/8"	43	39	32	20	185
600864	23	40	31.7	26	14	114	610119	1.3/16"	46	40.7	34	22	237
600865	24	42	33.1	28	16	165	610120	1.1/4"	46	43.2	36	22	55

190H6P6

Socket set 1/2" on rail



- > material: premium flex chrome vanadium steel
- > drop forged, entirely hardened and tempered
- > surface finish: trivalent chrome plated according to ISO 1456:2009
- > made according to standard ISO 2725-1




SKU	ΣDIM	📦
629700	190/1 6P (14, 15, 16, 17, 18, 19)	7

190/112p

Socket 1/2", 12 point



- › material: premium flex chrome vanadium steel
- › drop forged, entirely hardened and tempered
- › surface finish: trivalent chrome plated according to ISO 1456:2009
- › polished
- › made according to standard ISO 2725-1 (only metric dimension)



SKU	Ømm	L	D1	D2	T <sup>MIN</sup>	⚖️
603812	10	38	15	22.9	12	55
603813	11	38	16.3	22.9	12	55
603814	12	38	17.9	22.9	12	65
603815	13	38	18.8	22.9	12	65
603816	14	38	19.7	22.9	12	65
603817	15	38	20.4	22.9	12	65
603818	16	38	22.9	21.5	12	65
603819	17	38	24.3	22	12	59
603820	18	38	25.5	23	12	100
603821	19	38	26.8	24	14	60
603823	21	38	29.3	25	14	128
603824	22	38	30.4	25	14	142
603825	23	40	31.7	26	14	147
603826	24	42	33.1	28	16	110
603827	27	43	37	30	18	180
603828	30	46	40.7	34	22	195


603829	32	46	43.2	36	22	237
621722	36	46	47.9	37.8	22	245
609366	3/8"	38	15	21.8	12	55
609368	1/2"	38	18.8	21.8	12	65
609369	9/16"	38	20.4	21.8	12	65
609370	19/32"	38	21.7	20.7	12	65
609371	5/8"	38	22.9	21.5	12	65
609372	11/16"	38	23.9	22	12	65
609373	3/4"	38	25.9	23	14	105
609375	13/16"	38	27.9	25	14	128
609376	7/8"	40	29.9	26	14	142
609377	15/16"	42	31.9	28	16	165
609378	1"	42	33.9	30	16	170
609379	1.1/16"	43	35.9	30	18	180
609380	1.1/8"	43	37.9	32	20	190
609382	1.1/4"	46	41.9	36	22	237

190/1L12p

Socket 1/2", long type, 12 point



- › material: premium flex chrome vanadium steel
- › drop forged, entirely hardened and tempered
- › surface finish: trivalent chrome plated according to ISO 1456:2009
- › polished
- › made according to standard ISO 2725-1 (only metric dimension)



SKU	Ømm	L	D1	D2	T <sup>MIN</sup>	⚖️
610762	10	77	15	22	12	85
610763	11	77	16.3	22	12	110
610764	12	77	17.6	22	12	100
610765	13	77	18.8	22	12	107
610766	14	77	20.4	22	15	112
610767	15	77	21.6	20.7	15	107
610768	16	77	22.9	21.5	15	121
610769	17	77	24	22	15	130
610770	18	77	25.4	23	18	150


610771	19	77	26	21	18	140
610772	20	77	27.9	24	18	176
610773	21	77	28	25	18	166
610774	22	77	30	26	21	197
610775	23	77	31.6	27	21	226
610776	24	77	32	28	24	223
610777	27	77	36	30	27	277
610778	30	77	40	34	30	317
610779	32	77	42	36	33	335

191/1

Socket with internal TX profile 1/2"



- › material: premium chrome vanadium steel
- › drop forged, entirely hardened and tempered
- › surface finish: trivalent chrome plated according to ISO 1456:2009
- › polished



SKU	⊕	L	D1	D2	⚖️
607141	E 10	38	22	14	58
607142	E 11	38	22	15	52
607143	E 12	38	22	15	55
607144	E 14	38	22	17	57
607145	E 16	38	22	19	62


607146	E 18	38	22	21	78
607147	E 20	40	26	23	95
607148	E 22	40	26	25.3	105
607149	E 24	40	28	27.3	119

192/2HX

Hex socket 1/2"



- > material (Socket): Premium flex chrome vanadium steel
- > material (Bit): Premium plus carbon steel
- > entirely hardened and tempered
- > dimensions 17, 19, 22, 24 are used for the removal and fitting of front wheels
- > made according to standard DIN 7422 (only metric dimension)



SKU	Hex	L	L1	D	Weight
600978	4	60	24	23	60
603420	5	60	24	23	60
603421	6	60	24	23	60
603422	7	60	24	23	75
603423	8	60	24	23	81
605923	9	60	24	23	85
603424	10	60	24	23	95

603425	12	60	24	23	116
624033	13	60	24	23	100
603426	14	60	24	23	168
603427	17	60	20	24	187
603428	19	60	20	26.5	195
623142	24	60	20	26.5	210

192HXP6

Screwdriver socket set with HX profile 1/2" on rail



- > material (Socket): Premium flex chrome vanadium steel
- > material (Bit): Premium plus carbon steel
- > entirely hardened and tempered
- > made according to standard DIN 7422




SKU	ΣDIM	Weight
629698	192/2HX (8, 9, 10, 12, 14, 17, 19)	8

192/2HXL

Long hex socket 1/2"



- > material (Socket): Premium flex chrome vanadium steel
- > material: bit from premium plus carbon steel
- > entirely hardened and tempered
- > made according to standard DIN 7422 (only metric dimension)



SKU	Hex	L	L1	D	Weight
603380	5	100	64	22.9	67
603381	6	100	64	22.9	67
603383	7	100	64	22.9	67
603384	8	100	64	22.9	67


603386	10	100	64	22.9	117
619807	10	163	127	22.9	163
603455	12	100	64	22.9	139

192/2TX

Screwdriver socket 1/2" with TX profile



- > material (Socket): Premium flex chrome vanadium steel
- > material: bit from premium plus carbon steel
- > entirely hardened and tempered




SKU	TX	L	L1	D	Weight
605562	TX 20	52	16	22.9	71
605563	TX 25	52	16	22.9	73
605564	TX 27	52	16	22.9	73
605565	TX 30	52	16	22.9	75
605566	TX 40	52	16	22.9	77

605567	TX 45	52	16	22.9	78
605568	TX 50	52	16	22.9	80
605569	TX 55	57	21	22.9	85
605570	TX 60	57	21	22.9	96

192/2TXL

Long screwdriver socket 1/2" with TX profile




- > material (Socket): Premium flex chrome vanadium steel
- > material: bit from premium plus carbon steel
- > entirely hardened and tempered
- > polished

SKU	★	L	L1	D	📦
612422	TX 20	100	64	22.9	76
612423	TX 25	100	64	22.9	86
612424	TX 27	100	64	22.9	86
612425	TX 30	100	64	22.9	86
612426	TX 40	100	64	22.9	90

612427	TX 45	100	64	22.9	92
612428	TX 50	100	64	22.9	94
612429	TX 55	100	64	22.9	100
612430	TX 60	100	64	22.9	110
619857	TX 70	105	65	24.3	253

192/2ZX

Screwdriver socket 1/2" with ZX profile




- > material (Socket): Premium flex chrome vanadium steel
- > material: bit from premium plus carbon steel
- > entirely hardened and tempered

SKU	★	L	L1	D	📦
612165	M 5	52	16	22.9	72
612166	M 6	52	16	22.9	70
612167	M 8	52	16	22.9	80
612168	M 10	57	21	22.9	84

612169	M 12	57	21	22.9	90
612170	M 14	57	21	22.9	97
620257	M 16	57	21	22.9	155

192/2ZXL

Long screwdriver socket 1/2" with ZX profile



- > material (Socket): Premium flex chrome vanadium steel
- > material: bit from premium plus carbon steel
- > entirely hardened and tempered

SKU	★	L	L1	D	📦
612171	M 6	100	64	22.9	85
612172	M 8	100	64	22.9	91
612173	M 10	100	64	22.9	110

612174	M 12	100	64	22.9	123
619845	M 14	100	64	22.9	143
620258	M 16	100	64	22.9	235

192/12

Set of screwdriver sockets with TX profile 1/2" in metal box



- > Dimension of box: 197 x 105 x 38

Set includes:

- > 9x screwdriver socket 1/2", with TX profile (article 192/2TX) dim. TX20, TX25, TX27, TX30, TX40, TX45, TX50, TX55, TX60

SKU	📦
603657	9
📦 192/2TX (TX 20, TX 25, TX 27, TX 30, TX 40, TX 45, TX 50, TX 55, TX 60)	

192/14

Hexagonal screwdriver socket set 1/2" in metal box



> Dimension of box: 197 x 105 x 38  
**Set includes:**  
 > 9x hex socket 1/2" (article 192/2HX) dim. 5, 6, 7, 8, 9, 10, 12, 14, 17

SKU	
607064	9
☞ 192/2HX (5, 6, 7, 8, 9, 10, 12, 14, 17)	



192/15

Set of screwdriver sockets with ZX profile 1/2" in plastic box



> Dimension of box: 197 x 167 x 35  
**Set includes:**  
 > 6x screwdriver socket 1/2", with ZX profile (article 192/2ZX) dim. M5, M6, M8, M10, M12, M14  
 > 4x long screwdriver socket 1/2", with ZX profile (article 192/2ZXL) dim. M6, M8, M10, M12

SKU	
617125	10
☞ 192/2ZX (M5, M6, M8, M10, M12, M14), ☞ 192/2ZXL (M6, M8, M10, M12)	



192/16

Set of long hexagonal screwdriver socket 1/2" in plastic box



> Dimension of box: 197 x 167 x 35  
**Set includes:**  
 > 6x hex socket 1/2", long type (article 192/2HXL) dim. 5x100, 6x100, 7x100, 8x100, 10x100, 12x100

SKU	
619416	6
☞ 192/2HXL (5x100, 6x100, 7x100, 8x100, 10x100, 12x100)	



## 192/17

## Set of long screwdriver socket with TX profile 1/2" in plastic box



› Dimension of box: 197 x 167 x 35

**Set includes:**

› 7x long screwdriver socket 1/2", with TX profile (article 192/2TXL) dim. TX20, TX25, TX27, TX30, TX40, TX45, TX50


SKU	
619417	7

192/2TXL (TX 20, TX 25, TX 27, TX 30, TX 40, TX 45, TX 50)



## 190.1/1ABI

## Reversible ratchet 1/2"



- › material: premium flex chrome vanadium steel
- › body drop forged
- › entirely hardened and tempered
- › surface finish: trivalent chrome plated to standard ISO 1456:2009
- › ergonomic heavy duty double component handle
- › made according to standard ISO 3315


**Advantages:**

- › 75 - teeth
- › 4,8° working angle
- › Safety lock system
- › The socket is simple released from the ratchet by pressing the button.
- › body entirely polished

SKU		L	B	A	
611782	1/2"	260	45	36	423

## 190.1/1FBI

## Flexible reversible ratchet 1/2"




- › material: premium flex chrome vanadium steel
- › body drop forged
- › entirely hardened and tempered
- › ergonomic heavy duty double component handle
- › surface finish: trivalent chrome plated to standard ISO 1456:2009

**Advantages:**


- › 75 - teeth
- › 4,8° working angle
- › flexible ratchet allows working with the handle inclination up to max 90° with the 22,5° steps
- › Safety lock system
- › The socket is simple released from the ratchet by pressing the button.

SKU		L	B	A	
618369	1/2"	320	40	36	598



190.1/1LG

Strong reversible ratchet 1/2"



> The ratchet is exceptionally strong and virtually impossible to break using only human strength. Regardless whether we use it for tightening or loosening bolts or nuts. The ratchet can withstand torque over 700 Nm. This is achieved with a durable mechanism with only 24 teeth and a long lever. Ratchet is used for loosening and tightening different sizes of bolts and nuts. Due to its durability, it can be easily used to loosen overtightened or rusted bolts such as wheel bolts.

- > material: premium flex chrome vanadium steel
- > body drop forged
- > surface finish: trivalent chrome plated to standard ISO 1456:2009


**Advantages:**

- > high durability
- > long lever, 465 mm
- > 24 - teeth

SKU	■	L	B	A	📦
627200	1/2"	465	47	37.5	1240

190.2/1BI

Swivel handle 1/2"




- > material: premium chrome vanadium steel
- > body drop forged
- > entirely hardened and tempered
- > surface finish: trivalent chrome plated to standard ISO 1456:2009
- > ergonomic heavy duty double component handle
- > made according to standard ISO 3315



SKU	■	L	📦
611899	1/2"	380	572
611900	1/2"	450	671

190.3/1

Sliding T - handle 1/2"



- > material: premium flex chrome vanadium steel
- > entirely hardened and tempered
- > surface finish: trivalent chrome plated according to ISO 1456:2009
- > made according to standard ISO 3315



SKU	■	L	A	D1	D2	📦
600876	1/2"	300	45	14	25.5	340

190.4/1

Extension bar 1/2"




- > material: premium flex chrome vanadium steel
- > drop forged, entirely hardened and tempered
- > surface finish: trivalent chrome plated according to ISO 1456:2009
- > polished head
- > made according to standard ISO 3316



SKU	■	L	D1	D2	📦
607955	1/2"	75	16.8	24	114
600874	1/2"	125	16.8	24	178
600875	1/2"	250	16.8	24	326

190.4/2

Extension bar 1/2"




- > material: premium flex chrome vanadium steel
- > drop forged, entirely hardened and tempered
- > surface finish: trivalent chrome plated according to ISO 1456:2009



SKU	DIM	L	D1	D2	📦
612565	1/2"	600	16.8	24	732

### 190.4/1S



**Premium Flex**

### Ball-end extension bar 1/2"


- > material: premium flex chrome vanadium steel
- > drop forged, entirely hardened and tempered
- > surface finish: trivalent chrome plated according to ISO 1456:2009
- > polished head
- > made according to standard ISO 3316

#### Advantages:

- > ball end shape enables working at an angle of 9°

SKU	■	L	D1	D2	📦
610909	1/2"	75	16.8	24	110
610908	1/2"	125	16.8	24	180
610907	1/2"	250	16.4	24	340

### 190.5/2




**Premium Flex**

### Offset handle 1/2"

- > material: premium flex chrome vanadium steel
- > drop forged, entirely hardened and tempered
- > surface finish: trivalent chrome plated according to ISO 1456:2009
- > made according to standard ISO 3315

SKU	■	L1	L2	D	📦
610933	1/2"	245	59	16.8	342

### 190.6/2




**Premium Flex**

### Universal joint 1/2"

- > material: premium flex chrome vanadium steel
- > drop forged, entirely hardened and tempered
- > surface finish: trivalent chrome plated according to ISO 1456:2009
- > made according to standard ISO 3316

SKU	■	L	D	📦
600873	1/2"	75.5	23	158

### 190.7/2



**Premium Flex**


### Adaptor 1/2"

- > material: premium flex chrome vanadium steel
- > drop forged, entirely hardened and tempered
- > surface finish: trivalent chrome plated according to ISO 1456:2009
- > made according to standard ISO 3316

SKU	DIM	L	D	📦
603334	1/2" x 3/8"	38	23	67
607975	1/2" x 3/4"	35	22	168

**190.9/2ABI**

**One-way ratchet 1/2" without pivot**




- > material: premium flex chrome vanadium steel
- > body drop forged
- > entirely hardened and tempered
- > surface finish: trivalent chrome plated to standard ISO 1456:2009
- > ergonomic heavy duty double component handle



SKU	■	L	B	A	📦
611608	1/2"	252	43,5	38	498

**190.9/2BI**

**One-way ratchet 1/2"**



- > material: premium flex chrome vanadium steel
- > body drop forged
- > entirely hardened and tempered
- > surface finish: trivalent chrome plated to standard ISO 1456:2009
- > ergonomic heavy duty double component handle
- > code 611608 is ratchet without replacement square



SKU	■	L	B	A	📦
600909	1/2"	252	43.5	38	498

**190.10**

**Replacement square 1/2"**



- > material: premium flex chrome vanadium steel
- > entirely hardened and tempered
- > for one-way ratchet 190.9/2BI
- > made according to standard ISO 3315



SKU	■	L	📦
603378	1/2"	40	50



**190H**

**Rail for sockets 1/2"**



- > dimension 330 - for set 10 pcs 8 - 32, maximum numbers of clips 14
- > dimension 450 - 10 pcs set same dimension (22), maximum numbers of clips 19



SKU	L	📦
619090	330	95
619237	450	120

**190H1**

**Set of 10 pieces socket clips 1/2" for 190H**



SKU	📦
619412	27



**190H12P15**

**Socket set 1/2" on rail**



**Set includes:**

- > 15x socket 1/2", 12 point (article 190/1 12P) dim. 10, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27, 30, 32
- > 1x rail, length 450mm



SKU	ΣDIM	
622635	190/1 12P (10, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27, 30, 32)	15



**190H12LP7**

**Socket set 1/2", long type on rail**



**Set includes:**

- > 7x socket 1/2", long type, 12 point (article 190/1L12P) dim. 13, 14, 15, 17, 21, 22, 24
- > 1x rail, length 450mm



SKU	ΣDIM	
622636	190/1L12P (13, 14, 15, 17, 21, 22, 24)	7



**190BI6P14**

**Socket set 1/2" in metal box**



> Dimension of box: 321 x 198 x 54

**Set includes:**

- > 11x socket 1/2", 6 point (article 190/1 6P) dim. 10, 11, 12, 13, 14, 15, 17, 19, 21, 22, 24
- > 1x Reversible ratchet 1/2"
- > accessories 1/2"; 1x sliding T - handle, 1x extension bar (125 mm)



SKU	
611940	14

190/1 6p (10, 11, 12, 13, 14, 15, 17, 19, 21, 22, 24), 
 190.1/1ABI (1/2"), 
 190.3/1 (1/2"), 
 190.4/1 (1/2"x125)



## 190BI6P17

## Socket set 1/2" in plastic box



> Dimension of box: 307 x 260 x 70

**Set includes:**

- > 14x socket 1/2", 6 point (article 190/1 6P) dim. 10, 11, 12, 13, 14, 17, 19, 21, 22, 23, 24, 27, 30, 32
- > 1x Reversible ratchet 1/2"
- > accessories 1/2"; 1x sliding T - handle, 1x extension bar (75 mm)

SKU	
622023	17
190/1 6p (10, 11, 12, 13, 14, 17, 19, 21, 22, 23, 24, 27, 30, 32),  190.1/1ABI (1/2"),  190.3/1 (1/2"),  190.4/1 (1/2"x75)	



## 190BI6P23

## Socket set 1/2" in metal box



> Dimension of box: 448 x 198 x 54

**Set includes:**

- > 18x socket 1/2", 6 point (article 190/1 6P) dim. 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32
- > 1x Reversible ratchet 1/2"
- > accessories 1/2"; 1x sliding T - handle, 2x extension bar (125, 250mm), 1x universal joint

SKU	
612779	23
190/1 6p (10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32),  190.1/1ABI (1/2"),  190.3/1 (1/2"),  190.4/1 (1/2"x125, 1/2"x250),  190.6/2 (1/2")	



## 190BI6P24

## Socket set 1/2" in metal box



> Unior Socket Set 1/2" in Metal Box (190BI6P24), a high-quality, durable, and versatile toolset designed for your everyday mechanical needs. This premium set includes 24 pieces made from chrome-vanadium steel, ensuring long-lasting performance and reliability. Packed in a robust metal box, it's an ideal addition to your toolbox, providing easy organization and portability.

> Dimension of box: 448 x 198 x 54

**Set includes:**

- > 18x socket 1/2", 6 point (article 190/1 6P) dim. 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32
- > 1x Reversible ratchet 1/2"
- > accessories 1/2"; 1x swivel handle, 1x sliding T - handle, 2x extension bar (125, 250mm), 1x universal joint

SKU	
611939	24
190/1 6p (10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32),  190.1/1ABI (1/2"),  190.2/1BI (1/2"x380),  190.3/1 (1/2"),  190.4/1 (1/2"x125, 1/2"x250),  190.6/2 (1/2")	



## 190BI6P43

## Socket set 1/2" and 1/4" in plastic box



› Dimension of box: 346 x 292 x 83

**Set includes:**

- › 13x socket 1/4", 6 point (article 188/2 6P) dim. 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14
- › 1x Reversible ratchet 1/4"
- › accessories 1/4"; 1x sliding T - handle, 2x extension bar (55, 150mm), 1x universal joint
- › 13x socket 1/2", 6 point (article 190/1 6P) dim. 10, 11, 12, 13, 14, 15, 17, 19, 22, 24, 27, 30, 32
- › 7x hex socket 1/2" (article 192/2HX) dim. 6, 7, 8, 10, 12, 14, 17
- › 1x Reversible ratchet 1/2"
- › accessories 1/2"; 1x sliding T - handle, 2x extension bar (125, 250mm), 1x universal joint

## SKU

611944



43

188/2 6p (4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14),
 188.1/1ABI (1/4"),
 188.3/2 (1/4"),
 188.4/2 (1/4"x55, 1/4"x150),
 188.6/2 (1/4"),
 190/1 6p (10, 11, 12, 13, 14, 15, 17, 19, 22, 24, 27, 30, 32),
 192/2HX (6, 7, 8, 10, 12, 14, 17),
 190.1/1ABI (1/2"),
 190.3/1 (1/2"),
 190.4/1 (1/2"x125, 1/2"x250),
 190.6/2 (1/2")

## 190BI12P15

## Socket set 1/2" in metal box

**Set includes:**

- › 11x socket 1/2", 12 point (article 190/1 12P) dim. 10, 12, 13, 14, 17, 19, 22, 24, 27, 30, 32
- › 1x Reversible ratchet 1/2"
- › accessories 1/2"; 1x sliding T - handle, 1x extension bar (250 mm), 1x universal joint

## SKU

627205



15

190/1 12p (10, 12, 13, 14, 17, 19, 22, 24, 27, 30, 32),
 190.1/1ABI (1/2"),
 190.3/1 (1/2"),
 190.4/1 (1/2"x250),
 190.6/2 (1/2"),
 981K3/8 (3/8"x321x198x54)

## 190BI12P23

## Socket set 1/2" in metal box



› Dimension of box: 448 x 198 x 54

**Set includes:**

- › 18x socket 1/2", 12 point (article 190/1 12P) dim. 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32
- › 1x Reversible ratchet 1/2"
- › accessories 1/2"; 1x sliding T - handle, 2x extension bar (125, 250mm), 1x universal joint

## SKU

615327



23

190/1 12p (10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32),
 190.1/1ABI (1/2"),
 190.3/1 (1/2"),
 190.4/1 (1/2"x250, 1/2"x125),
 190.6/2 (1/2")

## 190BI12P23IN

## Socket set 1/2" in metal box



> Dimension of box: 448 x 198 x 54

**Set includes:**

- > 17x socket 1/2", 12 point (article 190/1 12P) dim. 3/8", 7/16", 1/2", 9/16", 19/32", 5/8", 11/16", 3/4", 25/32", 13/16", 7/8", 15/16", 1", 1.1/16", 1.1/8", 1.3/16", 1.1/4"
- > 1x Reversible ratchet 1/2"
- > accessories 1/2": 1x swivel handle, 1x sliding T - handle, 2x extension bar (125, 250mm), 1x universal joint

**SKU**

611943



23

 190/1 12p (3/8", 7/16", 1/2", 9/16", 19/32", 5/8", 11/16", 3/4", 25/32", 13/16", 7/8", 15/16", 1", 1.1/16", 1.1/8", 1.3/16", 1.1/4"), 
  190.1/1ABI (1/2"), 
  190.2/1BI (1/2"x380), 
  190.3/1 (1/2"), 
  190.4/1 (1/2"x125, 1/2"x250), 
  190.6/2 (1/2")

## 190BI12P24

## Socket set 1/2" in metal box



> Dimension of box: 448 x 198 x 54

**Set includes:**

- > 18x socket 1/2", 12 point (article 190/1 12P) dim. 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32
- > 1x Reversible ratchet 1/2"
- > accessories 1/2": 1x swivel handle, 1x sliding T - handle, 2x extension bar (125, 250mm), 1x universal joint

**SKU**

611941



24

 190/1 12p (10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32), 
  190.1/1ABI (1/2"), 
  190.2/1BI (1/2"x380), 
  190.3/1 (1/2"), 
  190.4/1 (1/2"x125, 1/2"x250), 
  190.6/2 (1/2")

## 190BIHX1P20

## Socket set 1/2" in metal box



> Dimension of box: 448 x 198 x 54

**Set includes:**

- > 6x hex socket 1/2", long type (article 192/2HXL) dim. 5x100, 6x100, 7x100, 8x100, 10x100, 12x100
- > 11x hex socket 1/2" (article 192/2HX) dim. 4, 5, 6, 7, 8, 9, 10, 12, 14, 17, 19
- > 1x Reversible ratchet 1/2"
- > accessories 1/2": 2x extension bar (125, 250mm)

**SKU**

611946



20

 192/2HXL (5x64, 6x64, 7x64, 8x64, 10x64, 12x64), 
  192/2HX (4, 5, 6, 7, 8, 9, 10, 12, 14, 17, 19), 
  190.1/1ABI (1/2"), 
  190.4/1 (1/2"x125, 1/2"x250)



190BITX1P22

Socket set 1/2" in metal box



- > Dimension of box: 448 x 198 x 54
- Set includes:**
- > 9x screwdriver socket 1/2", with TX profile (article 192/2TX) dim. TX20, TX25, TX27, TX30, TX40, TX45, TX50, TX55, TX60
- > 9x socket 1/2" with internal TX profile (article 191/1) dim. E10, E11, E12, E14, E16, E18, E20, E22, E24
- > 1x Reversible ratchet 1/2"
- > accessories 1/2"; 2x extension bar (125, 250mm), 1x universal joint

SKU	
611945	22
190.6/2 (1/2"), 190.4/1 (1/2"x125, 1/2"x250), 192/2TX (TX 20, TX 25, TX 27, TX 30, TX 40, TX 45, TX 50, TX 55, TX 60), 191/1 (E 10, E 11, E 12, E 14, E 16, E 18, E 20, E 22, E 24), 190.1/1ABI (1/2")	

191MB1

Set of sockets with internal TX profile 1/2" in metal box




- > Dimension of box: 197 x 105 x 38
- Set includes:**
- > 9x socket 1/2" with internal TX profile (article 191/1) dim. E10, E11, E12, E14, E16, E18, E20, E22, E24

SKU	
607314	9
191/1 (E 10, E 11, E 12, E 14, E 16, E 18, E 20, E 22, E 24)	

197/1 6p

Socket 3/4", 6 point



- > material: premium flex chrome vanadium steel
- > drop forged, entirely hardened and tempered
- > surface finish: trivalent chrome plated according to ISO 1456:2009
- > polished
- > torque: DIN 899 range E
- > made according to standard ISO 2725-1 (only metric dimension)


SKU	O <sub>mm</sub>	L	D1	D2	T	
619698	19	50	29,2	33	14	175
602723	22	50	32,2	36	14	220
602725	24	51	34,2	36	16	230
602726	26	52	37	36	16,5	230
602727	27	52	38	36	22	239
602728	28	52	39,5	36	22	242
602729	30	54	42	36	24	273
602730	32	56	44	36	26	295
602731	34	56	47	36	26	347
619701	35	58	48	38	26	401
602732	36	58	50	38	28	400
602733	38	60	52	38	28	488
602734	41	64	56	40	30	502
602735	46	66	62	42	32	621
602736	50	70	68	42	34	708
617527	55	76	74	45	38	914
603135	60	78	80	45	42	1105

### 197/2AHX

### Hex socket 3/4"



- > material (Socket): Premium flex chrome vanadium steel
- > material: bit from premium plus carbon steel
- > entirely hardened and tempered
- > made according to standard DIN 7422 (only metric dimension)




SKU	Hex	L	L1	D	Weight
619836	14	80	30	33.85	267
619837	17	80	30	33.85	275
619838	19	80	30	33.85	364
619839	22	80	30	33.85	381

### 197/2ATX

### Screwdriver socket with TX profile 3/4"



- > material (Socket): Premium flex chrome vanadium steel
- > material: bit from premium plus carbon steel
- > entirely hardened and tempered




SKU	TX	L	L1	D	Weight
619840	TX 60	80	30	33.85	257
619841	TX 70	80	30	33.85	262
619842	TX 80	80	30	33.85	267
619843	TX 90	80	30	33.85	351
619844	TX 100	80	30	33.85	363

### 197/2AZX

### Screwdriver socket 3/4" with ZX profile



- > material (Socket): Premium flex chrome vanadium steel
- > material: bit from premium plus carbon steel
- > entirely hardened and tempered




SKU	ZX	L	L1	D	Weight
620818	M18	80	30	33.9	371

### 197.1/1

### Reversible ratchet 3/4"



- > material: premium flex chrome vanadium steel
- > body drop forged
- > entirely hardened and tempered
- > 24 - teeth
- > surface finish: trivalent chrome plated to standard ISO 1456:2009
- > made according to standard ISO 3315




SKU	Size	L	B	A	Weight
602737	3/4"	500	63.5	58	2590

### 197.3/1

### Sliding T-handle 3/4"




- > material: premium flex chrome vanadium steel
- > entirely hardened and tempered
- > surface finish: trivalent chrome plated according to ISO 1456:2009
- > polished head
- > made according to standard ISO 3315



SKU	Size	L	A	D1	D2	Weight
602738	3/4"	455	60	20	37	1400

197.4/1

Extension bar 3/4"




- > material: premium flex chrome vanadium steel
- > drop forged, entirely hardened and tempered
- > surface finish: trivalent chrome plated according to ISO 1456:2009
- > polished head
- > made according to standard ISO 3316



SKU	■	L	D1	D2	📦
602740	3/4"	200	25.3	36	635
602739	3/4"	400	25.3	36	1160

197.6/1

Universal joint 3/4"



- > material: premium flex chrome vanadium steel
- > surface finish: trivalent chrome plated according to ISO 1456:2009
- > drop forged, entirely hardened and tempered
- > made according to standard ISO 3316



SKU	■	L	D	📦
617657	3/4"	107	40	597

197.7/1

Adaptor 3/4"



- > material: premium flex chrome vanadium steel
- > drop forged, entirely hardened and tempered
- > surface finish: trivalent chrome plated according to ISO 1456:2009
- > polished head
- > made according to standard ISO 3316



SKU	DIM	L	D	📦
602741	3/4" - 1/2"	54	34	181
610695	3/4" - 1"	62	38	364

197MB1

Socket set 3/4" in metal box



- > Dimension of box: 505 x 215 x 78
- Set includes:**
- > 9x socket 3/4", 6 point (article 197/1 6P) dim. 22, 24, 27, 30, 32, 36, 38, 41, 46
- > 1x reversible ratchet 3/4"
- > accessories 3/4"; 1x sliding T - handle, 2x extension bar (200, 400mm), 1x adaptor (3/4"-1/2")



SKU	👉
602742	14

197MB2

Socket set 3/4" in metal box



> Dimension of box: 505 x 215 x 78

**Set includes:**

- > 10x socket 3/4", 6 point (article 197/1 6P) dim. 22, 24, 27, 30, 32, 36, 38, 41, 46, 50
- > 1x reversible ratchet 3/4"
- > accessories 3/4"; 1x sliding T - handle, 2x extension bar (200, 400mm)

SKU
600954



14

197/1 6p (22, 24, 27, 30, 32, 36, 38, 41, 46, 50), 197.1/1 (3/4"x500), 197.3/1 (3/4"), 197.4/1 (3/4"x400, 3/4"x200)



197MB4

Socket set 3/4" in metal box



> Dimension of box: 505 x 215 x 78

**Set includes:**

- > 9x socket 3/4", 6 point (article 197/1 6P) dim. 22, 24, 27, 30, 32, 36, 41, 46, 55
- > 1x reversible ratchet 3/4"
- > accessories 1/4"; 1x sliding T - handle, 2x extension bar (200, 400mm), 1x universal joint, 1x adaptor (3/4"-1/2")

SKU
619927



15

197/1 6p (22, 24, 27, 30, 32, 36, 41, 46, 55), 197.1/1 (3/4"x500), 197.3/1 (3/4"), 197.4/1 (3/4"x400, 3/4"x200), 197.6/1 (3/4"), 197.7/1 (3/4" - 1/2")



199/1 6p


Socket 1", 6 point



- > material: premium flex chrome vanadium steel
- > drop forged, entirely hardened and tempered
- > surface finish: trivalent chrome plated according to ISO 1456:2009
- > polished
- > made according to standard ISO 2725-1

SKU	Ø mm	L	D1	D2	T	W
603096	46	75	65	50	34	849
603097	50	75	70	55	34	1039
603098	55	80	76	57	40	1222
603099	60	84	82	57	42	1383

603100	65	87	88	57	44	1607
603101	70	93	94	68	48	2039
603102	75	97	100	68	52	2243
603103	80	103	105	68	54	2479




## 199/112p

## Socket 1", 12 point




- > material: premium flex chrome vanadium steel
- > drop forged, entirely hardened and tempered
- > surface finish: trivalent chrome plated according to ISO 1456:2009
- > polished
- > made according to standard ISO 2725-1



SKU	Ømm	L	D1	D2	T	■
618699	65	84	82	56.9	42	1444

## 199.1/1

## Reversible ratchet 1"




- > material: premium flex chrome vanadium steel
- > body drop forged
- > entirely hardened and tempered
- > 24 - teeth
- > surface finish: trivalent chrome plated to standard ISO 1456:2009
- > made according to standard ISO 3315

SKU	■	L	B	A	■
603104	1"	665	71.5	71	4655

## 199.3/1

## Sliding T-handle 1"




- > material: premium flex chrome vanadium steel
- > entirely hardened and tempered
- > surface finish: trivalent chrome plated according to ISO 1456:2009
- > polished head
- > made according to standard ISO 3315

SKU	■	L	A	D1	D2	■
603105	1"	560	80	28	49	3330

## 199.4/1

## Extension bar 1"



- > material: premium flex chrome vanadium steel
- > drop forged, entirely hardened and tempered
- > surface finish: trivalent chrome plated according to ISO 1456:2009
- > polished head
- > made according to standard ISO 3316

SKU	■	L	D1	D2	■
603107	1"	200	33.6	48	1125
603106	1"	400	33.6	48	1900


199.7/1

Adaptor 1"



- > material: premium flex chrome vanadium steel
- > drop forged, entirely hardened and tempered
- > surface finish: trivalent chrome plated according to ISO 1456:2009
- > polished head
- > made according to standard ISO 3316

SKU	DIM	L	D	
619905	1" - 3/4"	65	48	427



199MB1

Socket set 1" in metal box



- > Dimension of box: 670 x 220 x 100
- Set includes:**
- > 8x socket 1", 6 point (article 199/1 6P) dim. 46, 50, 55, 60, 65, 70, 75, 80
- > 1x reversible ratchet 1"
- > accessories 1"; 1x sliding T - handle, 2x extension bar (200, 400mm)

SKU	
603095	12

199/1 6p (46, 50, 55, 60, 65, 70, 75, 80), 199.1/1 (1"), 199.3/1 (1"), 199.4/1 (1"x400, 1"x200)




231/4 6p

Impact socket 1/2", 6 point



- > material: premium flex chrome vanadium steel
- > drop forged, entirely hardened and tempered
- > surface finish: phosphated to standard ISO 9717
- > made according to standard ISO 2725-2

SKU	Ø <sub>mm</sub>	L	D1	D2	T								
603962	10	38	17.5	25	12	94	603970	19	38	28.7	30	13	126
603963	11	38	18.7	25	12	95	603971	21	38	30	30	13	139
603964	12	38	20	25	12	95	603972	22	38	32	30	13	133
603965	13	38	21	25	12	96	603973	23	38	32	30	13	183
603966	14	38	22.5	25	12	95	603974	24	45	35	30	20	235
603967	15	38	23.7	30	12	140	603975	27	50	38.7	30	24	235
603968	16	38	25	30	12	143	609400	28	50	40	30	24	255
603969	17	38	26	30	13	140	603976	30	50	42	30	24	259
609399	18	38	27.5	30	13	135	605548	32	50	44	30	24	72




231/4L6p

Impact socket 1/2", long type, 6 point



- › material: premium flex chrome vanadium steel
- › drop forged, entirely hardened and tempered
- › surface finish: phosphated to standard ISO 9717
- › made according to standard ISO 2725-2



SKU	Ø mm	D1	D2	T	⚙️
607918	10	17.5	25	14	144
607919	11	18.7	25	14	166
607920	12	20	25	14	160
607921	13	21.3	25	14	168
607922	14	22.5	25	17	174
607923	15	23.7	30	17	226
607924	16	25	30	17	259
607925	17	26.2	30	17	244
609401	18	27.5	30	17	257


607926	19	28.7	30	19	265
607927	21	30	30	24	280
607928	22	32	30	24	292
607929	23	32	30	24	275
607930	24	35	30	24	337
607931	27	38.7	30	24	395
609402	28	40	30	24	395
607932	30	42	30	24	432
607933	32	44	30	24	421

231/4AHX

Impact hex socket 1/2"



- › material: premium flex chrome vanadium steel
- › drop forged, entirely hardened and tempered
- › surface finish: phosphated to standard ISO 9717



SKU	⬠	L1	L2	D	⚙️
615218	5	75	15	25	85
615219	6	75	15	25	93
615220	8	75	25	25	95
615221	10	75	25	25	114


615222	12	75	25	25	130
615223	14	75	25	25	148
615224	17	75	25	25	183
615225	19	75	25	25	207

231/4ATX

Impact screwdriver socket 1/2" with TX profile



- › material: premium flex chrome vanadium steel
- › drop forged, entirely hardened and tempered
- › surface finish: phosphated to standard ISO 9717



SKU	★	L1	L2	D	⚙️
612874	TX 30	55	3.8	25	86
612875	TX 40	55	3.8	25	86
612876	TX 45	55	4.3	25	86
612877	TX 50	55	5	25	92


612878	TX 55	55	5.5	25	95
612879	TX 60	55	8	25	105
618761	TX 70	55	9.4	25	111

231/4P

Impact socket 1/2" for alloy wheels, 6 point



- › material: premium flex chrome vanadium steel
- › drop forged, entirely hardened and tempered
- › surface finish: phosphated to standard ISO 9717
- › with plastic protection



SKU	DIM	L	D1	D2	T	⚙️
616763	17	85	27	30	14	225
616764	19	85	29	30	15	237
616765	21	85	31	30	17	262


**231/4PL**

**Impact socket 1/2" for alloy wheels, long type, 6 point**



- > material: premium flex chrome vanadium steel
- > drop forged, entirely hardened and tempered
- > surface finish: phosphated to standard ISO 9717
- > with plastic protection

SKU	DIM	L	D1	D2	T	■
619015	17	130	27	25	24	305




**231.4/4**

**Impact extension bar 1/2"**



- > material: premium flex chrome vanadium steel
- > drop forged, entirely hardened and tempered
- > surface finish: phosphated to standard ISO 9717




SKU	■	L	D1	D2	■
603978	1/2"	75	16.6	25	148
603977	1/2"	125	16.6	25	230

**231.6/4**

**Impact universal joint 1/2"**



- > material: premium flex chrome vanadium steel
- > drop forged, entirely hardened and tempered
- > surface finish: phosphated to standard ISO 9717




SKU	■	L	D	■
609460	1/2"	60	32	209

**231.7/4**

**Impact adaptor 1/2"**




- > material: premium flex chrome vanadium steel
- > drop forged, entirely hardened and tempered
- > surface finish: phosphated to standard ISO 9717



SKU	DIM	L	D	■
603979	1/2" - 3/4"	48	30	169

## 231.8/4

## Impact accessories 1/2"



- > material of pin: chrome molybdenum
- > material of ring: rubber
- > surface finish of pin: phosphated to standard DIN

SKU	DIM	L	D	d	d1	
603997	10 - 14	20	20	4	3	8
603998	15 - 32	25	25	4	3	9

## 231/4PB1

## Set of impact sockets 1/2" in plastic box



- > Dimension of box: 244 x 207 x 59

**Set includes:**

- > 9x impact socket 1/2", 6 point (article 231/4 6P) dim. 15, 17, 18, 19, 21, 22, 24, 27, 30
- > impact socket accessories 1/2"; 1x extension bar (75 mm), 2x ring with pin

SKU	
612506	10

231/4 6p (15, 17, 18, 19, 21, 22, 24, 27, 30), 231.4/4 (1/2"x75), 231.8/4 (10 - 14, 15 - 32)



## 231/4PB2

## Set of impact sockets 1/2" in plastic box



- > Dimension of box: 244 x 207 x 59

**Set includes:**

- > 9x impact socket 1/2", long type, 6 point (article 231/4L6P) dim. 15, 17, 18, 19, 21, 22, 24, 27, 30
- > impact socket accessories 1/2"; 1x extension bar (75 mm), 2x ring with pin

SKU	
612507	10

231/4L6p (15, 17, 18, 19, 21, 22, 24, 27, 30), 231.4/4 (1/2"x75), 231.8/4 (10 - 14, 15 - 32)



**231/4PB3**

**Set of impact sockets 1/2" in plastic box**



- › Dimension of box: 244 x 207 x 59
- Set includes:**
- › 6x impact socket 1/2", 6 point (article 231/4 6P) dim. 17, 18, 19, 21, 22, 24
- › 6x impact socket 1/2", long type, 6 point (article 231/4L6P) dim. 17, 18, 19, 21, 22, 24
- › impact socket accessories 1/2"; 2x ring with pin

SKU	
612508	12
<input type="checkbox"/> 231/4 6p (17, 18, 19, 21, 22, 24), 231/4L6p (17, 18, 19, 21, 22, 24), © 231.8/4 (10 - 14, 15 - 32)	



**231/4PB4**

**Set of impact sockets 1/2" with external and internal TX profile in plastic box**



- › Dimension of box: 244 x 207 x 44
- Set includes:**
- › 7x impact socket 1/2" with internal TX profile (article 231/4TX) dim. E10, E12, E14, E16, E18, E20, E24
- › 6x impact screwdriver socket 1/2" with TX profile (article 231/4ATX) dim. TX30, TX40, TX45, TX50, TX55, TX60

SKU	
615227	13
<input type="checkbox"/> 231/4TX (E 10, E 12, E 14, E 16, E 18, E 20, E 24), 231/4ATX (TX 30, TX 40, TX 45, TX 50, TX 55, TX 60)	



**231/4PPB**

**Set of 1/2" impact sockets for alloy wheels in plastic box**



- › Dimension of box: 197 x 167 x 47
- Set includes:**
- › 3x impact socket 1/2" for alloy wheels, 6 point (article 231/4P) dim. 17, 19, 21

SKU	
619965	3
<input type="checkbox"/> 231/4P (17, 19, 21), 981PBM1 (197x167x47)	




232/4 6p

Impact socket 3/4", 6 point



- > material: premium flex chrome vanadium steel
- > drop forged, entirely hardened and tempered
- > surface finish: phosphated to standard ISO 9717
- > made according to standard ISO 2725-2
- > made according to standard DIN 3129



SKU	Ømm	L	D1	D2	T	■
603980	17	50	31	44	12	374
603981	19	50	33	44	13	387
603982	21	50	35	44	15	381
603983	22	50	37	44	15	400
603984	24	50	39	44	16	401
603985	27	54	43	44	19	410
609403	28	54	44	44	19	403


603986	30	54	47	44	21	438
603987	32	54	51	44	22	481
603988	33	54	51	44	22	497
603989	36	54	54	44	23	535
603990	41	58	60	44	27	634
603991	46	63	67	44	30	813

232/4L6p

Impact socket 3/4", long type, 6 point



- > material: premium flex chrome vanadium steel
- > drop forged, entirely hardened and tempered
- > surface finish: phosphated to standard ISO 9717
- > made according to standard ISO 2725-2 and DIN 3129



SKU	Ømm	L	D1	D2	T	■
607934	17	95	31	44	17	587
607935	19	95	33	44	19	580
607936	21	95	35	44	21	589
607937	22	95	37	44	22	643
607938	24	95	39	44	24	656
607939	27	95	43	44	27	731
609404	28	95	44	44	28	708


607940	30	95	47	44	30	802
607941	32	95	49	44	32	821
607942	33	95	51	44	33	906
607943	36	95	54	44	36	944
607944	41	95	60	44	38	1078
607945	46	95	67	44	38	1298

232.4/4

Impact extension bar 3/4"



- > material: premium flex chrome vanadium steel
- > drop forged, entirely hardened and tempered
- > surface finish: phosphated to standard ISO 9717




SKU	■	L	D1	D2	■
603993	3/4"	175	25	44	882
603992	3/4"	250	25	44	1245

232.6/4

Impact universal joint 3/4"



- > material: premium flex chrome vanadium steel
- > drop forged, entirely hardened and tempered
- > surface finish: phosphated to standard ISO 9717



SKU	■	L	D	■
603994	3/4"	90	44	539


232.7/4

Impact adaptor 3/4"




- > material: premium flex chrome vanadium steel
- > drop forged, entirely hardened and tempered
- > surface finish: phosphated to standard ISO 9717

SKU	DIM	L	D	
603995	3/4" - 1/2"	56	44	323
618708	3/4" - 1"	63	44	443



232.8/4

Impact accessories 3/4"



- > material of pin: chrome molybdenum
- > material of ring: rubber
- > surface finish of pin: phosphated to standard DIN

SKU	DIM	L	D	d	d1	
603996	17-46	35	35	4.5	4	11



232PB1

Set of long impact socket 3/4" in plastic box



- > Dimension of box: 307 x 260 x 70
- Set includes:**
- > 6x impact socket 3/4", long type, 6 point (article 232/4L6P) dim. 24, 27, 30, 32, 33, 36
- > impact socket accessories 3/4", 1x ring with pin


SKU	
621459	7

232/4L6p (24, 27, 30, 32, 33, 36), 232.8/4 (3/4"), 981PBM2 (307x260x74)



MADE FOR WORK.

233/4 6p




Impact socket 1", 6 point

- › material: premium flex chrome vanadium steel
- › drop forged, entirely hardened and tempered
- › surface finish: phosphated to standard ISO 9717
- › made according to standard ISO 2725-2

SKU	Ømm	L	D1	D2	T	■
615195	22	60	40	54	15	677
615196	24	60	42	54	18	679
615197	27	60	46	54	19	694
615198	30	62	50	54	21	726
615199	32	62	52	54	22	704
615200	33	62	53	54	22	703
615201	34	62	55	54	22	688
615202	36	67	57	54	25	785
615203	38	67	60	54	25	844
615204	41	70	63	54	27	933

615205	42	74	65	54	27	1055
615206	46	76	70	54	30	1174
615207	50	80	75	54	35	1367
615208	55	84	81	54	35	1632
615209	60	87	87	54	42	1715
615210	65	90	93	54	42	1962
615211	70	96	100	54	42	2370
615212	75	98	106	86	45	3364
615213	80	100	112	86	48	3656

233/4L6p




Impact socket 1", long type, 6 point

- › material: premium flex chrome vanadium steel
- › drop forged, entirely hardened and tempered
- › surface finish: phosphated to standard ISO 9717
- › made according to standard ISO 2725-2 and DIN 3129

SKU	Ømm	L	D1	D2	T	■
616772	24	100	42	54	21	921
616773	27	100	46	54	24	1012
616774	30	100	50	54	24	1075
616775	32	100	52	54	24	1090
616776	33	100	53	54	24	1109
616777	34	100	55	54	40	1162
616778	36	100	56	54	65	1207
616779	38	100	59	54	65	1222
616780	41	100	63	54	64	1367

616781	42	100	64	54	64	1380
616782	46	100	69	54	63	1613
616783	50	100	74	54	62	1793
616784	55	100	80	54	60	1976
616785	60	120	86	54	78	2726
616786	65	125	92	54	80	3192
616787	70	125	99	54	80	3595
616788	75	135	104	86	85	4512
616789	80	135	109	86	85	5532

233.4/4




Impact extension bar 1"

- › material: premium flex chrome vanadium steel
- › drop forged, entirely hardened and tempered
- › surface finish: phosphated to standard ISO 9717

SKU	■	L	D1	D2	■
615214	1"	175	33,5	54	1505
615215	1"	250	33,5	54	2019

233.6/4



Impact universal joint 1"

- › material: premium flex chrome vanadium steel
- › surface finish: phosphated to standard ISO 9717
- › drop forged, entirely hardened and tempered


SKU	■	L	D	■
615216	1"	110	54	1051

233.7/4

Impact adaptor 1"




- > material: premium flex chrome vanadium steel
- > drop forged, entirely hardened and tempered
- > surface finish: phosphated to standard ISO 9717




SKU	DIM	L	D	Weight
615217	1" - 3/4"	75	54	661
617303	1" - 1.1/2"	90	54	1107

233.8/4

Impact accessories 1"



- > material of pin: chrome molybdenum
- > material of ring: rubber
- > surface finish of pin: phosphated to standard DIN




SKU	DIM	L	D	d	d1	Weight
615254	22 - 70	43	46	3.5	5	21
615255	75 - 80	75	75	5.7	6	38

234/4 6p

Impact socket 1.1/2", 6 point



- > material: premium flex chrome vanadium steel
- > drop forged, entirely hardened and tempered
- > surface finish: phosphated to standard ISO 9717
- > made according to standard ISO 2725-2



SKU	Ø mm	L	D1	D2	T	Weight
616790	80	115	119	86	54	5224
616791	85	118	125	86	52	5688
616793	90	123	131	86	52	6395
616794	95	123	137	95	52	6995
616796	105	130	154	95	59	8995



234.4/4

Impact extension bar 1.1/2"



- > material: premium flex chrome vanadium steel
- > drop forged, entirely hardened and tempered
- > surface finish: phosphated to standard ISO 9717




SKU		L	D1	D2	
617709	1.1/2"	250	49	86	5652

234.7/4

Impact adaptor 1.1/2"




- > material: premium flex chrome vanadium steel
- > drop forged, entirely hardened and tempered
- > surface finish: phosphated to standard ISO 9717



SKU	DIM	L	D	
616800	1.1/2" - 1"	100	86	2203

234.8/4


Impact accessories 1.1/2"



- > material of pin: chrome molybdenum
- > material of ring: rubber
- > surface finish of pin: phosphated to standard DIN



SKU	DIM	L	D	d	d1	
617126	80 - 100	75	75	5.7	6	55





**MADE  
FOR  
WORK.**

# Pliers

Check products online.



- ✓ **material: premium flex plus carbon steel**
- ✓ **drop forged, entirely hardened and tempered**
- ✓ **cutting edges induction hardened**
- ✓ **head polished**
- ✓ **surface finish: trivalent chrome plated according to ISO 1456:2009**
- ✓ **heavy duty double - component handles**



## PRODUCTS

-  **General pliers**
-  **Lock rings pliers**
-  **Waterpump pliers**
-  **Grip pliers**
-  **Crimping pliers**
-  **Carpenters' and tower pincers**
-  **Pipe wrenches**
-  **Electronic pliers**
-  **Pliers with special function**

## Premium Flex +

### EFFICIENCY AND DURABILITY UNDER CONSIDERABLE CRUSHING AND DEFORMATION STRESS

Construction and trade steels have special properties that guarantee their appropriate hardness, ductility and elasticity, as is required for tools such as setters, hammers and screw clamps, which are exposed to great force during hammering and clamping. Steels with a medium carbon content that are used to make tools have a higher carbon content, resulting in better durability. A suitable manganese content increases the tensile strength and ductility of the material, which is particularly important under high load conditions. The chrome content reduces the susceptibility to cracking, while the silicon content increases the elasticity of tool materials subjected to strong forces. Medium carbon steel C45R, according to EU directive 2000/53/EC and the EN 10083-2 standards

- 0,45% carbon for higher tensile strength and better tempering
- 0,70% manganese for higher tensile strength and ductility
- 0,35% chrome for higher tensile strength and lower susceptibility to cracking
- 0,20% silicium for higher elasticity



402A

Pliers set in carton box



- Set includes:**
- > 1x combination pliers (article 406/1BI) dim. 180
  - > 1x diagonal cutting nippers (article 461/1BI) dim. 160
  - > 1x double groove joint pliers (article 445/1BI) dim. 240



SKU	
617818	3
406/1BI (180),  461/1BI (160),  445/1BI (240)	

402B

Pliers set in carton box



- Set includes:**
- > 1x combination pliers (article 406/4G) dim. 180
  - > 1x diagonal cutting nippers (article 461/4G) dim. 160
  - > 1x double groove joint pliers (article 445/4G) dim. 240




SKU	
617933	3
406/4G (180),  461/4G (160),  445/4G (240)	

405/1BI

Combination pliers




- > material: premium plus carbon steel
- > drop forged, entirely hardened and tempered
- > cutting edges induction hardened
- > head polished
- > surface finish: trivalent chrome plated according to ISO 1456:2009
- > heavy duty double - component handles
- > made according to standard ISO 5746



SKU	L	B	A	C	📦
607867	160	24	9,5	35	224
607868	180	27	10	38	273
607869	200	29	10,5	41	351

SKU	L	MAX 1560 N/MM <sup>2</sup> Ø	MAX 750 N/MM <sup>2</sup> Ø
607867	160	1,6	2,0
607868	180	1,8	2,5
607869	200	2,0	2,5

### 405/4G




### Combination pliers

- › material: premium plus carbon steel
- › drop forged, entirely hardened and tempered
- › cutting edges induction hardened
- › head surface finish: finely ground
- › surface finish: phosphated to standard ISO 9717
- › heavy duty plastic handles
- › made according to standard ISO 5746

SKU	L	B	A	C	
608668	160	24	9.5	35	224
608669	180	27	10	38	273
608670	200	29	10.5	41	351

SKU	L	MAX 1560 N/MM <sup>2</sup> Ø	MAX 750 N/MM <sup>2</sup> Ø
608668	160	1,6	2,0
608669	180	1,8	2,5
608670	200	2,0	2,5

### 406/1BI




### Combination pliers

- › material: premium plus carbon steel
- › drop forged, entirely hardened and tempered
- › cutting edges induction hardened
- › head polished
- › surface finish: trivalent chrome plated to standard ISO 1456:2009
- › heavy duty double - component handles
- › jet stamp UNIOR
- › made according to standard ISO 5746

SKU	L	B	A	C	
607870	160	24	9.5	35	224
607871	180	27	10	38	274
607872	200	29	10.5	41	341
608354	220	32	11	47	421

SKU	L	MAX 1560 N/MM <sup>2</sup> Ø	MAX 750 N/MM <sup>2</sup> Ø
607870	160	1,6	2,0
607871	180	1,8	2,5
607872	200	2,0	2,5
608354	220	2,0	3,0

### 406/4E



### Electronic combination pliers

- › material: premium flex plus carbon steel
- › drop forged, entirely hardened and tempered
- › cutting edges induction hardened
- › heavy duty double - component handles

SKU	L	B	A	C	
620069	120	13.6	8.2	15.8	90


SKU	L	MAX 750 N/MM <sup>2</sup> Ø
620069	120	1,5

406/4G

Combination pliers



- > material: premium plus carbon steel
- > drop forged, entirely hardened and tempered
- > cutting edges induction hardened
- > head surface finish: finely ground
- > surface finish: phosphated to standard ISO 9717
- > heavy duty plastic handles
- > made according to standard ISO 5746



SKU	L	B	A	C	📦
608674	160	24	9,5	35	224
608675	180	27	10	38	274
608676	200	29	10,5	41	341
608677	220	32	11	47	421


SKU	L	MAX 1560 N/MM <sup>2</sup> Ø	MAX 750 N/MM <sup>2</sup> Ø
608674	160	1,6	2,0
608675	180	1,8	2,5
608676	200	2,0	2,5
608677	220	2,0	3,0

407/4P

Screw pliers



- > material: premium plus carbon steel
- > drop forged, entirely hardened and tempered
- > head surface finish: finely ground
- > surface finish: phosphated to standard ISO 9717
- > double plastic dipped handles



- Advantages:**
- > double serrated jaws, horizontal and vertical
  - > multipurpose use
  - > for screws head with diameter from 3 to 11 mm




SKU	L	B	A	C	📦
628800	170	19,2	11	25	149

420/1BI

Linemen`s pliers






- > material: premium plus carbon steel
- > drop forged, entirely hardened and tempered
- > cutting edges induction hardened
- > head polished
- > surface finish: trivalent chrome plated to standard ISO 1456:2009
- > heavy duty double - component handles




SKU	L	B	A	C	📦
607873	180	24	11	45	241

SKU	L	MAX 1560 N/MM <sup>2</sup> Ø	MAX 750 N/MM <sup>2</sup> Ø
607873	180	1,8	2,5



467SHARK/4P



Powershark cutter

- › These ultra-powerful cutters are used to easily cut metal wire, including hardened and tempered alloys, and other extruded metals. They are ergonomically designed to apply a maximum force, while being easy on the hands. Drop-forged from high carbon steel with induction hardened cutting edges, PowerShark cutter can cut through up to 6mm of soft metal wire, 3,5 mm of hard steel, and 3 mm of tempered piano wire or steel springs. In addition to wire, the Powershark cutters will quickly and cleanly cut through 4mm diameter nails, screws and rivets.
- › drop forged from Premium Hard Plus carbon steel
- › double-dipped plastic non-slip handles provide good ergonomic hand grip

Advantages:

- › fully hardened to ~47HRc, with cutting edges induction hardened to ~64HRc
- › finished with an anti-corrosive black coating and lightly oiled
- › central cutting edges leave a bevelled finish on both sides of the cut


Usage:

- › for precise cutting of soft (up to 6 mm), hard (up to 3,5 mm) and piano wires (up to 3 mm)
- › easily cuts parts such as screws, nails, rivets, etc. up to 4 mm thickness

SKU	L	B	A	C	Weight
626490	250	30	12	24	389

SKU	L	MAX 2150 N/MM <sup>2</sup> Ø	MAX 1560 N/MM <sup>2</sup> Ø	MAX 750 N/MM <sup>2</sup> Ø
626490	250	3	3,5	6

469SHARK/4AP



BOLTSHARK cutter

- › These ultra-powerful cutters are used to easily cut metal wire, including hardened and tempered alloys, and other extruded metals. They are ergonomically designed to apply a maximum force, while being easy on the hands. Drop-forged from Premium Hard Plus carbon steel with induction hardened cutting edges, BoltShark cutter can cut through up to 6mm of soft metal wire, 4mm of hard steel, and 3.6mm of tempered piano wire or steel spring. In addition to wire, the Boltshark cutters will quickly and cleanly cut through 5mm diameter nails, screws and rivets.
- › drop forged from Premium Hard Plus carbon steel
- › fully hardened to ~47HRc, with cutting edges induction hardened to ~64HRc
- › finished with an anti-corrosive black coating and lightly oiled
- › double-dipped plastic non-slip handles provide good ergonomic hand grip

Advantages:

- › Engineered with a two-rivet joint, which uses a compound action to give increased cutting force with less effort.
- › The strongest force needs to be applied at the start of the cut, when the handles are furthest apart. BoltShark cutters are designed with the handles tighter together allowing the maximum force to be applied from the very start of the cut.
- › Central cutting edges leave a bevelled finish on both sides of the cut.
- › for precise cutting of soft (up to 6 mm), hard (up to 3,5 mm) and piano wires (up to 3 mm)
- › easily cuts parts such as screws, nails, rivets, etc. up to 4 mm thickness

SKU	L	B	A	C	Weight
627533	200	34,8	19,5	16,5	354

SKU	L	MAX 2150 N/MM <sup>2</sup> Ø	MAX 1560 N/MM <sup>2</sup> Ø	MAX 750 N/MM <sup>2</sup> Ø
627533	200	3	3,5	6



469SHARK/4P

BOLTSHARK cutter with groove




- › These ultra-powerful cutters are used to easily cut metal wire, including hardened and tempered alloys, and other extruded metals. They are ergonomically designed to apply a maximum force, while being easy on the hands. Drop-forged from Premium Hard Plus carbon steel with induction hardened cutting edges, BoltShark cutter can cut through up to 6mm of soft metal wire, 4mm of hard steel, and 3.6mm of tempered piano wire or steel spring. In addition to wire, the Boltshark cutters will quickly and cleanly cut through 5mm diameter nails, screws and rivets. The included groove holds thicker wire in position, preventing it from rolling along the cutting edge as the jaws are tightened.
- › drop forged from Premium Hard Plus carbon steel
- › fully hardened to ~47HRC, with cutting edges induction hardened to ~64HRC
- › finished with an anti-corrosive black coating and lightly oiled
- › double-dipped plastic non-slip handles provide good ergonomic hand grip

**Advantages:**

- › Engineered with a two-rivet joint, which uses a compound action to give increased cutting force with less effort.
- › The strongest force needs to be applied at the start of the cut, when the handles are furthest apart. BoltShark cutters are designed with the handles tighter together allowing the maximum force to be applied from the very start of the cut.
- › When cutting thicker diameter wire (over 2.5mm), there is a tendency for the wire to be pushed along the cutting edges as the jaws are tightened. The addition of a groove on the cutting edge holds the material safely in place, preventing this movement and allowing efficient, one-handed operation.
- › Tests show that using grooved BoltShark cutters to cut 2mm piano wire requires only 33% of the force needed by traditional strong cutters.
- › Central cutting edges leave a bevelled finish on both sides of the cut.
- › The included groove holds thicker wire in position.

**Usage:**

- › For precise cutting of soft (up to 6 mm), hard (up to 4 mm) and piano wires (up to 3,6 mm).
- › Easily cuts parts such as screws, nails, rivets, etc. up to 5 mm thickness.



SKU	L	B	A	C	
626500	200	34,8	19,5	16,5	347


SKU	L	MAX 2150 N/MM <sup>2</sup> Ø	MAX 1560 N/MM <sup>2</sup> Ø	MAX 750 N/MM <sup>2</sup> Ø
626500	200	3,6	4,0	6

461/1BI

Diagonal cutting nippers



- › material: premium plus carbon steel
- › drop forged, entirely hardened and tempered
- › cutting edges induction hardened
- › head polished
- › surface finish: trivalent chrome plated to standard ISO 1456:2009
- › heavy duty double - component handles
- › made according to standard ISO 5749



SKU	L	B	A	C	
607883	140	19	9,5	18	169
607884	160	22.5	10	22	214


SKU	L	MAX 1560 N/MM <sup>2</sup> Ø	MAX 750 N/MM <sup>2</sup> Ø
607883	140	1,6	2,0
607884	160	1,6	2,5

461/4G

Diagonal cutting nippers



- › material: premium plus carbon steel
- › drop forged, entirely hardened and tempered
- › cutting edges induction hardened
- › head surface finish: finely ground
- › surface finish: phosphated to standard ISO 9717
- › heavy duty plastic handles
- › made according to standard ISO 5749



SKU	L	B	A	C	
608697	140	19	9,5	18	169
608698	160	22.5	10	22	214


SKU	L	MAX 1560 N/MM <sup>2</sup> Ø	MAX 750 N/MM <sup>2</sup> Ø
608697	140	1,6	2,0
608698	160	1,6	2,5

## 461/4E

## Electronic side cutter



- › material: premium flex plus carbon steel
- › drop forged, entirely hardened and tempered
- › heavy duty double - component handles



SKU	L	B	A	C	Weight
620072	115	13	8.2	13.5	95


SKU	L	MAX 750 N/MM <sup>2</sup> Ø
620072	115	1,5

## 462/4G

## Multifunctional diagonal cutting nippers



- › material: premium plus carbon steel
- › drop forged, entirely hardened and tempered
- › cutting edges induction hardened
- › head surface finish: finely ground
- › surface finish: phosphated to standard ISO 9717
- › heavy duty plastic handles



- Advantages:**
- › Stripping off insulation of single conductors 1,5 mm<sup>2</sup> and 2,5mm<sup>2</sup>

SKU	L	B	A	C	Weight
624062	160	21	10	22	205


SKU	L	MAX 1560 N/MM <sup>2</sup> Ø	MAX 750 N/MM <sup>2</sup> Ø
624062	160	1,6	2,5

## 461/4P

## Diagonal cutting nippers



- › material: premium plus carbon steel
- › drop forged, entirely hardened and tempered
- › cutting edges induction hardened
- › head surface finish: finely ground
- › surface finish: phosphated to standard ISO 9717
- › handles plastic dipped
- › made according to standard ISO 5749



SKU	L	B	A	C	Weight
612327	125	19	9.5	18	115


SKU	L	MAX 1560 N/MM <sup>2</sup> Ø	MAX 750 N/MM <sup>2</sup> Ø
612327	125	1,6	2,0

## 462/1BI

## Multifunctional diagonal cutting nippers



- › material: premium plus carbon steel
- › cutting edges induction hardened
- › head polished
- › surface finish: trivalent chrome plated to standard ISO 1456:2009
- › heavy duty double - component handles



- Advantages:**
- › Stripping off insulation of single conductors 1,5 mm<sup>2</sup> and 2,5mm<sup>2</sup>


SKU	L	B	A	C	Weight
624059	160	21	10	22	211

466/1BI

Heavy duty diagonal cutting nippers



- > material: premium flex plus carbon steel
- > drop forged, entirely hardened and tempered
- > cutting edges induction hardened
- > head polished
- > surface finish: trivalent chrome plated according to ISO 1456:2009
- > heavy duty double - component handles
- > made according to standard ISO 5749



SKU	L	B	A	C	📦
617686	160	23.5	10	20.5	214
608850	180	28	11	20	313
608837	200	27	11	21	344


SKU	L	MAX 2150 N/MM <sup>2</sup> Ø	MAX 750 N/MM <sup>2</sup> Ø
617686	160	1,6	2,5
608850	180	1,8	3,0
608837	200	2,0	3,5

466/4G

Heavy duty diagonal cutting nippers



- > material: premium plus carbon steel
- > drop forged, entirely hardened and tempered
- > cutting edges induction hardened
- > head surface finish: finely ground
- > surface finish: phosphated to standard ISO 9717
- > heavy duty plastic handles
- > made according to standard ISO 5749



SKU	L	B	A	C	📦
617687	160	23.5	10	20.5	214
608700	180	28	11	20	313
609190	200	27	11	21	344


SKU	L	MAX 2150 N/MM <sup>2</sup> Ø	MAX 750 N/MM <sup>2</sup> Ø
617687	160	1,6	2,5
608700	180	1,8	3,0
609190	200	2,0	3,5

455/1BI

End cutting nippers




- > material: premium plus carbon steel
- > drop forged, entirely hardened and tempered
- > cutting edges induction hardened
- > head polished
- > surface finish: trivalent chrome plated according to ISO 1456:2009
- > heavy duty double - component handles
- > made according to standard ISO 5748



SKU	L	B	A	C	📦
609192	160	27	22	7	254

SKU	L	MAX 1560 N/MM <sup>2</sup> Ø	MAX 750 N/MM <sup>2</sup> Ø
609192	160	1,6	2,5




## 455/4E

## Electronic pliers - front cutter



- › material: premium flex plus carbon steel
- › drop forged, entirely hardened and tempered
- › cutting edges induction hardened
- › heavy duty double - component handles



**Premium flex+**

SKU	L	B	A	C	📦
620071	110	16.6	13.2	8.1	94


SKU	L	MAX 750 N/MM <sup>2</sup> Ø	
620071	110	1,5	

## 455/4G

## End cutting nippers



- › material: premium plus carbon steel
- › drop forged, entirely hardened and tempered
- › cutting edges induction hardened
- › head surface finish: finely ground
- › surface finish: phosphated to standard ISO 9717
- › heavy duty plastic handles
- › made according to standard ISO 5748



**Premium+**

SKU	L	B	A	C	📦
608694	160	27	22	7	254


SKU	L	MAX 1560 N/MM <sup>2</sup> Ø	MAX 750 N/MM <sup>2</sup> Ø
608694	160	1,6	2,5

## 506/1BI

## Long nose pliers with side cutter



- › material: premium plus carbon steel
- › drop forged, entirely hardened and tempered
- › cutting edges induction hardened
- › head polished
- › surface finish: trivalent chrome plated to standard ISO 1456:2009
- › heavy duty double - component handles
- › gripping surface serrated
- › made according to standard ISO 5745
- › also for clenching and separating of from cables and other sensitive objects



**Premium+**


SKU	L	B	A	C	D	📦
607874	140	15	8	39	2	115
607875	160	16	9	49	2.5	137

SKU	L	MAX 1560 N/MM <sup>2</sup> Ø	MAX 750 N/MM <sup>2</sup> Ø
607874	140	1,6	2,0
607875	160	1,6	2,0



506/4G

Long nose pliers with side cutter




- › material: premium plus carbon steel
- › drop forged, entirely hardened and tempered
- › cutting edges induction hardened
- › head surface finish: finely ground
- › surface finish: phosphated to standard ISO 9717
- › heavy duty plastic handles
- › gripping surface serrated
- › made according to standard ISO 5745
- › also for clenching and separating of from cables and other sensitive objects

SKU	L	B	A	C	D	
608713	160	16	9	49	2.5	137

SKU	L	MAX 1560 N/MM <sup>2</sup> Ø	MAX 750 N/MM <sup>2</sup> Ø
608713	160	1,6	2,0

508/1BI

Long nose pliers with side cutter and pipe grip, straight




- › material: premium plus carbon steel
- › drop forged, entirely hardened and tempered
- › cutting edges induction hardened
- › head polished
- › surface finish: trivalent chrome plated according to ISO 1456:2009
- › heavy duty double - component handles
- › gripping surface serrated
- › made according to standard ISO 5745
- › also for clenching and separating of from cables and other sensitive objects

SKU	L	B	A	C	D	
607876	170	17	9	61	2.5	156
607877	200	17	9	77	2.5	191

SKU	L	MAX 1560 N/MM <sup>2</sup> Ø	MAX 750 N/MM <sup>2</sup> Ø
607876	170	1,6	2,0
607877	200	1,8	2,5

508/4G

Long nose pliers with side cutter and pipe grip, straight




- › material: premium plus carbon steel
- › drop forged, entirely hardened and tempered
- › cutting edges induction hardened
- › head surface finish: finely ground
- › surface finish: phosphated to standard ISO 9717
- › heavy duty plastic handles
- › gripping surface serrated
- › made according to standard ISO 5745
- › also for clenching and separating of from cables and other sensitive objects

SKU	L	B	A	C	D	
608710	170	17	9	61	2.5	156
608711	200	17	9	77	2.5	191

SKU	L	MAX 1560 N/MM <sup>2</sup> Ø	MAX 750 N/MM <sup>2</sup> Ø
608710	170	1,6	2,0
608711	200	1,8	2,5

512/1BI

Long nose pliers with side cutter and pipe grip, bent




- > material: premium plus carbon steel
- > drop forged, entirely hardened and tempered
- > cutting edges induction hardened
- > head polished
- > surface finish: trivalent chrome plated according to ISO 1456:2009
- > heavy duty double - component handles
- > gripping surface serrated
- > jaws bent to an angle of 45°
- > the long bent jaws enable simple and precise clenching of nuts and screws
- > the strong jaws enable good grip
- > made according to standard ISO 5745

SKU	L	B	A	C	D	📦
607966	170	17	9	61	2.5	152
607967	200	17	9	77	2.5	204

SKU	L	MAX 1560 N/MM <sup>2</sup> Ø	MAX 750 N/MM <sup>2</sup> Ø
607966	170	1,6	2,0
607967	200	1,8	2,5

512/4G

Long nose pliers with side cutter and pipe grip, bent




- > material: premium plus carbon steel
- > drop forged, entirely hardened and tempered
- > cutting edges induction hardened
- > head surface finish: finely ground
- > surface finish: phosphated to standard ISO 9717
- > gripping surface serrated
- > jaws bent to an angle of 45°
- > heavy duty plastic handles
- > the long bent jaws enable simple and precise clenching of nuts and screws
- > the strong jaws enable good grip

SKU	L	B	A	C	D2	📦
608720	170	17	9	61	2.5	152
608721	200	17	9	77	2.5	204

SKU	L	MAX 1560 N/MM <sup>2</sup> Ø	MAX 750 N/MM <sup>2</sup> Ø
608720	170	1,6	2,0
608721	200	1,8	2,5

512/4E

Electronic long nose pliers, bent




- > material: premium flex plus carbon steel
- > drop forged, entirely hardened and tempered
- > heavy duty double - component handles

SKU	L	B	A	D	📦
620075	140	12.6	8.2	3.2	97

472/1BI

Long flat nose pliers




- > material: premium plus carbon steel
- > drop forged, entirely hardened and tempered
- > head polished
- > surface finish: trivalent chrome plated to standard ISO 1456:2009
- > heavy duty double - component handles
- > gripping surface serrated
- > made according to standard ISO 5745

SKU	L	B	A	C	
607878	140	15	8	39	120
607879	160	16	9	49	146

472/4G

Long flat nose pliers




- > material: premium plus carbon steel
- > drop forged, entirely hardened and tempered
- > head surface finish: fine grinding
- > surface finish: phosphated to standard ISO 9717
- > gripping surface serrated
- > heavy duty plastic handles
- > made according to standard ISO 5745

SKU	L	B	A	C	
608704	140	15	8	39	120
608705	160	16	9	49	146

476/1BI

Long round nose pliers




- > material: premium plus carbon steel
- > drop forged, entirely hardened and tempered
- > minor possibility of damaging wires
- > long points enable reaching of wires in hard-to-reach places
- > head polished
- > surface finish: trivalent chrome plated to standard ISO 1456:2009
- > heavy duty double - component handles
- > made according to standard ISO 5745

SKU	L	B	A	C	D	
607880	140	15	9	39	2	116
607881	160	16	10	49	2.5	126

447/1HPP

Waterpump pliers




- > material: premium chrome vanadium steel
- > drop forged, entirely hardened and tempered
- > working surfaces induction hardened
- > surface finish: trivalent chrome plated according to ISO 1456:2009
- > heavy duty double - component handles

Advantages:

- > Toothed jaw is designed to ensure optimum grip of an object.
- > Jaw aperture adjustable in 10 positions.
- > The HPP pliers have a button for fast regulation of the jaw's gap which enables fast and precise adaptation of the jaw to the wanted grip of the work piece.
- > Extreme grip strength: The design and shape of the pliers' jaws enable, despite the slim construction, better grip strength of the work piece, which results in stability, work safety, and greater effectiveness.
- > Finish: pliers are drop forged from high quality tool steels and heat treated
- > Work: due to the slim construction, the jaws enable one-handed work in difficult-to-reach places
- > Made of double-component material which reduces slipping of the hand during work and so enable safe and effective transmission of power from the hand to the pliers' jaws
- > Ergonomics: handles are designed to fully adjust to the user's hand and so enable greater handling and work safety

SKU	L	A		
620172	240	8.5	40	392

### 447/4PHPP



### Waterpump pliers


- › material: premium chrome vanadium steel
- › drop forged, entirely hardened and tempered
- › surface finish: phosphated to standard ISO 9717
- › head surface finish: finely ground
- › handles plastic dipped

**Advantages:**

- › toothed jaw is designed to ensure optimum grip of an object
- › jaw aperture adjustable in 10 positions
- › The HPP pliers have a button for fast regulation of the jaw's gap which enables fast and precise adaptation of the jaw to the size of the work piece.
- › Extreme grip strength: The design and shape of the pliers' jaws enable, despite the slim construction, better grip strength of the work piece, which results in stability, safety, and greater effectiveness.
- › Finish: pliers are drop forged from high quality tool steels and heat treated
- › Work: due to the slim construction, the jaws enable one-handed work in difficult-to-reach places
- › Ergonomics: handles are designed to fully adjust to the user's hand and so enable greater handling and work safety

SKU	L	A	Ø <sub>max</sub>	📦
620421	240	8.5	40	353

### 442/1HYPO



### Variable joint "HYPO" pliers


- › material: premium chrome vanadium steel
- › working surfaces induction hardened
- › surface finish: trivalent chrome plated according to ISO 1456:2009
- › heavy duty double - component handles
- › drop forged, entirely hardened and tempered

**Advantages:**

- › The Hypo pliers are self-adjusting for which it is not necessary to preset the width of the jaws.
- › one hand self-adjusting operation
- › The pliers adapt perfectly to the work piece.
- › maximum jaw aperture up to Ø40 mm.
- › The locking mechanism enables easier storage when the pliers are not in use.

SKU	L	A	Ø <sub>max</sub>	📦
616727	180	9.5	33	201
611780	240	9	40	397

### 447/6



### Waterpump box joint pliers


- › material: premium chrome vanadium steel
- › drop forged, entirely hardened and tempered
- › working surfaces induction hardened
- › surface finish: red lacquered
- › made according to standard ISO 8976

**Advantages:**

- › jaw aperture adjustable in 7 positions
- › A special bulge prevents fingers to be pressed between the handles of the pliers.

SKU	L	A	Ø <sub>max</sub>	📦
607348	175	6.5	26.5	154
603160	240	7.5	35	312
605006	300	8.5	42	464

### 447/1



### Waterpump box joint pliers

- › material: premium chrome vanadium steel
- › drop forged, entirely hardened and tempered
- › working surfaces induction hardened
- › surface finish: trivalent chrome plated to standard ISO 1456:2009
- › made according to standard ISO 8976


**Advantages:**

- › A special bulge prevents fingers to be pressed between the handles of the pliers.
- › jaw aperture adjustable in 7 positions

SKU	L	A	Ø <sub>max</sub>	📦
605237	240	6.5	35	307

447/1BI

Waterpump box joint pliers




- › material: premium chrome vanadium steel
- › drop forged, entirely hardened and tempered
- › working surfaces induction hardened
- › surface finish: trivalent chrome plated to standard ISO 1456:2009
- › heavy duty double - component handles
- › made according to standard ISO 8976

- Advantages:**
- › A special bulge prevents fingers to be pressed between the handles of the pliers.
  - › jaw aperture adjustable in 7 positions

SKU	L	A	⌀ <sub>max</sub>	📦
610984	240	6.5	35	367

441/4P

Slip joint waterpump pliers




- › material: premium chrome vanadium steel
- › drop forged, entirely hardened and tempered
- › head surface finish: finely ground
- › surface finish: phosphated to standard ISO 9717
- › handles plastic dipped
- › made according to standard ISO 8976

- Advantages:**
- › jaw aperture adjustable in 5 positions
  - › slip joint

SKU	L	A	⌀ <sub>max</sub>	📦
608686	240	7.5	35	297

441/7PR

Waterpump pliers




- › material: premium chrome vanadium steel
- › drop forged, entirely hardened and tempered
- › head surface finish: finely ground
- › handles ergonomically shaped
- › handles plastic dipped
- › made according to standard ISO 8976

- Advantages:**
- › jaw aperture adjustable in 6 positions
  - › slip joint

SKU	L	A	⌀ <sub>max</sub>	📦
601464	240	8	35	337

445/1BI

Double groove joint pliers




- › material: premium chrome vanadium steel
- › drop forged, entirely hardened and tempered
- › head polished
- › surface finish: trivalent chrome plated to standard ISO 1456:2009
- › heavy duty double - component handles
- › made according to standard ISO 8976

- Advantages:**
- › jaw aperture adjustable in 5 positions for dim. 180, for dim. 240 and 300 in 6 positions
  - › grooved joint

SKU	L	A	⌀ <sub>max</sub>	📦
620557	240	10.8	35	417
607887	300	12.2	40	657

445/4G

Double groove joint pliers



- › material: premium chrome vanadium steel
- › drop forged, entirely hardened and tempered
- › head surface finish: finely ground
- › surface finish: phosphated to standard ISO 9717
- › heavy duty plastic handles
- › made according to standard ISO 8976


**Advantages:**

- › jaw aperture adjustable in 5 positions for dim. 180, for dim. 240 and 300 in 6 positions
- › grooved joint

SKU	L	A	Ø <sub>max</sub>	
620558	240	10.8	35	417
608692	300	12.2	40	657

514/1BI

Multifunctional electrician's pliers



- › material: premium plus carbon steel
- › drop forged, entirely hardened and tempered
- › cutting edges induction hardened
- › head polished
- › surface finish: trivalent chrome plated according to ISO 1456:2009
- › heavy duty double - component handles

**Advantages:**

- › 6 different functions
- › multi-toothed jaw
- › ergonomically shaped handle
- › extra strong grip
- › Extra strong grip - the design and shape of the handles give the hand more leverage during use, enabling more stability and safer transmission of force.
- › high durability
- › Multi-toothed jaw prevents slipping and enables a better grip of cables, wires etc.

**Usage:**

- › The ground part of the jaw is intended for gripping objects with sensitive surfaces.
- › The pliers can be used for crimping insulated spade terminals.
- › Stripping off insulations from Ø 2.2 mm to Ø 3.0 mm (cable 1,5mm<sup>2</sup>).
- › Stripping off insulations from Ø 3.5 mm to Ø 4.0 mm (cable 2,5mm<sup>2</sup>).
- › Cutting wires from Ø 2.2 mm to Ø 4.0 mm.
- › Crimping cable terminals up to Ø 4.0 mm.


SKU	L	B	A	C	D	
612782	160	16	9	49	2.5	141

SKU	L	MAX 1560 N/MM <sup>2</sup> Ø	MAX 750 N/MM <sup>2</sup> Ø
612782	160	1,6	2,0

478/1BI

Wire stripping pliers



- › material: premium plus carbon steel
- › drop forged, entirely hardened and tempered
- › cutting edges induction hardened
- › head polished
- › surface finish: trivalent chrome plated to standard ISO 1456:2009
- › heavy duty double - component handles

**Advantages:**

- › spring for reopening
- › stripping capacity: up to max 0.6 - 10mm<sup>2</sup>

SKU	L	B	A	C	mm <sup>2</sup>	
607882	160	18	9	40	0.6 - 10	178

478/4G


Wire stripping pliers



- > material: premium plus carbon steel
- > drop forged, entirely hardened and tempered
- > cutting edges induction hardened
- > head surface finish: finely ground
- > surface finish: phosphated to standard ISO 9717
- > heavy duty plastic handles

**Advantages:**

- > spring for reopening
- > stripping capacity: up to max 0.6 - 10mm<sup>2</sup>



**Premium** +

SKU	L	B	A	C	mm <sup>2</sup>	kg
608701	160	18	9	40	0.6 - 10	178

425/4A


Crimping pliers



- > material: premium plus carbon steel
- > entirely hardened and tempered
- > surface finish: phosphated to standard ISO 9717
- > heavy duty plastic handles

**Usage:**

- > for insulated and closed non-insulated terminals (1,5-6mm<sup>2</sup>), for cutting cables, screws and stripping insulation



**Premium** +

SKU	L	mm <sup>2</sup>	kg
601136	240	1.5 - 6	320

425/4AB


Crimping pliers



- > material: premium plus carbon steel
- > entirely hardened and tempered
- > surface finish: phosphated to standard ISO 9717
- > heavy duty plastic handles

**Usage:**

- > for non-insulated standard and closed terminals (1,5-6mm<sup>2</sup>), for cutting cables, screws and stripping insulation



**Premium** +

SKU	L	mm <sup>2</sup>	kg
605806	240	1.5 - 6	320

425/4B


Crimping pliers



- > material: premium plus carbon steel
- > entirely hardened and tempered
- > surface finish: phosphated to standard DIN 12476
- > heavy duty plastic handles

**Usage:**


- > for insulated and non-insulated open terminals (1,5-6mm<sup>2</sup>), for cutting cables, screws and stripping insulation



**Premium** +

SKU	L	mm <sup>2</sup>	kg
601137	240	1.5 - 6	320

## 424/4P



Premium+

## Crimping pliers


- › material: premium plus carbon steel
- › drop forged, entirely hardened and tempered
- › head surface finish: finely ground
- › surface finish: phosphated to standard ISO 9717
- › handles plastic dipped

**Usage:**

- › for non-insulated terminals (dim. 140 from 0,5-2,5mm<sup>2</sup>, dim. 180 0,25-16mm<sup>2</sup>)
- › for crimping non-insulated cord end terminals

SKU	L	mm <sup>2</sup>	
607949	140	0.5 - 2.5	144
607950	180	0.25 - 16	258

## 427/4AG



Premium

## Crimp grip pliers

- › material: premium chrome vanadium steel
- › surface finish: phosphated to standard ISO 9717
- › heavy duty double - component handles

**Advantages:**


- › strong metal crimping profile with electrical plating
- › reinforced connecting spring for longer usage life
- › square crimping performs a better contact than traditional crimping profile

**Usage:**

- › for cord end sleeves 0,08 - 10mm<sup>2</sup>/AWG28 - 7

SKU	L	B	A	
621550	180	76	20	433

## 427/4CG



Premium+

## Crimp grip pliers

- › material: premium plus carbon steel
- › surface finish: phosphated to standard ISO 9717
- › heavy duty double - component handles

**Advantages:**


- › special designed clamping jaws hold the wire securely during the stripping process

**Usage:**

- › swivel knob micro-adjusts for thinner wire to 30AWG (0.05mm<sup>2</sup>) or thicker wire to 8AWG (8mm<sup>2</sup>)
- › crimp non-insulated terminals 10-22AWG (1.5 to 6.0mm<sup>2</sup>)
- › crimp insulated terminals 10-22AWG (1.5 to 6.0mm<sup>2</sup>)

SKU	L	B	
621552	205	90	378

## 427/4DG



Premium+

## Modular crimping pliers

- › material: premium plus carbon steel
- › surface finish: phosphated to standard ISO 9717
- › heavy duty double - component handles

**Advantages:**

- › exact crimping process due to parallel crimping

**Usage:**

- › for crimping 6- and 8-pole Western plugs type RJ 11/12 (9.65 mm width) and type RJ 45 (11.68 mm width)
- › tool for cutting and stripping unshielded ribbon telephone cables
- › with additional stripping device for round cables
- › with length cutter and dismantling knife for ribbon cables 6 and 12 mm width

SKU	L	B	
621553	195	58	401

427/2FG

Crimp grip pliers



- › material: premium plus carbon steel
- › jaws hardened to 38-40HRC
- › very easy to handle


- Advantages:**
- › hexagon crimping
  - › the respective cross-section is set by rotating profile disks
  - › Dented 6-position rotating dies 6, 10, 16, 25, 35, 50mm<sup>2</sup>
  - › lever transmission permits light force transfer

Premium+

SKU	mm <sup>2</sup>	
621555	6 - 50	1350

428/4

Crimp lever pliers



- › material: premium sheet metal
- › jaws drop forged from premium plus carbon steel, entirely hardened and tempered
- › toggle joint ensures high compression pressure with little effort
- › heavy duty plastic handles
- › re-changeable head - spare part
- › surface finish: phosphated to standard ISO 9717

- Usage:**
- › for insulated terminals (0,5-6mm<sup>2</sup>)

SKU	L	mm <sup>2</sup>	
602327	226	0.5 - 6	575

428/4AGPB

Set of grip crimp pliers with exchangeable jaws in plastic box



- › material: premium plus carbon steel
- › surface finish: phosphated to standard ISO 9717
- › heavy duty double - component handles
- › Dimension of box: 307 x 260 x 55

- Advantages:**
- › ratchet crimp system ensures reliable work
  - › quick changing system for 4 different types of jaws

- Usage:**
- › for insulated terminals AWG10-12/14-16/18-22 (4-6/1.5-2.5/0.5-1.0mm<sup>2</sup>)
  - › for non-insulated terminals AWG14-6 (0.2-16mm<sup>2</sup>)
  - › for cord end terminals AWG22-6 (0.5-16mm<sup>2</sup>)
  - › for BNC/TNC coax connectors RG-58, RG-59/62. Hex connectors 0.255 (6.48mm<sup>2</sup>), 0.213 (5.41mm<sup>2</sup>), 0.068 (1.73mm<sup>2</sup>)

SKU	
621557	1315

380

Wire stripper




- › material: polyamide
- Advantages:**
- › adjustable length stop of 5-12 mm
  - › easily accessible built - in side cutter for max. 2mm

- Usage:**
- › fully insulated automatic wire stripper for all common standard and solid conductors of 0, 2-6mm<sup>2</sup>

SKU	mm <sup>2</sup>	
610925	0.2 - 6	117

385G



Cable stripper with straight knife

> material: polyamide

**Advantages:**


- > no damage of the inner conductors can occur due to infinitely variable adjustment of the cutting depth
- > the swivel blade automatically turns from circular to longitudinal cut

**Usage:**

- > accurate, fast and safe stripping of all common round cables of 4-28 mm<sup>2</sup>

SKU	L	mm <sup>2</sup>	
610931	170	4 - 28	92

385H



Cable stripper with hook knife

> material: polyamide

**Advantages:**


- > no damage of the inner conductors can occur due to infinitely variable adjustment of the cutting depth
- > the swivel blade automatically turns from circular to longitudinal cut

**Usage:**

- > accurate, fast and safe stripping of all common round cables of 4-28 mm<sup>2</sup>

SKU	L	mm <sup>2</sup>	
610930	170	4 - 28	91

532/1P



External lock rings pliers, straight

- > material: premium plus carbon steel
- > drop forged, entirely hardened and tempered
- > head polished
- > surface finish: trivalent chrome plated according to ISO 1456:2009
- > tips black finish
- > handles plastic dipped
- > made according to standard DIN 5254 form A

**Advantages:**




- > 30% higher endurance in comparison to convenient lock rings pliers
- > with inserted tips
- > dimension 300mm with standard tips
- > for diameter 3 to 100mm

**Usage:**

- > for fitting circlips on shafts




SKU	L	⚡	C	D	
621187	140	3 - 10	40	0.9	127
621188	140	10 - 25	40	1.3	131
621189	180	19 - 60	52	1.8	209
621190	220	40 - 100	63	2.2	276
616734	300	85 - 140	86	3.2	502



534/1P

External lock rings pliers, bent



- > material: premium plus carbon steel
- > drop forged, entirely hardened and tempered
- > head polished
- > surface finish: trivalent chrome plated to standard ISO 1456:2009
- > tips black finish
- > made according to standard DIN 5254 form B
- > handles plastic dipped


- Advantages:**
- > 30% higher endurance in comparison to convenient lock rings pliers
  - > with inserted tips
  - > dimension 300mm with standard tips
  - > for diameter 3 to 100mm

- Usage:**
- > for fitting circlips on shafts

SKU	↔	⚙	L	C	D	📦
621195	140	3 - 10	128	28	0.9	134
621196	140	10 - 25	128	28	1.3	124
621197	180	19 - 60	166	38	1.8	204
621198	220	40 - 100	201	48	2.3	274
616737	300	85 - 140	280	68	3.2	502

536/1P

Internal lock rings pliers, straight



- > material: premium plus carbon steel
- > drop forged, entirely hardened and tempered
- > head polished
- > surface finish: trivalent chrome plated according to ISO 1456:2009
- > tips black finish
- > double plastic dipped handles
- > made according to standard DIN 5256 form C


- Advantages:**
- > 30% higher endurance in comparison to convenient lock rings pliers
  - > with inserted tips
  - > dimension 300mm with standard tips
  - > for diameter 8 to 100mm

- Usage:**
- > for fitting circlips on bore holes

SKU	L	⚙	C	D	📦
621203	140	8 - 13	40	0.9	111
621204	140	12 - 25	40	1.3	115
621205	180	19 - 60	52	1.8	192
621206	220	40 - 100	63	2.2	251
616740	300	85 - 140	86	3.2	491

538/1P

Internal lock rings pliers, bent



- > material: premium plus carbon steel
- > drop forged, entirely hardened and tempered
- > head polished
- > surface finish: trivalent chrome plated to standard ISO 1456:2009
- > tips black finish
- > handles plastic dipped
- > made according to standard DIN 5256 form D

- Advantages:**
- > 30% higher endurance in comparison to convenient lock rings pliers
  - > for diameter 8 to 100mm
  - > with inserted tips
  - > dimension 300mm with standard tips

- Usage:**
- > for fitting circlips on bore holes

SKU	↔	⚙	L	C	D	📦
621211	140	8 - 13	128	28	0.9	114
621212	140	12 - 25	128	28	1.3	114
621213	180	19 - 60	166	38	1.8	194
621214	220	40 - 100	202	48	2.3	244
616743	300	85 - 140	295	68	3.2	501


### 539/1PCT



### Lock rings pliers set in bag

SKU	ΣDIM	
621623	532PLUS/1DP (140x3 - 10), 534PLUS/1DP (140x3- 10), 536PLUS/1DP (140x8 - 13), 538PLUS/1DP (140x8 - 13)	4
621624	532PLUS/1DP (140x10 - 25), 534PLUS/1DP (140x10- 25), 536PLUS/1DP (140x12 - 25), 538PLUS/1DP (140x12 - 25)	4
621625	532PLUS/1DP (180x19 - 60), 534PLUS/1DP (180x19- 60), 536PLUS/1DP (180x19 - 60), 538PLUS/1DP (180x19 - 60)	4
621626	532PLUS/1DP (220x40 - 100), 534PLUS/1DP (220x40 - 100), 536PLUS/1DP (220x40 - 100), 538PLUS/1DP (220x40 - 100)	4
616736	532/1P (3000x85 - 140), 534/1P (3000x85 - 140), 536/1P (3000x85 - 140), 538/1P (3000x85 - 140)	4

### 530/4




### Carpenters` pincers

- > material: premium plus carbon steel
- > drop forged, entirely hardened and tempered
- > cutting edges induction hardened
- > head surface finish: finely ground
- > surface finish: phosphated to standard ISO 9717
- > made according to standard ISO 9243

SKU	L	B	A	C	⚖️
601342	180	50	23	21	309
601343	200	54	25	24	427
607860	225	54	25	24	419
601344	250	58	26	27	557

### 530/4P




### Carpenters` pincers

- > material: premium plus carbon steel
- > drop forged, entirely hardened and tempered
- > cutting edges induction hardened
- > head surface finish: finely ground
- > surface finish: phosphated to standard ISO 9717
- > handles plastic dipped
- > made according to standard ISO 9243

SKU	L	B	A	C	⚖️
608723	180	50	23	21	327
608724	200	54	25	24	427
608725	225	54	25	24	428
608726	250	58	26	27	557

### 531/4



### Tower pincers

- > material: premium plus carbon steel
- > drop forged, entirely hardened and tempered
- > the cutting edges are induction-hardened to 61HRc
- > head surface finish: finely ground
- > surface finish: phosphated to standard ISO 9717
- > made according to standard ISO 9242

#### Advantages:

- > the precise form of the joint enables the automatic opening of the pincers in a horizontal position, so the force is applied only during cutting of the wires

#### Usage:


- > useful for the binding and cutting of wires

SKU	L	B	A	C	⚖️
601373	224	30	23	17	333
601374	250	36	25	18	424
601375	280	36	25	18	455



531/4P

Tower pincers



Premium+

- › material: premium plus carbon steel
- › drop forged, entirely hardened and tempered
- › the cutting edges are induction-hardened to 61HRC
- › head surface finish: finely ground
- › surface finish: phosphated to standard ISO 9717
- › handles plastic dipped
- › made according to standard ISO 9242

**Advantages:**

- › the precise form of the joint enables the automatic opening of the pincers in a horizontal position, so the force is applied only during cutting of the wires


**Usage:**

- › useful for the binding and cutting of wires

SKU	L	B	A	C	
608727	190	26	22	15	214
608728	224	30	23	17	343
608729	250	36	25	18	411
608730	280	36	25	18	455

529/4PR

Heavy duty tower pincers




Premium+

- › material: premium plus carbon steel
- › drop forged, entirely hardened and tempered
- › cutting edges induction hardened
- › head surface finish: finely ground
- › surface finish: phosphated to standard ISO 9717
- › handles plastic dipped

SKU	L	B	A	C	
609563	280	33	33	19	466

528/4BP

Tile pincers



Premium+

- › material: premium plus carbon steel
- › drop forged, entirely hardened and tempered
- › cutting edges induction hardened
- › head surface finish: finely ground
- › surface finish: phosphated to standard ISO 9717
- › handles plastic dipped

**Advantages:**

- › spring for reopening

SKU	L	B	A	D <sup>MAX</sup>	
612988	200	40	8.4	8	240

558/5P


Revolving punch pliers with 6 punches



- › handles made of sheet metal
- › punches from special tool steel, entirely hardened and tempered, sharpened
- › surface finish: nickel plated
- › handles plastic dipped
- › dimensions of punches: 2, 2.5, 3, 3.5, 4, 5

SKU	L	
601557	220	287

429/3




Universal lock - grip pliers

- > jaws drop forged from premium plus carbon steel, entirely hardened and tempered
- > handles made from sheet metal
- > surface finish: nickel plated
- > screw phosphated
- > symmetric jaws

SKU	L	A	Ø <sub>max</sub>	Weight
613101	175	10	30	362
605206	250	12	35	596
613102	300	14	40	1010

430/3




Grip pliers

- > jaws drop forged from premium plus carbon steel, entirely hardened and tempered
- > handles made from sheet metal
- > surface finish: nickel plated
- > screw phosphated

SKU	L	A	Ø <sub>max</sub>	Weight
601551	175	10	30	365
601552	250	12	35	596
601553	300	14	40	1023

432/3A




Welders` lock - grip pliers

- > jaws drop forged from premium plus carbon steel, entirely hardened and tempered
- > handles made from sheet metal
- > surface finish: nickel plated
- > screw phosphated

**Usage:**  
> for angle tubes

SKU	L	B	A	C	D <sub>MAX</sub>	Weight
601142	280	76	30	75	45	851

432/3C



Welders` lock - grip pliers

- > jaws drop forged from premium plus carbon steel, entirely hardened and tempered
- > handles made from sheet metal
- > surface finish: nickel plated
- > screw phosphated

**Usage:**  
> for sheet metal and profiles

SKU	L	B	A	C	D <sub>MAX</sub>	Weight
601144	280	10	82	55	50	717




434/3A

Wheel and rack grip pliers



- > jaws drop forged from premium plus carbon steel, entirely hardened and tempered
- > handles made from sheet metal
- > surface finish: nickel plated
- > screw chrome plated



SKU	L	A	⌀ <sub>max</sub>	📦
616721	270	16	120	695


Premium+

434/3C

Wheel and rack grip pliers



- > jaws drop forged from premium plus carbon steel, entirely hardened and tempered
- > handles made from sheet metal
- > surface finish: nickel plated
- > screw chrome plated



SKU	L	A	⌀ <sub>max</sub>	📦
616723	250	16	80	615

Premium+

436/4P


Universal welding pliers



- > material: premium plus carbon steel
- > drop forged, entirely hardened and tempered
- > cutting edges induction hardened
- > spring for reopening
- > head surface finish: finely ground
- > surface finish: phosphated to standard ISO 9717
- > handles plastic dipped

Usage:

- > The universal welding pliers are intended for the maintenance of welding guns for arc welding with protective gas (MAG / MIG welding).
- > dirty nozzle
- > spatter removal from in and outside the nozzle
- > spatter removal from the nozzle end
- > clean nozzle
- > nozzle removal and installation
- > tip removal and installation
- > wire cutting
- > wire cutting out
- > installation bushing removal and installation
- > hammering



SKU	L	B	A	C	D	📦
616493	180	25	10	59	3	212
616494	210	34	11	80	3.5	306

Premium+

480/6


Pipe wrench 90°, Swedish pattern



- > material: premium chrome vanadium steel
- > drop forged, entirely hardened and tempered
- > surface finish: red lacquered
- > serrated jaws with induction hardened teeth
- > made according to standard DIN 5234 form A

Usage:

- > grip, rotation or bolting of round or multi-edged pipes, nuts, and flanges



Premium

SKU	⌀"	⌀ <sub>max</sub>	L	📦
601481	1"	50	320	692
601482	1.1/2"	60	415	1200
601483	2"	80	540	2050
601484	3"	105	685	3430
605125	4"	125	750	4920

400

## Set of pipe wrenches and waterpump box joint pliers in carton box



## Set includes:

- › 2x pipe wrench 45°, Swedish pattern, S - form (article 482/6) dim. 1", 1.1/2"
- › 1x waterpump box joint pliers (article 447/6) dim. 240

## SKU

612599




3

482/6 (1", 1.1/2"), 447/6 (240)

481/6

## Pipe wrench 45°, Swedish pattern

**Premium**

- › material: premium chrome vanadium steel
- › drop forged, entirely hardened and tempered
- › surface finish: red lacquered
- › serrated jaws with induction hardened teeth
- › made according to standard DIN 5234 form B


## Usage:

- › grip, rotation or bolting of round or multi-edged pipes, nuts, and flanges

SKU	∅"	∅ <sub>max</sub>	L	📦
601495	1/2"	35	265	480
601496	1"	45	335	815
601497	1.1/2"	55	430	1380
601498	2"	70	555	2391
601499	3"	95	700	4300

482/6

## Pipe wrench 45°, Swedish pattern, S - form

**Premium**

- › material: premium chrome vanadium steel
- › drop forged, entirely hardened and tempered
- › surface finish: red lacquered
- › serrated jaws with induction hardened teeth
- › the jaws enable a good grip on flat, semi-circular and round surfaces
- › made according to standard DIN 5234 form C


## Usage:

- › grip, rotation or bolting of round or multi-edged pipes, nuts, and flanges

SKU	∅"	∅ <sub>max</sub>	L	📦
601510	1/2"	35	265	475
601511	1"	50	335	800
601512	1.1/2"	60	430	1350
601513	2"	80	545	2360
601514	3"	105	700	4370

492/6

## Heavy duty pipe wrench

**Premium**

- › material: premium chrome vanadium steel
- › jaws entirely hardened and tempered, teeth additionally induction hardened
- › replaceable jaws, phosphated
- › adjustable upper jaw
- › handle lacquered
- › jaws and screws as spare parts for art. 492/6, 490/6 and 492AL


## Usage:

- › grip, rotation or bolting of round or multi-edged pipes, nuts, and flanges

SKU	∅"	∅ <sub>max</sub>	L"	L	📦
601544	1"	34	8"	200	375
601545	1.1/2"	49	10"	250	760
618893	1.3/4"	55	12"	300	1100
601546	2"	60	14"	350	1520
601547	2.1/2"	76	18"	450	2360
601548	3"	89	24"	600	4126
601549	5"	140	36"	900	8800
618894	6"	165	48"	1200	14800

492AL

Heavy duty pipe wrench AL




- > material: premium plus carbon steel
- > jaws entirely hardened and tempered, teeth additionally induction hardened
- > replaceable jaws, phosphated
- > adjustable upper jaw
- > jaws and screws as spare parts for art. 492/6, 490/6 and 492AL
- > aluminium handle

**Usage:**  
 > grip, rotation or bolting of round or multi-edged pipes, nuts, and flanges

SKU	∅"	○ <sub>max</sub>	L"	L	📦
602719	2"	60	14"	325	960
602720	2.1/2"	76	18"	410	1560
602721	3"	89	24"	555	2450
602722	5"	140	36"	790	4600

494/6

Adjustable pipe wrench



- > the handle is drop forged from special tool steel
- > jaw guide made from special alloy
- > working surfaces induction hardened
- > teeth ground
- > lacquered


**Usage:**  
 > grip, rotation or bolting of round or multi-edged pipes, nuts, and flanges

**Premium**

SKU	∅"	○ <sub>max</sub>	L"	L	📦
619789	1.1/2"	50	14"	350	1050
619790	2"	60	18"	450	1808
619791	2.1/2"	76	24"	600	3250
619792	3.1/2"	100	36"	900	6300

484/6

Chain pipe wrenches




- > material: premium plus carbon steel
- > jaws and tube drop forged
- > serrated jaws with induction hardened teeth
- > possibility of rotating the jaw
- > surface finish: lacquered tube, other parts anticorrosion oiled
- > the chain can withstand extremely high loads

**Premium+**

SKU	∅"	○ <sub>max</sub>	L	📦
601530	4	160	815	6735
601531	6	200	965	9238
601532	8	300	1130	13000
601533	12	400	1290	18000

487/2P

Drain trap pliers



- > material: premium chrome vanadium steel
- > drop forged, entirely hardened and tempered
- > surface finish: trivalent chrome plated to standard ISO 1456:2009
- > additional plastic jaws for working with soft material


SKU	L	○ <sub>max</sub>	A	📦
612869	235	18 - 67	14.5	315

**Premium**



## 2077/2BI

## Spring clip pliers



- > material: premium plus carbon steel
- > material pivoting tip: special carbon tool steel
- > surface finish: trivalent chrome plated to standard ISO 1456:2009
- > tips black finish
- > heavy duty double - component handles
- > jet stamp UNIOR
- > for hose clips on cooling, heating, fuel or screen-washer systems

**Advantages:**

- > fits most standard sized clamps
- > position lock makes it easy to replace hose clamps

**How to use the tool:**

- > Pliers are used for opening the tube clamps, enabling quick and safe removal of tubes from tube prolongations. They are also used for closing the tube clamps when tubes are attached to tube prolongations to prevent tubes from falling off the prolongations and thus ensuring safe movement of fluids. The pliers have been designed in such a way so that only a minimum force is sufficient to create large pressure upon the clamp, ensuring safe and durable connection of the tube to the tube prolongation. The pliers have been shaped in such a way so that they can be efficiently used at places which are difficult to access, thus enabling quick and easy handling. Firm and safe grip is ensured by the ergonomic shape of the handles.

**Used for:**

- > Alfa Romeo, Audi, Citroen, Fiat, Ford, Hyundai, Lancia, MAN, Mercedes, Opel/Vauxhall, Peugeot, Porsche, Renault, Seat, Toyota, VW, Volvo, etc.

SKU

619250

L


235



301

## 2078/2BI

## Slotholder pliers for OETIKER® collars



- > material: premium plus carbon steel
- > heavy duty double - component handles
- > jet stamp UNIOR
- > for automotive pressed axlecuffs OETIKER®

**Advantages:**

- > exact deformation of the axlecuff ear
- > longer, for easy deformation of axlecuff ears
- > for almost all passenger cars

**How to use the tool:**

- > Pliers are used for opening the tube clamps, enabling quick and safe removal of tubes from tube prolongations. They are also used for closing the tube clamps when tubes are attached to tube prolongations to prevent tubes from falling off the prolongations and thus ensuring safe movement of fluids. The pliers have been designed in such a way so that only a minimum force is sufficient to create large pressure upon the clamp, ensuring safe and durable connection of the tube to the tube prolongation. The pliers have been shaped in such a way so that they can be efficiently used at places which are difficult to access, thus enabling quick and easy handling. Firm and safe grip is ensured by the ergonomic shape of the handles.

**Used for:**

- > Audi, BMW, Chrysler, Ford, GM, Honda, Mazda, Mercedes, Nissan, Opel/Vauxhall, VW

SKU

619251

L

230




316



2082/3

Grip pliers for cutting exhaust pipes



- > material: jaws from Premium Flex Plus carbon steel
- > handles made from sheet metal
- > Cutting capacity: 25–85 mm.
- > used for cutting exhaust pipes in partial replacements of exhaust systems.

**Advantages:**


- > the plastic-coated T-handle provides better grip for the user.
- > universal locking mechanism.
- > very long cutting chain.

**How to use the tool:**

- > This tool is primarily intended for cutting exhaust pipes but, due to the design of its cutting chain and blades, it can also be used for copper pipe, plastic pipe and various other pipes with diameters between 25 and 85 mm. The tool is safe and easy to use due to accessories such as: – a longer cutting chain enabling you to cut pipes with diameters of up to 85 mm; – larger cutting blades, enabling you to cut steel tube up to 3 mm thick, brass tube up to 4 mm thick, PVC tube up to 5 mm thick; – a plastic-coated T-handle that decreases the amount of force necessary to use the tool, enhances grip and prevents slipping; – a universal locking mechanism that keeps the tool in position until you release the locking mechanism and stop cutting. The cutting chain is subject to wear, which is why we are offering it as a spare part (art. 2082.1).




SKU	V	L	D <sup>MIN</sup>	D <sup>MAX</sup>	
619255	330	330	25	85	765



516/4

Safety wire twisting pliers



- > Safety twist plier is a versatile tool to help you to do reliable safety wiring (lock wiring) rapidly and consistently.
- > Safety wiring remains the most positive and assured method of securing critical fasteners that must not be allowed to back out: any tendency of the fastener to loosen is counter acted by tightening of the safety wire.
- > twisting and cutting capacity:
- > 0.5mm dia stainless wire without heat treated
- > 0.8mm (Dia.) soft wire

**Usage:**

- > Twisting of bolts, oil caps, drain cocks, valves and single twist electrical connectors




SKU	L	B	B1	C	D	
627530	213	19	49	40	24	250




Thread the safety wire through your fastener(s) in the appropriate manner. You will now have two ends of the wire ready to twist.



Use the safety wire twisting pliers to grip the two wires at an appropriate distance from the fastener. The length of wires between the pliers and the fastener will be twisted in the following step.



Slide the central chromed locking sleeve to lock the plier handles together, clamping the wire ends.



Let go of the plier handles and pull the chrome handle at the base of the pliers to rotate the pliers and twist the wire in a clockwise direction.



You may need to pull this handle more than once to achieve the required number of twists. Generally around 7 twists per inch is recommended.



Squeeze the plier handles to release the chromed locking slider, and then use the integrated wire cutter to trim the wires to length.



# Insulated tools

Check products online.



- ✓ **material: premium chrome vanadium steel**
- ✓ **head: trivalent chrome plated according to ISO 1456:2009**
- ✓ **made according to standard ISO 7738 and EN IEC 60900:2018**
- ✓ **double layered - double coloured insulation for additional safety**
- ✓ **controlled according to standard EN IEC 60900**



## PRODUCTS



Insulated wrenches



Insulated sockets



Insulated pliers



Insulated screwdrivers



Electricians' scissors



Other insulated tools

## Premium


### RELIABILITY WITHOUT WEAR AND TEAR

When it comes to tools, such as wrenches and pipe pliers, for example, which need to withstand high loads, properties such as high tensile strength, the corresponding ductility of the material with higher elasticity and the lowest possible susceptibility to cracking are of particular importance. These requirements are particularly well met by Premium chrome/vanadium steel, an alloyed tool steel with manganese, chrome, silicon and carbon. Tools made from this steel have a long service life and are an excellent choice for many years of use. Alloyed tool steel 31CrV3, in accordance with EU directive 2000/53/EC

- 0.60% manganese for higher tensile strength and ductility
- 0.60% chrome for lower susceptibility to cracking and higher tensile strength
- 0.30% silicon for higher elasticity
- 0.35% carbon for appropriate tool hardness



## 110/2VDEDP



## Insulated single open end wrench

- › material: premium chrome vanadium steel
- › head: trivalent chrome plated according to ISO 1456:2009
- › made according to standard ISO 7738 and EN IEC 60900:2018

### Advantages:

- › double layered - double coloured insulation for additional safety
- › controlled according to standard EN IEC 60900

### Important!

- › if second layer is visible, replace your insulated tool with a new one.



SKU	Ømm	L	B	A	📦
618370	6	72	16	6.9	19
618331	7	82	16.1	6.9	26
617801	8	95	21	7	30
621575	9	100	24.5	7.5	35
612175	10	105	24.5	7.5	42
612176	11	112	26	7.5	51
612177	12	125	28	8	65
612178	13	132	30.5	8.5	76
612179	14	140	33	8.5	84
612180	15	150	35	9	96
621576	16	154	40	10	118
612181	17	157	40	10	137
621577	18	165	44	11	151
612182	19	170	44	11	170
618333	20	175	46.4	12.2	184
619201	21	180	48.8	12.5	213
612183	22	195	49	13	234
618335	23	210	52.8	13.1	251
612184	24	220	56	14	311
621578	26	235	59	15	361
617802	27	240	59	15	387
621579	28	245	66	15.8	440
618336	30	260	66.1	15.8	518
618337	32	275	71.4	17.6	620

## 110/2VDEDP




## Set of insulated open end wrenches in carton box

SKU	📦
612676	10

🔧 110/2VDEDP (10, 11, 12, 13, 14, 15, 17, 19, 22, 24)



## 250/1VDP



## Insulated adjustable wrench

- › material: premium chrome vanadium steel
- › surface finish: trivalent chrome plated according to ISO 1456:2009
- › made according to standard ISO 6787 and EN IEC 60900:2018

### Advantages:

- › double layered - double coloured insulation for additional safety
- › controlled according to standard EN IEC 60900
- › with scale

### Important!


- › if second layer is visible, replace your insulated tool with a new one.

### Caution!

- › Adjust the tool before using! Adjustment while working is life dangerous.

SKU	↔	↔*	Ømm	L	A	📦
616849	200	8"	24	210	31	355
616850	250	10"	27	260	31	579
616851	300	12"	34	310	32	871
622065	380	16"	41	390	37	1505

## 180/2VDEDP



### Insulated single offset ring wrench

- > material: premium chrome vanadium steel
- > head: trivalent chrome plated according to ISO 1456:2009
- > made according to standard ISO 10104 and EN IEC 60900:2018

**Advantages:**

- > double layered - double coloured insulation for additional safety
- > controlled according to standard EN IEC 60900

**Important!**

- > if second layer is visible, replace your insulated tool with a new one.

SKU	Ømm	L	B	A	📦
621580	6	155	13.5	8.5	51
621581	7	155	15	9	57
621582	8	160	16.5	9.5	62
612185	10	162	19.5	11	81
612186	11	175	20	11.5	97
612187	12	185	21.5	11.5	112
612188	13	185	23	12.5	113
612189	14	190	25.5	13	136
612190	15	195	27	13.5	146
621584	16	190	27.5	14.5	175
612191	17	208	30.5	15.5	185
621585	18	195	30	15.5	210
612192	19	227	33	15.5	233
621586	20	245	34.5	16.2	273
619202	21	244	36.4	13.2	307
612193	22	250	37.5	17.5	300
621587	23	250	39.8	16.8	333
612194	24	255	42	18.5	428
621588	26	265	44	18	450
621589	27	270	44.8	18	411
621590	28	280	36.5	18.5	488
621591	30	310	47	19	574
621592	32	325	51.5	19.5	647


## 180/2VDEDPCB




### Set of insulated single offset ring wrench in carton box

SKU	📦
612677	10

🔗 180/2VDEDP (10, 11, 12, 13, 14, 15, 17, 19, 22, 24)



## 220/3LVDEDP



### Insulated hex wrench

- > material: premium chrome vanadium steel
- > entirely hardened and tempered
- > made according to standard ISO 2936 and EN IEC 60900:2018

**Advantages:**

- > double layered - double coloured insulation enable additional safety
- > controlled according to standard EN IEC 60900

**Important!**

- > if second layer is visible, replace your VDE tool with the new one.

SKU	🔩	L1	L2	📦
619136	3	130	26	20
619137	4	145	31	31
619138	5	165	36	53
619139	6	188	40	73
619140	8	206	49	135
619141	10	234	55	221
619142	12	262	58	346


**220TV**

**Insulated hex T wrench**



- > controlled according to standard EN IEC 60900
- > made according to standard ISO 2936 and EN IEC 60900:2018

SKU	Hex	L1	L2	B	Weight
619132	4	109.5	75	80	43
619133	5	109.5	75	80	50
619134	6	143	100	100	94
619135	8	143	100	100	123



**220TV4PB**

**Set of insulated hex T wrenches in plastic box**



SKU	Quantity
621648	4

← 220TV (4, 5, 6, 8), 981PB55 (244x207x44)



**190/2VDEDP**

**Insulated socket 1/2", 6 point**




- > material: premium flex chrome vanadium steel
- > drop forged, entirely hardened and tempered
- > head: trivalent chrome plated according to ISO 1456:2009
- > made according to standard ISO 2725-1 and EN IEC 60900:2018

**Advantages:**

- > double layered - double coloured insulation for additional safety
- > controlled according to standard EN IEC 60900


**Important!**

- > if second layer is visible, replace your insulated tool with a new one.



SKU	Ø mm	L	D1	D2	T	Weight
617803	8	54	18	27	12	65
612195	10	54	19,5	27	12	72
612196	11	54	20,7	27	12	75
612197	12	54	22	27	12	74
612198	13	54	23,2	27	12	77
612199	14	54	24,5	27	12	72
621594	15	54	25,7	27	12	78
621595	16	54	27	27	12	82
612200	17	54	28,1	27	12	83
621596	18	54	29,5	27	12	94
612201	19	54	30,7	27	14	96
621597	20	54	32	27	14	106
621598	21	54	33,2	27	14	115
612202	22	54	34,5	27	14	108
612203	24	58	37	27	16	158
617804	27	59	41	27	18	176
621602	30	62	44,5	27	22	247
621603	32	62	47	27	22	284

### 190.1AVDEDP



### Insulated reversible ratchet 1/2"

- > material: premium chrome vanadium steel
- > Lever for changing the direction
- > made according to standard ISO 3315 and EN IEC 60900:2018

**Advantages:**


- > double layered - double coloured insulation for additional safety
- > 75 - teeth
- > 4,8° working angle
- > controlled according to standard EN IEC 60900

**Important!**

- > if second layer is visible, replace your insulated tool with a new one.

SKU	■	L	B	A	📦
619119	1/2"	245	50	80	667

### 190.4/2VDEDP



### Insulated extension bar 1/2"

- > material: premium chrome vanadium steel
- > drop forged, entirely hardened and tempered
- > head: trivalent chrome plated according to ISO 1456:2009
- > made according to standard ISO 3316 and EN IEC 60900:2018

**Advantages:**

- > double layered - double coloured insulation for additional safety
- > controlled according to standard EN IEC 60900

**Important!**

- > if second layer is visible, replace your insulated tool with a new one.

SKU	■	L	D	📦
612205	1/2"	125	27	209
612204	1/2"	250	28	380

### 190VDE6P11A



### Insulated socket set 1/2" in metal box

SKU	👤	📦
612678	11	467,29€

190/2VDEDP (10, 11, 12, 13, 14, 17, 19, 22, 24), 190.1AVDEDP (1/2"), 190.4/2VDEDP (1/2"x125)



### 190VDEDP6P13B




### Insulated socket set 1/2" in metal box

SKU	👤
619420	13

190/2VDEDP (8, 10, 11, 12, 13, 14, 17, 19, 22, 24, 27), 190.1AVDEDP (1/2"), 190.4/2VDEDP (1/2"x125)



### 406/1VDEBI




### Combination pliers

- > material: premium plus carbon steel
- > drop forged, entirely hardened and tempered
- > cutting edges induction hardened
- > head polished
- > surface finish: trivalent chrome plated to standard ISO 1456:2009
- > heavy duty double - component handles
- > made according to standard ISO 5746 and EN IEC 60900

SKU	L	B	A	C	Weight
610421	160	24	9.5	35	224
610422	180	27	10	38	274
610423	200	29	10.5	41	344
610424	220	32	11	47	424

SKU	L	MAX 1560 N/MM <sup>2</sup> Ø	MAX 750 N/MM <sup>2</sup> Ø
610421	160	1,6	2,0
610422	180	1,8	2,5
610423	200	2,0	2,5
610424	220	2,0	3,0

### 406/1VDEDP



### Combination pliers


- > material: premium plus carbon steel
- > drop forged, entirely hardened and tempered
- > cutting edges induction hardened
- > head polished
- > surface finish: trivalent chrome plated according to ISO 1456:2009
- > made according to standard ISO 5746 and EN IEC 60900

- Advantages:**
- > handles are insulated with double layered - double coloured insulation for additional safety
- Important!**
- > if second layer is visible, replace your insulated tool with a new one.

SKU	L	B	A	C	Weight
619177	140	23	8	32	157
619178	160	24	9.5	35	219

SKU	L	MAX 1560 N/MM <sup>2</sup> Ø	MAX 750 N/MM <sup>2</sup> Ø
619177	140	1,6	2,0
619178	160	1,6	2,0

### 420/1VDEBI




### Linemen's pliers

- > material: premium plus carbon steel
- > drop forged, entirely hardened and tempered
- > cutting edges induction hardened
- > head polished
- > surface finish: trivalent chrome plated to standard ISO 1456:2009
- > heavy duty double - component handles
- > made according to standard EN IEC 60900

SKU	L	B	A	C	Weight
610425	180	24	11	45	241

SKU	L	MAX 1560 N/MM <sup>2</sup> Ø	MAX 750 N/MM <sup>2</sup> Ø
610425	180	1,8	2,5

### 447/1VDEBI



### Insulated waterpump box joint pliers


- > material: premium chrome vanadium steel
- > drop forged, entirely hardened and tempered
- > working surfaces induction hardened
- > surface finish: trivalent chrome plated to standard ISO 1456:2009
- > heavy duty double - component handles
- > made according to standard ISO 8976 and EN IEC 60900

**Advantages:**

- > jaw aperture adjustable in 7 positions
- > A special bulge prevents fingers to be pressed between the handles of the pliers.

SKU	L	A	Ø <sub>max</sub>	📦
611993	240	6,5	35	367

### 461/1VDEBI




### Diagonal cutting nippers

- > material: premium plus carbon steel
- > drop forged, entirely hardened and tempered
- > cutting edges induction hardened
- > head polished
- > surface finish: trivalent chrome plated to standard ISO 1456:2009
- > heavy duty double - component handles
- > made according to standard ISO 5749 and EN IEC 60900

SKU	L	B	A	C	📦
610426	140	19	9,5	18	169
610427	160	22,5	10	22	214

SKU	L	MAX 1560 N/MM <sup>2</sup> Ø	MAX 750 N/MM <sup>2</sup> Ø
610426	140	1,6	2,0
610427	160	1,6	2,5

### 461/1VDEDP



### Diagonal cutting nippers

- > material: premium plus carbon steel
- > drop forged, entirely hardened and tempered
- > cutting edges induction hardened
- > head polished
- > surface finish: trivalent chrome plated to standard ISO 1456:2009
- > made according to standard ISO 5749 and EN IEC 60900

**Advantages:**

- > handles are insulated with double layered - double coloured insulation for additional safety

**Important!**

- > if second layer is visible, replace your insulated tool with a new one.

SKU	L	B	A	C	📦
619193	140	19	9,5	18	174

SKU	L	MAX 1560 N/MM <sup>2</sup> Ø	MAX 750 N/MM <sup>2</sup> Ø
619193	140	1,6	2,0




### 466/1VDEBI

### Heavy duty diagonal cutting nippers



- > material: premium flex plus carbon steel
- > drop forged, entirely hardened and tempered
- > cutting edges induction hardened
- > head polished
- > surface finish: trivalent chrome plated to standard ISO 1456:2009
- > heavy duty double - component handles
- > made according to standard ISO 5749 and EN IEC 60900



SKU	L	B	A	C	
610428	180	28	11	20	316
611756	200	27	11	21	344


SKU	L	MAX 2150 N/MM <sup>2</sup> Ø	MAX 750 N/MM <sup>2</sup> Ø
610428	180	1,8	3,0
611756	200	2,0	3,5

### 466/1VDEDP

### Heavy duty diagonal cutting nippers



- > material: premium flex plus carbon steel
- > drop forged, entirely hardened and tempered
- > cutting edges induction hardened
- > head polished
- > surface finish: trivalent chrome plated according to ISO 1456:2009
- > made according to standard ISO 5749 and EN IEC 60900



- Advantages:**
- > handles are insulated with double layered - double coloured insulation for additional safety
- Important!**
- > if second layer is visible, replace your insulated tool with a new one.

SKU	L	B	A	C	
619196	200	27	11	21	351


SKU	L	MAX 2150 N/MM <sup>2</sup> Ø	MAX 750 N/MM <sup>2</sup> Ø
619195	180	1,8	3,0

### 472/1VDEBI

### Long flat nose pliers




- > material: premium plus carbon steel
- > drop forged, entirely hardened and tempered
- > head polished
- > surface finish: trivalent chrome plated to standard ISO 1456:2009
- > heavy duty double - component handles
- > gripping surface serrated
- > made according to standard ISO 5745 and EN IEC 60900



SKU	L	B	A	C	
610430	160	16	9	49	146

# MADE FOR WORK.

### 472/1VDEDP



### Long flat nose pliers

- > material: premium plus carbon steel
- > drop forged, entirely hardened and tempered
- > head polished
- > surface finish: trivalent chrome plated to standard ISO 1456:2009
- > made according to standard ISO 5745 and EN IEC 60900

**Advantages:**


- > handles are insulated with double layered - double coloured insulation for additional safety
- > gripping surface serrated

**Important!**

- > if second layer is visible, replace your insulated tool with a new one.

SKU	L	B	A	C	
619183	160	16	9	49	153

### 476/1VDEBI



### Long round nose pliers


- > material: premium plus carbon steel
- > drop forged, entirely hardened and tempered
- > head polished
- > surface finish: trivalent chrome plated to standard ISO 1456:2009
- > heavy duty double - component handles
- > made according to standard ISO 5745 and EN IEC 60900

**Advantages:**

- > long points enable reaching of wires in hard-to-reach places
- > minor possibility of damaging wires

SKU	L	B	A	C	D	
610432	160	16	10	49	2.5	126

### 476/1VDEDP



### Long round nose pliers

- > material: premium plus carbon steel
- > drop forged, entirely hardened and tempered
- > head polished
- > surface finish: trivalent chrome plated to standard ISO 1456:2009
- > made according to standard ISO 5745 and EN IEC 60900

**Advantages:**



- > handles are insulated with double layered - double coloured insulation for additional safety
- > long points enable reaching of wires in hard-to-reach places
- > minor possibility of damaging wires

**Important!**

- > if second layer is visible, replace your insulated tool with a new one.

SKU	L	B	A	C	D	
619185	160	16	10	49	2.5	139

### 478/1VDEBI




### Wire stripping pliers

- > material: premium plus carbon steel
- > drop forged, entirely hardened and tempered
- > cutting edges induction hardened
- > head polished
- > surface finish: trivalent chrome plated to standard ISO 1456:2009
- > heavy duty double - component handles
- > stripping capacity: up to max 0.6 - 10mm<sup>2</sup>
- > spring for reopening
- > made according to standard EN IEC 60900

SKU	L	B	A	C	mm <sup>2</sup>	
610433	160	18	9	40	0.6 - 10	178

### 506/1VDEBI

### Long nose pliers with side cutter



- › material: premium plus carbon steel
- › drop forged, entirely hardened and tempered
- › cutting edges induction hardened
- › head polished
- › surface finish: trivalent chrome plated to standard ISO 1456:2009
- › heavy duty double - component handles
- › made according to standard ISO 5745 and EN IEC 60900

- Advantages:**
- › also for clenching and separating of from cables and other sensitive objects
  - › gripping surface serrated




SKU	L	B	A	C	D	📦
610434	140	15	8	39	2	115
610435	160	16	9	49	2.5	137

SKU	L	MAX 1560 N/MM² Ø	MAX 750 N/MM² Ø
610434	140	1,6	2,0
610435	160	1,6	2,0

### 506/1VDEDP

### Long nose pliers with side cutter



- › material: premium plus carbon steel
- › drop forged, entirely hardened and tempered
- › cutting edges induction hardened
- › head polished
- › surface finish: trivalent chrome plated to standard ISO 1456:2009
- › made according to standard ISO 5745 and EN IEC 60900

- Advantages:**
- › handles are insulated with double layered - double coloured insulation, which enables additional safety
  - › also for clenching and separating of from cables and other sensitive objects
  - › gripping surface serrated

- Important!**
- › if second layer is visible, replace your VDE tool with the new one.




SKU	L	B	A	C	D	📦
619187	140	15	8	39	8	125
619188	160	16	9	49	2.5	157

SKU	L	MAX 1560 N/MM² Ø	MAX 750 N/MM² Ø
619187	140	1,6	2,0
619188	160	1,6	2,0

### 508/1VDEBI

### Long nose pliers with side cutter and pipe grip, straight



- › material: premium plus carbon steel
- › drop forged, entirely hardened and tempered
- › cutting edges induction hardened
- › head polished
- › surface finish: trivalent chrome plated to standard ISO 1456:2009
- › heavy duty double - component handles
- › made according to standard ISO 5745 and EN IEC 60900

- Advantages:**
- › also for clenching and separating of from cables and other sensitive objects
  - › gripping surface serrated




SKU	L	B	A	C	D	📦
610436	170	17	9	61	2.5	156
610437	200	17	9	77	2.5	191

SKU	L	MAX 1560 N/MM² Ø	MAX 750 N/MM² Ø
610436	170	1,6	3,0
610437	200	1,8	3,0

### 508/1VDEDP



### Long nose pliers with side cutter and pipe grip, straight

- > material: premium plus carbon steel
- > drop forged, entirely hardened and tempered
- > cutting edges induction hardened
- > head polished
- > surface finish: trivalent chrome plated to standard ISO 1456:2009
- > made according to standard ISO 5745 and EN IEC 60900

**Advantages:**

- > handles are insulated with double layered - double coloured insulation, which enables additional safety
- > also for clenching and separating of from cables and other sensitive objects
- > gripping surface serrated


**Important!**

- > if second layer is visible, replace your VDE tool with the new one.

SKU	L	B	A	C	D	
619189	170	17	9	61	2.5	162

SKU	L	MAX 1560 N/MM <sup>2</sup> Ø	MAX 750 N/MM <sup>2</sup> Ø
619189	170	1,6	2,0

### 512/1VDEBI



### Long nose pliers with side cutter and pipe grip, bent

- > material: premium plus carbon steel
- > drop forged, entirely hardened and tempered
- > cutting edges induction hardened
- > head polished
- > surface finish: trivalent chrome plated to standard ISO 1456:2009
- > heavy duty double - component handles
- > made according to standard ISO 5745 and EN IEC 60900


**Advantages:**

- > the long bent jaws enable simple and precise clenching of nuts and screws
- > the strong jaws enable good grip
- > jaws bent to an angle of 45°
- > gripping surface serrated

SKU	L	B	A	C	D	
610438	170	17	9	61	2.5	152
610439	200	17	9	77	2.5	204

SKU	L	MAX 1560 N/MM <sup>2</sup> Ø	MAX 750 N/MM <sup>2</sup> Ø
610438	170	1,6	2,0
610439	200	1,8	2,5

### 512/1VDEDP



### Long nose pliers with side cutter and pipe grip, bent

- > material: premium plus carbon steel
- > drop forged, entirely hardened and tempered
- > cutting edges induction hardened
- > head polished
- > surface finish: trivalent chrome plated to standard ISO 1456:2009
- > made according to standard ISO 5745 and EN IEC 60900

**Advantages:**

- > handles are insulated with double layered - double coloured insulation for additional safety
- > the long bent jaws enable simple and precise clenching of nuts and screws
- > the strong jaws enable good grip
- > jaws bent to an angle of 45°
- > gripping surface serrated

**Important!**

- > if second layer is visible, replace your insulated tool with a new one.

SKU	L	B	A	C	D	
619191	170	17	9	61	2.5	156


SKU	L	MAX1560 N/MM <sup>2</sup> Ø	MAX 750 N/MM <sup>2</sup> Ø
619191	170	1,6	2,0

### 580/1VDEBI

#### Cable shears



- › material: premium plus carbon steel
- › drop forged, entirely hardened and tempered
- › cutting edges induction hardened
- › head polished
- › surface finish: trivalent chrome plated to standard ISO 1456:2009
- › heavy duty double - component handles
- › made according to standard EN IEC 60900



**Important!**  
› for cutting cables without steel wire




SKU	L	A	Ø <sub>max</sub>	📦
610440	170	18	10	339
610441	230	22	17	444

### 580/1VDEDP

#### Cable shears



- › material: premium plus carbon steel
- › drop forged, entirely hardened and tempered
- › cutting edges induction hardened
- › head polished
- › surface finish: trivalent chrome plated to standard ISO 1456:2009
- › made according to standard EN IEC 60900



**Advantages:**  
› handles are insulated with double layered - double coloured insulation for additional safety

**Important!**  
› if second layer is visible, replace your insulated tool with a new one.  
› for cutting cables without steel wire




SKU	L	A	Ø <sub>max</sub>	📦
619197	170	18	10	226
619198	230	22	17	409

### 582/3P

#### Electricians` scissors



- › material: premium flex plus carbon steel
- › drop forged
- › cutting edges induction hardened
- › surface finish: nickel plated
- › handles plastic dipped



SKU	L	C	📦
601127	145	52	81




### 582/3PR

#### Electrician`s scissors with cable cutter



- › stainless steel micro-toothed blades
- › ABS handle
- › cable cutting functions on the blade
- › pin with adjustable bolt



SKU	L	📦
629397	140	64



### 582/3BI

### Electrician's scissors with cable cutter



- › stainless steel micro-toothed blades
- › non-slip handles in two-tone ABS with rubber coating thermoplastic of the parts subject to wear which guarantees a high comfort in prolonged use
- › pin with adjustable bolt




SKU	L	
629398	145	60

### 603VDE

### Electrician's screwdriver with insulated blade, VDE



- › blade: premium hard chrome vanadium steel, entirely hardened and tempered
- › blackened tip
- › handle: ergonomic shape
- › handle: polypropylene
- › hanging hole
- › made according to standard DIN EN IEC 60900 (VDE 0682-201):2019-04; EN IEC 60900:2018




SKU	axb	C	L	
616470	0.4x2.5	75	160	33
616471	0.5x3.0	100	185	37
616472	0.6x3.5	100	185	39
616473	0.8x4.0	100	185	43
616474	1.0x5.5	125	225	75
616475	1.2x6.5	150	260	113
616476	1.2x8.0	175	295	163

### 603VDE TBI

### Electrician's screwdriver with insulated blade, VDE TBI



- › blade: premium hard chrome vanadium steel, entirely hardened and tempered
- › blackened tip
- › handle: ergonomic shape
- › three component material
- › hanging hole
- › made according to standard DIN EN IEC 60900 (VDE 0682-201):2019-04; EN IEC 60900:2018
- › made according to standard ISO 8764-1,2




SKU	axb	C	L	
616436	0.4x2.5	75	160	33
616437	0.5x3.0	100	185	37
616438	0.6x3.5	100	185	39
616439	0.8x4.0	100	185	43
621247	1.0x4.5	125	225	75
616440	1.0x5.5	125	225	75
616441	1.2x6.5	150	260	113
616442	1.2x8.0	175	295	163
621248	1.6x10.0	200	320	115

### 604VDE TBI

### SLIM electrician's screwdriver with insulated blade, VDE TBI



- › blade: premium hard chrome vanadium steel, entirely hardened and tempered
- › blackened tip
- › handle: ergonomic shape
- › three component material
- › hanging hole
- › made according to standard DIN EN IEC 60900 (VDE 0682-201):2019-04; EN IEC 60900:2018




- Advantages:**
- › model with slim blade
  - › Although of the slim blade, screwdriver enables the same functionality and safety by working as usual insulated screwdriver.
  - › slim blade enables work in hard to reach places.

SKU	axb	C	L	
624063	0.6x3.5	100	185	37
624064	0.8x4.0	100	185	39
624065	1.0x5.5	125	225	74

### 611VDETBI

### Flat-crosstip (SL/PH) SLIM screwdriver with insulated blade, VDE TBI



- > blade: premium hard chrome vanadium steel, entirely hardened and tempered
- > blackened tip
- > handle: ergonomic shape
- > three component material
- > hanging hole
- > made according to standard DIN EN IEC 60900 (VDE 0682-201);2019-04; EN IEC 60900:2018

**Advantages:**


- > model with slim blade
- > Although of the slim blade, screwdriver enables the same functionality and safety by working as usual insulated screwdriver.
- > slim blade enables work in hard to reach places.



SKU	+	C	L	📦
624071	SLPH 1	80	180	56
624072	SLPH 2	100	210	88

### 613VDE

### Crosstip (PH) screwdriver with insulated blade, VDE




- > blade: premium hard chrome vanadium steel, entirely hardened and tempered
- > blackened tip
- > handle: ergonomic shape
- > handle: polypropylene
- > hanging hole
- > made according to standard ISO 8764-1,2 and EN IEC 60900



SKU	+	C	L	📦
616478	PH0	60	145	34
616479	PH1	80	165	40
616480	PH2	100	200	94

### 613VDETBI

### Crosstip (PH) screwdriver with insulated blade, VDE TBI



- > blade: premium hard chrome vanadium steel, entirely hardened and tempered
- > blackened tip
- > handle: ergonomic shape
- > three component material
- > hanging hole
- > made according to standard ISO 8764-1,2 and EN IEC 60900



SKU	+	C	L	📦
616443	PH0	60	145	34
616444	PH1	80	180	60
616445	PH2	100	210	94
616446	PH3	150	270	104

### 603CS6AVT

### Screwdriver set VDE TBI



SKU	👉
617653	6



### 603CS6ATVD

### Screwdriver set VDE with phase tester



SKU	6
617656	6

### 603CS6ATVT

### Screwdriver set VDE TBI with phase tester



SKU	6
617654	6

### 603CS6AVDE

### Screwdriver set VDE



SKU	6
617655	6

### 603CS6TVDE

### Screwdriver set VDE with phase tester



SKU	6
617045	6

### 603CS6TVDE TBI

### Screwdriver set VDE TBI with phase tester



SKU	6
617043	6

### 603CS6VDE

### Screwdriver set VDE



SKU	6
617044	6

**603VDE** (0.4 x 2.5x75, 0.8 x 4.0x100, 1.0 x 5.5x125, 1.2 x 6.5x150), **613VDE** (PH1x80, PH2x100)

### 603CS6VDE TBI

### Screwdriver set VDE TBI





SKU	6
617042	6

**603VDE TBI** (0.4 x 2.5x75, 0.8 x 4.0x100, 1.0 x 5.5x125, 1.2 x 6.5x150), **613VDE TBI** (PH1x80, PH2x100)

### 620VDE TBI

### Hex screwdriver with insulated blade VDE TBI



- > blade: premium hard chrome vanadium steel, entirely hardened and tempered
- > blackened tip
- > handle: ergonomic shape
- > three component material
- > hanging hole
- > made according to standard DIN EN IEC 60900 (VDE 0682-201):2019-04; EN IEC 60900:2018



SKU	Hex	C	L	Weight
616448	2.5	75	160	34
616449	3	75	175	37
616451	5	75	185	93
616452	6	100	210	128
616453	8	100	210	203

### 621CS6VDE TBI

### Set of insulated screwdrivers VDE TBI with TX profile





SKU	6
617049	6

**621VDE TBI** (TX 10, TX 15, TX 20, TX 25, TX 27, TX 30)

### 621VDE TBI

### Screwdriver with insulated blade VDE TBI with TX profile




- > blade: premium hard chrome vanadium steel, entirely hardened and tempered
- > blacken tip
- > handle: ergonomic shape
- > three component material
- > hanging hole
- > made according to standard DIN EN IEC 60900 (VDE 0682-201):2019-04; EN IEC 60900:2018



SKU	Star	C	L	Weight
616454	TX 10	60	140	35
616455	TX 15	80	180	37
616456	TX 20	80	180	43
616457	TX 25	80	180	63
616458	TX 27	100	210	76
616459	TX 30	100	210	98

### 623VDE




### Double-crosstip (PZ) screwdriver with insulated blade, VDE

- > blade: premium hard chrome vanadium steel, entirely hardened and tempered
- > blackened tip
- > handle: ergonomic shape
- > handle: polypropylene
- > hanging hole
- > made according to standard ISO 8764-1,2 and EN IEC 60900

SKU	+	C	L	📦
616483	PZ1	80	165	60
616484	PZ2	100	200	93

### 623VDE TBI



### Double-crosstip (PZ) screwdriver with insulated blade, VDE TBI

- > blade: premium hard chrome vanadium steel, entirely hardened and tempered
- > blackened tip
- > handle: ergonomic shape
- > three component material
- > hanging hole
- > made according to standard ISO 8764-1,2 and EN IEC 60900

SKU	+	C	L	📦
616460	PZ0	60	145	34
616461	PZ1	80	180	60
616462	PZ2	100	210	93

### 629CS6VDE TBI




### Set of insulated socket wrenches with VDE TBI handle

SKU	📦
617050	6

🔧 629VDE TBI (5,5, 6, 7, 8, 10, 13)



### 629VDE TBI




### Insulated socket wrench with VDE TBI handle

- > blade: premium hard chrome vanadium steel, entirely hardened and tempered
- > handle: ergonomic shape
- > three component material
- > hanging hole
- > made according to standard DIN EN IEC 60900 (VDE 0682-201):2019-04; EN IEC 60900:2018
- > made according to standard DIN 3125

SKU	🌀mm	C	L	📦
616464	5.5	125	225	103
616465	6	125	225	103
616466	7	125	235	123
616467	8	125	235	140
616468	10	125	235	157
616469	13	125	245	186

### 630VDE



### Phase tester 220 - 250 V

- > dimension 140 with clip
- > made according to standard DIN EN IEC 60900 (VDE 0682-201):2019-04; EN IEC 60900:2018

SKU	axb	C	L	📦
617659	0.5x3.0	60	140	16
617660	0.6x3.5	90	180	27

**630VDE140ST**

**Set of phase testers on carton display**




SKU	Image	Weight
623907		18
630VDE (0.5 x 3.0x140)		



**631**

**Car light tester 6 - 12/24 V**




- > Use only on proven automobile installations for voltages of up to 12V and up to 24V
- > Use for other purposes or at different voltages may be life threatening.
- > The product may not be used for verifying the grid voltage!

SKU	V <sub>i</sub>	axb	C	L	Weight
601688	6 - 12	0.5 x 3.0	60	140	25
601689	6 - 24	0.6 x 3.5	90	180	25

**631B**

**Car light tester 6 - 12/24 V**



- > Indispensable tool in every car workshop
- > Safety cover for the tip of the tester, intended to prevent injuries to users
- > Used for checking electrical installations in all 6 - 24 V systems in the car

**Usage:**

- > Connect the clip to any ground point.
- > Pierce the wire insulation with the tip of the tester to find live wires
- > Keep piercing the insulation along the wire until the tester stops being illuminated, which indicates that the wire is broken.
- > Use for other purposes or at different voltages may be life threatening.
- > The product may not be used for verifying the grid voltage!

SKU	V <sub>i</sub>	C	L	D	Weight
619856	6 - 24	12	110	1.8	38

**385AVDEDP**

**Insulated knife**




- > blade from high alloy steel
- > double layered - double coloured insulation for additional safety
- > with blade guard

SKU	L	Weight
619101	180	145



### 385CVDEDP



#### Insulated knife


- > blade from high alloy steel
- > double layered - double coloured insulation for additional safety
- > surface finish: phosphated to standard ISO 9717
- > with blade guard
- > blade hardened at min. 55 HRC
- > rounded blade, 60mm long
- > ergonomic handle, with slip guard
- > handle with finger hook for good transmission of force
- > Material of steel blade provides maximum sharpness and durability by dismantling of cables
- > blade protected with PVC protection

**Usage:**

- > for dismantling PVC cable insulation

SKU	L	A	
625610	220	60	180

### 385VDEDP




#### Insulated knife

- > blade from high alloy steel
- > double layered - double coloured insulation for additional safety
- > with blade guard

SKU	L	
615494	180	105

### 750VDP



#### Insulated saw

- > made according to standard DIN EN IEC 60900

SKU	L	L1	B	
619098	460	300	149	815

### 753VDP



#### Insulated saw

- > replaceable blade
- > made according to standard DIN EN IEC 60900

**Advantages:**


- > double layered - double coloured insulation, for additional safety

**Important!**

- > if second layer is visible, replace your insulated tool with a new one.

SKU	L	
615502	150	320

### 1340VDP



#### Straight tweezers

- > material: stainless steel
- > made according to standard DIN EN IEC 60900

**Advantages:**

- > double layered - double coloured insulation enable additional safety
- > controlled according to standard EN IEC 60900


**Important!**

- > if second layer is visible, replace your VDE tool with the new one.

SKU	L	
616847	165	45

1341VDP

Bent tweezers



- › material: stainless steel
- › made according to standard DIN EN IEC 60900

**Advantages:**

- › double layered - double coloured insulation enable additional safety
- › controlled with electrical test

**Important!**


- › if second layer is visible, replace your VDE tool with the new one.



SKU	L	
616848	150	40

964VDE1

Set of insulated open end wrenches in SOS tool tray



- › Tool tray dimension: 374 x 364 x 30 mm
- › Compatible with drawers of Eurostyle, Eurovision, Euromotion, Europlus and Hercules (front drawers) line

**Set includes:**

- › 15x insulated single open end wrench (article 110/2VDEDP) dim. 6, 7, 8, 10, 12, 13, 14, 15, 17, 19, 20, 21, 22, 23, 24

SKU	
621782	15

110/2VDEDP (6, 7, 8, 10, 12, 13, 14, 15, 17, 19, 20, 21, 22, 23, 24), VL964VDE1 (374x364x30)



964VDE2

Set of insulated offset ring wrenches in SOS tool tray



- › Tool tray dimension: 374 x 364 x 30 mm
- › Compatible with drawers of Eurostyle, Eurovision, Euromotion, Europlus and Hercules (front drawers) line

**Set includes:**

- › 11x insulated single offset ring wrench (article 180/2VDEDP) dim. 10, 11, 12, 13, 14, 15, 17, 19, 21, 22, 24

SKU	
621784	11

180/2VDEDP (10, 11, 12, 13, 14, 15, 17, 19, 21, 22, 24), VL964VDE2 (374x364x30)



## 964VDE3BI

## Set of insulated pliers in tool tray



- › The Unior tool set is specifically designed for electrical work! This comprehensive collection includes a variety of pliers and scissors, providing everything you need for your electrical tasks. Whether you're nipping, cutting, or handling cables and wires, this set is the perfect solution for you. Each pair of pliers features a red-orange double-component handle and comes with a certificate, ensuring precision and efficiency in the electrical field. Additionally, the robust tool tray is built for durability and conveniently fits into Unior carriages or workbench drawers. Elevate your electrical work with this essential tool set!
- › Tool tray dimension: 564 x 364 x 30 mm
- › Compatible with drawers of Eurostyle, Eurovision, Euromotion, Europlus and Hercules (front drawers) line

**Set includes:**

- › 1x combination pliers (article 406/1VDEBI) dim. 180
- › 1x diagonal cutting nippers (article 461/1VDEBI) dim. 160
- › 1x wire stripping pliers (article 478/1VDEBI) dim. 160
- › 1x long flat nose pliers (article 472/1VDEBI) dim. 160
- › 1x multifunctional electrician's pliers (article 514/1BI) dim. 160
- › 1x heavy duty diagonal cutting nippers (article 466/1VDEBI) dim. 180
- › 1x straight long nose pliers with side cutter and pipe grip (article 508/1VDEBI) dim. 170
- › 1x long nose pliers with side cutter and pipe grip, bent (article 512/1VDEBI) dim. 170
- › 1x cable shears (article 580/1VDEBI) dim. 170
- › 1x waterpump box joint pliers (article 447/1VDEBI) dim. 240
- › 1x Electricians' scissors (article 582/3BI) in dim. 145

## SKU

629983



11

406/1VDEBI (180), 461/1VDEBI (160), 472/1VDEBI (160), 478/1VDEBI (160), 466/1VDEBI (180), 580/1VDEBI (170), 514/1BI (160), 447/1VDEBI (240), 508/1VDEBI (170), 582/3BI (145), 512/1VDEBI (170), v1964VDE3BI (564x364x30)



## 964VDE7

## Set of insulated hexagon wrenches SOS tool tray



- › Tool tray dimension: 188 x 364 x 30 mm
- › Compatible with drawers of Eurostyle, Eurovision, Euromotion, Europlus and Hercules (front drawers) line

**Set includes:**

- › 7x insulated hex wrench (article 220/3LVDEDP) dim. 3, 4, 5, 6, 8, 10, 12

## SKU

621798




7

220/3LVDEDP (3, 4, 5, 6, 8, 10, 12), VL964VDE7 (188x364x30)



## 964VDE8A

## Set of insulated flat screwdriver VDETBI in SOS tool tray



- › Tool tray dimension: 374 x 364 x 30 mm
- › Compatible with drawers of Eurostyle, Eurovision, Euromotion, Europlus and Hercules (front drawers) line

**Set includes:**

- › 9x VDETBI electrician's screwdriver with insulated blade (article 603VDETBI) dim. 0.4x2.5x75, 0.5x3.0x100, 0.6x3.5x100, 0.8x4.0x100, 1.0x4.5x125, 1.0x5.5x125, 1.2x6.5x150, 1.2x8.0x175, 1.6x10.0x200
- › 2x phase tester 220 - 250 V (article 630VDE) dim. 0.5x3.0x140, 0.6x3.5x180

## SKU

621800



11

603VDETBI (0.4 x 2.5x75, 0.5 x 3.0x100, 0.6 x 3.5x100, 0.8 x 4.0x100, 1.0 x 4.5x125, 1.0 x 5.5x125, 1.2 x 6.5x150, 1.2 x 8.0x175, 1.6 x 10.0x200), 630VDE (0.5 x 3.0x140, 0.6 x 3.5x180), VL964VDE8A (374x364x30)





- > Tool tray dimension: 188 x 364 x 30 mm
- > Compatible with drawers of Eurostyle, Eurovision, Euromotion, Europlus and Hercules (front drawers) line

**Set includes:**

- > 4x crosstip (PH) screwdriver with insulated blade, VDE TBI (article 613VDETBI) dim. PH 0x60, PH 1x80, PH 2x100, PH 3x150
- > 4x double-crosstip (PZ) screwdriver with insulated blade, VDE TBI (article 623VDETBI) dim. PZ 0x60, PZ 1x80, PZ 2x100, PZ 3x150

SKU  
621802




8

613VDETBI (PH0x60, PH1x80, PH2x100, PH3x150), 623VDETBI (PZ0x60, PZ1x80, PZ2x100, PZ3x150), VL964VDE8B (188x364x30)



# Certificate

tools with mark approval



## VDE Prüf- und Zertifizierungsinstitut

**ZEICHENGENEHMIGUNG  
MARKS APPROVAL**

Unior d.d.  
Kovaska cesta 10  
3214 ZRECE  
Slovenia

ist berechtigt, für ihr Produkt /  
is authorized to use for their product

**Kabelmesser  
Cable knives**

die hier abgebildeten markenrechtlich geschützten Zeichen  
für die ab Blatt 2 aufgeführten Typen zu benutzen /  
the legally protected Marks as shown below for the types referred to on page 2 ff.

Geprüft und zertifiziert nach /  
Tested and certified according to

DIN EN IEC 60900 (VDE 0692-201):2019-04; EN IEC 60900:2018

Das Produkt entspricht den Anforderungen des deutschen Produktsicherheitsgesetzes (ProdSG) hinsichtlich der Gewährleistung von Sicherheit und Gesundheit.  
The product covers the requirements of the German Act "Produktsicherheitsgesetz (ProdSG)" regarding the insurance of safety and health.

Befristet zum / valid until: 2025-10-31

VDE Prüf- und Zertifizierungsinstitut GmbH  
VDE Testing and Certification Institute  
Zertifizierungsstelle / Certification

Aktenzeichen: 1369900-3940-0010 / 271507  
File ref.:  
Ausweis-Nr. - 40043225  
Certificate No.  
Weitere Bedingungen siehe Rückseite und Folienblätter /  
Further conditions see overleaf and following pages  
Offenbach, 2015-10-29  
(letzte Änderung / updated: 2020-11-25)

Blatt 1  
Page

R. Nickel  
VDE Zertifikate sind nur gültig bei Veröffentlichung unter:  
VDE certificates are valid only when published on:  
<http://www.vde.com/zertifikat>  
<http://www.vde.com/certificate>

# Tin snips and bolt cutters

Check products online.



- ✓ **material: premium hard chrome vanadium steel**
- ✓ **jaws exchangeable and adjustable in three position, entirely hardened and tempered**
- ✓ **steel handles, lacquered, heavy duty plastic handles**
- ✓ **extreme strength and minimum weight**
- ✓ **outstanding resistance to the maximum forces generated during cutting**
- ✓ **complete anti-corrosion resistance**
- ✓ **straightforward guidance and proper handling**
- ✓ **shock absorber for the prevention of injuries**
- ✓ **triangular blade - threefold longer service life**



## PRODUCTS

-  **Tin snips**
-  **Bolt cutters**
-  **Pvc pipe cutters**
-  **Pruning shears**

## Premium Hard

### DURABILITY

A lower susceptibility to cracking is particularly important for tools such as socket wrenches. Tool steel with a higher chrome and manganese content guarantees a higher tensile strength. An appropriate carbon content simultaneously ensures the corresponding hardness of the tool. Premium Flex chrome vanadium steel, an alloyed tool steel with manganese, chrome and carbon, allows for the redesign of tools that can withstand high torques.

Alloyed tool steel 25CrMo4, in accordance with EU directive 2000/53/EC


- 0.75% manganese for higher tensile strength and ductility
- 1,00% chrome for lower susceptibility to cracking and higher tensile strength
- 0.35% carbon for appropriate tool hardness

Tools made from high-quality chrome vanadium steel with a higher content of selected alloyed elements can now be even better adapted to specific uses, due to their suitability for high torques and their corresponding strength.



## 563L/7PR

## Universal tin snips



- › material: premium plus carbon steel
- › drop forged, entirely hardened and tempered
- › blade induction hardened
- › protection against corrosion
- › handles plastic dipped


**Usage:**

- › for cutting sheet metal by 400N/mm<sup>2</sup> thickness up to 1,5mm

SKU	L	C	
615038	280	47	567

## 563R/7PR

## Universal tin snips



- › material: premium plus carbon steel
- › drop forged, entirely hardened and tempered
- › blade induction hardened
- › protection against corrosion
- › handles plastic dipped


**Usage:**

- › for cutting sheet metal by 400N/mm<sup>2</sup> thickness up to 1,5mm

SKU	L	C	
615037	280	47	567

## 567R/7P

## Tin snips "pelican" type



- › material: premium plus carbon steel
- › drop forged, entirely hardened and tempered
- › blade induction hardened
- › head surface finish: finely ground
- › protection against corrosion
- › handles plastic dipped

**Advantages:**

- › spring for reopening


**Usage:**

- › for cutting sheet metal by 400N/mm<sup>2</sup> thickness up to 1,5mm

SKU	L	C	
609335	290	56	672

## 568L/7P


## Tin snips „ideal“ type



- › material: premium plus carbon steel
- › drop forged
- › blade induction hardened
- › drop forged, entirely hardened and tempered
- › head surface finish: finely ground
- › protection against corrosion
- › handles plastic dipped
- › spring for reopening
- › for cutting sheet metal by 400N/mm<sup>2</sup> thickness up to 1,5mm

SKU	L	C	
610945	250	30	532

## 568R/7P



## Tin snips "ideal" type

- › material: premium plus carbon steel
- › drop forged, entirely hardened and tempered
- › blade induction hardened
- › head surface finish: finely ground
- › protection against corrosion
- › handles plastic dipped

**Advantages:**


- › spring for reopening

**Usage:**

- › for cutting sheet metal by 400N/mm<sup>2</sup> thickness up to 1,5mm

SKU	L	C	
609336	250	30	532

## 569R/7P



## Tin snips "berliner" type

- › material: premium plus carbon steel
- › drop forged, entirely hardened and tempered
- › blade induction hardened
- › head surface finish: finely ground
- › protection against corrosion
- › handles plastic dipped

**Advantages:**


- › spring for reopening

**Usage:**

- › for cutting sheet metal by 400N/mm<sup>2</sup> thickness up to 1,25mm

SKU	L	C	
609334	250	55	452

## 572L/7PR



## Shape tin snips


- › material: premium plus carbon steel
- › drop forged, entirely hardened and tempered
- › blade induction hardened
- › protection against corrosion
- › handles plastic dipped

**Usage:**

- › for cutting sheet metal by 400N/mm<sup>2</sup> thickness up to 1,5mm

SKU	L	C	
615042	280	48	502

## 572R/7PR



## Shape tin snips

- › material: premium plus carbon steel
- › drop forged, entirely hardened and tempered
- › blade induction hardened
- › protection against corrosion
- › handles plastic dipped


**Usage:**

- › for cutting sheet metal by 400N/mm<sup>2</sup> thickness up to 1,5mm

SKU	L	C	
615041	280	48	446

**592R/7PR**

**Tin snips "pelican" type**




- > material: premium plus carbon steel
- > drop forged, entirely hardened and tempered
- > blade induction hardened
- > protection against corrosion
- > handles plastic dipped

**Usage:**  
> for cutting sheet metal by 400N/mm<sup>2</sup> thickness up to 1,5mm

SKU	L	C	📦
615035	350	65	880

**573/7P**

**Tin snips straight**




- > material: premium plus carbon steel
- > drop forged
- > blade induction hardened
- > handles plastic dipped

SKU	L	C	📦
615158	175	40	265
615159	200	40	318
615160	250	51	497
615161	300	70	627
615162	350	76	802

**580/1BI**



**Cable shears**



- > material: premium plus carbon steel
- > drop forged, entirely hardened and tempered
- > cutting edges induction hardened
- > surface finish: trivalent chrome plated according to ISO 1456:2009
- > head polished
- > heavy duty double - component handles
- > jet stamp UNIOR


**Important!**  
> for cutting cables without steel wire

SKU	L	A	📦
609238	170	22	339
609239	230	22	444



583/6

PVC pipe cutter



> material: blade from premium plus carbon steel

**Advantages:**

- > step cutting mechanism
- > right angle cuts are assured

**Usage:**

> intended for cutting PVC pipes (dim. 195 up to 1" and dim. 210 up to 1,5" of thickness)



SKU	L	Ø"	📦
605418	195	1"	295
609405	210	1.5"	385

583.1/7A

Spare cutter for 583/6



SKU	L	Ø"	📦
605419	195	1"	64

583.1/7B


Spare cutter for 583/6



SKU	L	Ø"	📦
609406	210	1.5"	67

585/6

Cable shears



- > material: cutter from premium plus carbon steel
- > steel handles, lacquered, heavy duty plastic handles
- > cutting edges separately induction hardened
- > jaws exchangeable

**Important!**

> for cutting cables without steel wire or inside steel coat




SKU	L	Ø <sub>max</sub>	A	📦
615226	550	23	38	2080
616732	800	39	42	3660



585/6P

Wire rope shears



- > material: premium plus carbon steel
- > jaws exchangeable
- > cutting edges separately induction hardened
- > steel handles, lacquered, heavy duty plastic handles



SKU	L	Ø <sub>max</sub>	A	📦
617672	760	8	36	3475






- > material: cutters from premium plus carbon steel
- > cutting edges separately induction hardened
- > steel handles, lacquered, heavy duty plastic handles


**Advantages:**

- > shock-absorbers on the joints absorb shocks on the handles, which happen when cutting reinforcing rod
- > protection of the eccentric screws for adjustment of blades with forged recesses ensures 100% protection against unscrewing


SKU	L	B	A	C	📦
610964	350	55	26	24	805
610965	450	70	34	36	1500
610966	600	84	38	40	2600
610967	750	96	43	46	3950
610968	900	109	47	50	6300
612984	1050	120	48	46	6900



SKU	L	MAX 1560 N/MM <sup>2</sup> Ø	MAX 750 N/MM <sup>2</sup> Ø
610964	350	3,5	5
610965	450	5	8
610966	600	7	10
610967	750	8	13
610968	900	9	16
612984	1050	10	19



## 596PLUS/6G



**Premium Hard**  
**Premium Hard**

## Bolt cutters with interchangeable triangular cutting edges

- › material: premium hard chrome vanadium steel
- › jaws exchangeable and adjustable in three position, entirely hardened and tempered
- › steel handles, lacquered, heavy duty plastic handles

**Advantages:**

- › extreme strength and minimum weight
- › outstanding resistance to the maximum forces generated during cutting
- › complete anti-corrosion resistance
- › straightforward guidance and proper handling
- › shock absorber for the prevention of injuries
- › triangular blade - threefold longer service life
- › the procedure for adjusting the jaw cutting edges

**How to adjust the cutting edges?**

- › Release the safety nut.
- › Take the screw out of the groove and turn it until there is no spacing between the cutting edges
- › Secure the safety nut.

SKU	L	B	A	C	Weight
615256	750	96	43	46	4060
615257	900	109	47	50	6300

SKU	L	MAX 1560 N/MM <sup>2</sup> Ø	MAX 750 N/MM <sup>2</sup> Ø
615256	750	8	13
615257	900	9	16

## 596.1PLUS/7



## Spare jaw for 596PLUS/6G

- › jaw + 2 screws + 2 nuts

SKU	Length	Weight
615258	750	1468
615259	900	1956

## 596.2PLUS/7



## Spare cutting edges for 596PLUS/6G

- › spare part includes: 2 cutting edges, 4 plates for cutting edges, 4 screws, 4 nuts

SKU	Length	Weight
615260	750	116
615261	900	126

## 596.3PLUS/7



## Spare cutting edge for 596PLUS/6G

- › spare part includes 1 cutting edge

SKU	Length	Weight
616521	750	22
616522	900	28



- > material: cutter from premium plus carbon steel
- > jaws exchangeable and adjustable
- > cutting edges separately induction hardened
- > steel handles, lacquered, heavy duty plastic handles


**Advantages:**

- > shock-absorbers on the joints absorb shocks on the handles, which happen when cutting reinforcing rod


SKU	L	B	A	C	
608442	1000	100	46	43	4130

SKU	L	MAX 1560 N/MM <sup>2</sup> Ø	MAX 750 N/MM <sup>2</sup> Ø
608442	1000	11	13



 **Premium** +



542/4PR

Pruning shears



- > material: premium plus carbon steel
- > drop forged
- > cutting edges induction hardened
- > surface finish: phosphated to standard ISO 9717
- > handles plastic dipped



SKU	L	
601578	220	310

544PR

Easy - cut pruner with aluminium handles



- > material: blade from alloy steel
- > aluminium handles
- > cutting parts entirely hardened and tempered
- > cutting parts sharply grinded, replaceable
- > special ergonomic design
- > head ground
- > handles plastic dipped
- > with shock-absorber




SKU	L	
601580	200	220



550/3PR

Anvil pruner



! Premium+

- > material: blade from premium plus carbon steel
- > aluminium moveable jaw
- > cutting parts entirely hardened and tempered
- > blade coated with PTFE
- > surface finish: nickel plated
- > handles plastic dipped

- Advantages:**
- > lock to prevent accidental opening
  - > anti-slip guard

- Usage:**
- > use for general garden cutting

SKU	L	
601590	200	287

550.2/9


Spare blade for 550/3PR



SKU	
601592	28

555/6

Tree pruner



!

- > material: blade from premium plus carbon steel
- > aluminium bottom jaw, steel handles
- > jaws entirely hardened and tempered
- > blade induction hardened, sharply ground, coated with PTFE
- > lacquered handles with heavy duty handles

- Advantages:**
- > cutting capacity up to R 40 mm
  - > double joint performance

- Usage:**
- > for trimming branches

SKU	L	
603522	750	1895

MADE FOR WORK.

# Screwdrivers

Check products online.



- ✓ **blade: premium hard chrome, vanadium steel, entirely hardened and tempered**
- ✓ **blade chrome plated, black anodised tip**
- ✓ **handle: ergonomic shape**
- ✓ **three component material**
- ✓ **hanging hole**

## PRODUCTS

-  **Flat screwdrivers**
-  **Crosstip screwdrivers**
-  **Hex screwdrivers**
-  **Screwdrivers with TX profile**
-  **Square and socket screwdrivers**
-  **Screwdrivers for electronic use**
-  **Bits and accessories**

## Premium Hard

### DURABILITY

Hand tools such as screwdrivers, the reliability, safety and long service life of which depend on the elasticity and at the same time the hardness of their shafts, are manufactured from specially alloyed tool steel, which makes it possible to achieve higher strength due to their higher content of selected elements. The molybdenum content of the tool steel Premium Hard chrome/vanadium steel results in their higher durability, tensile strength and ductility, while the increased silicon content ensures their higher elasticity and lower susceptibility to cracking. The appropriate hardness and resistance to wear are achieved with a corresponding carbon content. Specially alloyed tool steel 73MoV52, according to EU directive 2000/53/EC

- 0.60% manganese for higher tensile strength and ductility
- 1,15% silicon for higher elasticity and lower susceptibility to cracking
- 0.70% carbon for appropriate hardness and resistance to wear

Cold-forged steel with high quality characteristics ensures that profiles now have an even longer-lasting strength, with shafts of extraordinary hardness.



## 600CS5TBI

## Screwdriver set TBI with hexagon bolster



## Set includes:


- > 1x flat screwdriver TBI (article 605TBI) dim. 0.8x4.0x100
- > 2x flat screwdriver TBI with hexagon bolster (article 600TBI) dim. 1.0x5.5x100, 1.2x6.5x125
- > 2x crosstip (PH) screwdriver TBI with hexagon bolster (article 616TBI) dim. PH 1x80, PH 2x100



SKU	
614007	5

## 600TBI

## Flat screwdriver TBI with hexagon bolster




- > blade: premium hard chrome vanadium steel, entirely hardened and tempered
- > blade chrome plated, black anodised tip
- > handle: ergonomic shape
- > three component material
- > hanging hole
- > made according to standard DIN ISO 2380-1:2006 and DIN ISO 2380-2:2006

**Premium Hard**

SKU	axb	C	L	D	
611680	1.0 x 5.5	100	200	5	68
611681	1.2 x 6.5	125	235	6	103
611682	1.2 x 8.0	150	270	7	143
611683	1.6 x 10.0	175	295	8	171

## 602TBI

## Flat electrician's screwdriver TBI




- > blade: premium hard chrome vanadium steel, entirely hardened and tempered
- > blade chrome plated, black anodised tip
- > handle: ergonomic shape
- > three component material
- > hanging hole

**Premium Hard**

SKU	axb	C	L	D							
612797	0.4 x 2.5	60	145	2.5	33	612801	0.8 x 4.0	100	185	4	43
612798	0.4 x 2.5	75	160	2.5	33	612803	0.8 x 4.0	250	335	4	56
611684	0.5 x 3.0	100	185	3	37	612804	1.0 x 5.5	125	225	5.5	75
612800	0.6 x 3.5	100	185	3.5	39						

## 605TBI

## Flat screwdriver TBI




- > blade: premium hard chrome vanadium steel, entirely hardened and tempered
- > blade chrome plated, black anodised tip
- > handle: ergonomic shape
- > three component material
- > hanging hole
- > made according to standard DIN ISO 2380-1:2006 and DIN ISO 2380-2:2006
- > made according to standard DIN 5264

**Premium Hard**

SKU	axb	C	L	D							
612810	0.4 x 2.5	60	145	2.5	33	611695	1.0 x 5.5	150	250	5	74
611687	0.4 x 2.5	75	160	2.5	34	612817	1.2 x 6.5	100	210	6	93
611688	0.5 x 3.0	80	165	3	35	612818	1.2 x 6.5	125	235	6	98
612811	0.5 x 3.0	100	185	3	37	611696	1.2 x 6.5	150	260	6	103
611690	0.6 x 3.5	100	185	3.5	39	611697	1.2 x 6.5	200	310	6	115
611692	0.8 x 4.0	100	185	4	41	611698	1.2 x 8.0	175	295	7	143
612814	0.8 x 4.0	125	210	4	44	612819	1.6 x 8.0	175	295	7	143
611693	0.8 x 4.0	150	235	4	46	611699	1.6 x 10.0	200	320	8	173
612816	1.0 x 5.5	100	200	5	68	611700	2.0 x 12.0	250	370	9	223
611694	1.0 x 5.5	125	225	5	70						

## 605CR




## Flat screwdriver CR

- › blade: premium hard chrome vanadium steel, entirely hardened and tempered
- › blade chrome plated, blackened tip
- › handle: ergonomic shape
- › handle - polypropylene
- › hanging hole
- › made according to standard DIN ISO 2380-1:2006 and DIN ISO 2380-2:2006
- › made according to standard DIN 5264

Premium Hard

SKU	axb	C	L	D	📦						
616339	0.4 x 2.5	75	160	2.5	34	616348	0.8 x 4.0	150	235	4	46
616340	0.5 x 3.0	80	165	3	35	616350	1.0 x 5.5	100	200	5	68
616341	0.5 x 3.0	100	185	3	37	616351	1.0 x 5.5	125	225	5	70
616342	0.5 x 3.0	150	235	3	39	616352	1.0 x 5.5	150	250	5	74
616343	0.6 x 3.5	75	160	3.5	37	616353	1.2 x 6.5	100	200	6	93
616344	0.6 x 3.5	100	185	3.5	39	616355	1.2 x 6.5	150	250	6	103
616345	0.6 x 3.5	125	210	3.5	40	616356	1.2 x 8.0	175	285	7	143
616346	0.8 x 4.0	100	185	4	41	616358	1.6 x 10.0	200	320	8	173
616347	0.8 x 4.0	125	210	4	44	616359	2.0 x 12.0	250	370	9	223

## 605E




## Flat electronic screwdriver

- › material: premium hard chrome vanadium steel
- › ergonomic heavy duty double component handle
- › tip coated with anticorrosion protection
- › handle with rotating cap

Premium Hard

SKU	axb	C	L	D	📦						
608297	0.23 x 1.5	60	153	2.5	11	608300	0.5 x 3.0	100	193	3	13
608298	0.3 x 1.8	60	153	2.5	12	608302	0.8 x 4.0	100	193	4	23
608299	0.4 x 2.5	75	168	2.5	12						

## 605NI



## Flat screwdriver

- › blade: premium hard chrome vanadium steel, entirely hardened and tempered
- › blade nickel plated
- › handle: ergonomic shape
- › handle - polypropylene
- › hanging hole
- › made according to standard DIN ISO 2380-1:2006 and DIN ISO 2380-2:2006

Premium Hard

SKU	axb	C	L	D	📦						
616419	0.4 x 2.0	60	145	2	33	616425	1.2 x 6.5	150	250	6	103
616421	0.5 x 3.0	80	165	3	35	616426	1.2 x 8.0	175	285	7	143
616423	0.8 x 4.0	100	185	4	41	616427	1.6 x 10.0	200	320	8	173
616424	1.0 x 5.5	125	225	5	70						

## 606B5NI

## Screwdriver set NI



## Set includes:

- › 5x flat screwdriver (article 605NI) dim. 0.4x2.0x60, 0.5x3.0x80, 0.8x4.0x100, 1.0x5.5x125, 1.2x6.5x150

SKU	📦
617033	5

🔧 605NI (0.4 x 2.0x60, 0.5 x 3.0x80, 0.8 x 4.0x100, 1.0 x 5.5x125, 1.2 x 6.5x150)



**606CS5CR**

**Screwdriver set CR**



**Set includes:**  
 > 5x flat screwdriver CR (article 605CR) dim. 0.5 x 3.0x80, 0.8 x 4.0x100, 1.0 x 5.5x125, 1.2 x 6.5x150, 1.2x8.0x175

SKU	
617017	5
605CR (0.5 x 3.0x80, 0.8 x 4.0x100, 1.0 x 5.5x125, 1.2 x 6.5x150, 1.2 x 8.0x175)	

**606CS5E**

**Set of electronic screwdrivers in carton box**



> 5x Flat electronic screwdriver (article 605E) dim. 0.23 x 1.5x60, 0.3 x 1.8x60, 0.4 x 2.5x75, 0.5 x 3.0x100, 0.8 x 4.0x100

SKU	
620959	5
605E (0.23 x 1.5x60, 0.3 x 1.8x60, 0.4 x 2.5x75, 0.5 x 3.0x100, 0.8 x 4.0x100)	

**606CS5TBI**

**Screwdriver set TBI**



**Set includes:**  
 > 5x flat screwdriver TBI (article 605TBI) dim. 0.5x3.0x80, 0.8x4.0x100, 1.0x5.5x125, 1.2x6.5x150, 1.2x8.0x175

SKU	
616320	5
605TBI (0.5 x 3.0x80, 0.8 x 4.0x100, 1.0 x 5.5x125, 1.2 x 6.5x150, 1.2 x 8.0x175)	

**607B5CR**

**Screwdriver set CR**



**Set includes:**  
 > 3x flat screwdriver CR (article 605CR) dim. 0.4x2.5x75, 0.8x4.0x100, 1.2x6.5x150  
 > 2x crosstip (PH) screwdriver CR (article 615CR) dim. PH 1x80, PH 2x100

SKU	
617021	5
605CR (0.4 x 2.5x75, 0.8 x 4.0x100, 1.2 x 6.5x150),  615CR (PH 1x80, PH 2x100)	



## 607B5NI

## Screwdriver set NI



## Set includes:

- › 3x flat screwdriver (article 605NI) dim. 0.5x3.0x80, 0.8x4.0x100, 1.2x6.5x150
- › 2x crosstip (PH) screwdriver NI (article 615NI) dim. PH 1x80, PH 2x100

## SKU

617037



5

605NI (0.5 x 3.0x80, 0.8 x 4.0x100, 1.2 x 6.5x150), 615NI (PH 1x80, PH 2x100)

## 607CS5TBI

## Screwdriver set TBI



## Set includes:

- › 3x TBI flat screwdriver (article 605TBI) dim. 0.8x4.0x100, 1.0x5.5x125, 1.2x6.5x150
- › 2x TBI crosstip (PH) screwdriver (article 615TBI) dim. PH 1x80, PH 2x100

## SKU

611985



5

605TBI (0.8 x 4.0x100, 1.0 x 5.5x125, 1.2 x 6.5x150), 615TBI (PH 1x80, PH 2x100)

## 607CS7CR

## Screwdriver set CR



## Set includes:

- › 4x flat screwdriver CR (article 605CR) dim. 0.8x4.0x100, 1.0x5.5x125, 1.2x6.5x150, 1.2x8.0x175
- › 3x crosstip (PH) screwdriver CR (article 615CR) dim. PH 1x80, PH 2x100, PH 3x150

## SKU

617026



7

605CR (0.8 x 4.0x100, 1.0 x 5.5x125, 1.2 x 6.5x150, 1.2 x 8.0x175), 615CR (PH 1x80, PH 2x100, PH 3x150)

## 607CS7E

## Set of electronic screwdrivers in carton box



- › 4x Flat electronic screwdriver (article 605E) dim. 0.3 x 1.8x60, 0.4 x 2.5x75, 0.5 x 3.0x100, 0.8 x 4.0x100
- › 3x Crosstip (PH) electronic screwdriver (article 615E) dim. PH 00x60, PH 0x60, PH 1x80

## SKU

620960



7

605E (0.3 x 1.8x60, 0.4 x 2.5x75, 0.5 x 3.0x100, 0.8 x 4.0x100), 615E (PH 00x60, PH 0x60, PH 1x80)

**607CS7TBI**

**Screwdriver set TBI**



**Set includes:**  
 › 5x flat screwdriver TBI (article 605TBI) dim. 0.5x3.0x80, 0.8x4.0x100, 1.0x5.5x125, 1.2x6.5x150, 1.2x8.0x175  
 › 2x TBI crosstip (PH) screwdriver (article 615TBI) dim. PH 1x80, PH 2x100




SKU	
611986	7
605TBI (0.5 x 3.0x80, 0.8 x 4.0x100, 1.0 x 5.5x125, 1.2 x 6.5x150, 1.2 x 8.0x175), 615TBI (PH 1x80, PH 2x100)	

**607PB8TBI**

**Screwdriver set TBI in plastic box**



› Dimension of box: 307 x 260 x 55  
**Set includes:**  
 › 1x flat screwdriver TBI (article 602TBI) dim. 0.5x3.0x100  
 › 3x TBI flat screwdriver (article 605TBI) dim. 0.8x4.0x100, 1.0x5.5x125, 1.2x6.5x150  
 › 2x TBI crosstip (PH) screwdriver (article 615TBI) dim. PH 1x80, PH 2x100  
 › 2x TBI double-crosstip (PZ) screwdriver (article 625TBI) dim. PZ 1x80, PZ 2x100



SKU	
621445	8
602TBI (0.5 x 3.0x100), 605TBI (0.8 x 4.0x100, 1.0 x 5.5x125, 1.2 x 6.5x150), 615TBI (PH 1x80, PH 2x100), 625TBI (PZ 1x80, PZ 2x100), 981PBS2 (307x260x55)	

**607PB9TBI**

**Screwdriver set TBI in plastic box**



› Dimension of box: 307 x 260 x 55  
**Set includes:**  
 › 4x TBI flat screwdriver (article 605TBI) dim. 0.5x3.0x80, 0.8x4.0x100, 1.0x5.5x125, 1.2x6.5x150  
 › 2x TBI crosstip (PH) screwdriver (article 615TBI) dim. PH 1x80, PH 2x100  
 › 3x TBI double-crosstip (PZ) screwdriver (article 625TBI) dim. PZ 0x60, PZ 1x80, PZ 2x100



SKU	
621419	9
605TBI (0.5 x 3.0x80, 0.8 x 4.0x100, 1.0 x 5.5x125, 1.2 x 6.5x150), 615TBI (PH 1x80, PH 2x100), 625TBI (PZ 0x60, PZ 1x80, PZ 2x100), 981PBS2 (307x260x55)	

## 608CS5CR

## Screwdriver set CR

**Set includes:**

- › 5x crosstip (PH) screwdriver CR (article 615CR) dim. PH 0x60, PH 1x80, PH 2x100, PH 3x150, PH 4x200

**SKU**

617028



5

615CR (PH 0x60, PH 1x80, PH 2x100, PH 3x150, PH 4x200)

## 608CS5NI

## Screwdriver set NI

**Set includes:**

- › 5x crosstip (PH) screwdriver NI (article 615NI) dim. PH 0x60, PH 1x80, PH 2x100, PH 3x150
- › 1x crosstip (PZ) screwdriver NI (article 625NI) dim. PZ 2x100

**SKU**

617041



5

615NI (PH 0x60, PH 1x80, PH 2x100, PH 3x150), 625NI (PZ 2x100)

## 608CS5TBI

## Screwdriver set TBI

**Set includes:**

- › 4x crosstip (PH) screwdriver TBI (article 615TBI) dim. PH 0x60, PH 1x80, PH 2x100, PH 3x150
- › 1x TBI double-crosstip (PZ) screwdriver (article 625TBI) dim. PZ 2x100

**SKU**

612326



5

615TBI (PH 0x60, PH 1x80, PH 2x100, PH 3x150), 625TBI (PZ 2x100)

## 609CS5TBI

## Screwdriver set TBI

**Set includes:**

- › 3x TBI flat screwdriver (article 605TBI) dim. 0.8x4.0x100, 1.0x5.5x125, 1.2x6.5x150
- › 2x TBI double-crosstip (PZ) screwdriver (article 625TBI) dim. PZ 1x80, PZ 2x100

**SKU**

611987




5

605TBI (0.8 x 4.0x100, 1.0 x 5.5x125, 1.2 x 6.5x150), 625TBI (PZ 1x80, PZ 2x100)

612CR

Electrician's crosstip screwdriver CR




- > blade: premium hard chrome vanadium steel, entirely hardened and tempered
- > blade chrome plated, black anodised tip
- > handle: ergonomic shape
- > handle - polypropylene
- > hanging hole
- > made according to standard DIN 5260-PH



SKU	+	C	L	D	📦
616360	PH 1	280	365	4.5	67
616361	PH 2	200	300	6	98
616362	PH 2	280	380	6	113

615TBI

Crosstip (PH) screwdriver TBI




- > blade: premium hard chrome vanadium steel, entirely hardened and tempered
- > blade chrome plated, blackened tip
- > handle: ergonomic shape
- > three component material
- > hanging hole
- > made according to standard ISO 8764-1,2
- > made according to standard DIN 5260-PH



SKU	+	C	L	D	📦						
611701	PH 0	60	145	3	31	611705	PH 2	150	260	6	104
611702	PH 1	80	180	4.5	60	611706	PH 2	200	310	6	114
611703	PH 1	200	300	4.5	74	611707	PH 3	150	270	8	154
611704	PH 2	100	210	6	94						

615CR

Crosstip (PH) screwdriver CR




- > blade: premium hard chrome vanadium steel, entirely hardened and tempered
- > blade chrome plated, blackened tip
- > handle: ergonomic shape
- > handle - polypropylene
- > hanging hole
- > made according to standards DIN ISO 8764-1: 2006, DIN ISO 8764-2: 2006, DIN EN ISO 4757: 1994
- > made according to standard DIN 5260-PH



SKU	+	C	L	D	📦						
616363	PH 0	60	145	3	34	616367	PH 2	150	250	6	104
616364	PH 1	80	165	4.5	60	616368	PH 3	150	260	8	154
616365	PH 1	200	285	4.5	74	616369	PH 4	200	320	10	230
616366	PH 2	100	200	6	94						

615E

Crosstip (PH) electronic screwdriver




- > material: premium hard chrome vanadium steel
- > ergonomic heavy duty double component handle
- > tip coated with anticorrosion protection
- > handle with rotating cap



SKU	+	C	L	D	📦
608305	PH 00	60	153	2.5	12
608306	PH 0	60	153	3	14
608307	PH 1	80	173	4.5	22

## 615NI




**Premium Hard**

## Crosstip (PH) screwdriver

- > blade: premium hard chrome vanadium steel, entirely hardened and tempered
- > blade nickel plated
- > handle: ergonomic shape
- > handle - polypropylene
- > hanging hole
- > made according to standard ISO 8764-1,2

SKU	+	C	L	D	📦
616428	PH 0	60	145	3	34
616429	PH 1	80	165	4.5	60
616430	PH 2	100	200	6	94
616431	PH 3	150	260	8	154

## 616TBI




**Premium Hard**

## Crosstip (PH) screwdriver TBI with hexagon bolster

- > blade: premium hard chrome vanadium steel, entirely hardened and tempered
- > blade chrome plated, black anodised tip
- > handle: ergonomic shape
- > three component material
- > hanging hole
- > made according to standard ISO 8764-1,2

SKU	+	C	L	D	📦
611709	PH 1	80	180	4.5	60
611710	PH 2	100	210	6	94
611711	PH 3	150	270	8	154

## 616CR




**Premium Hard**

## Crosstip (PH) screwdriver CR with hexagon bolster

- > blade: premium hard chrome vanadium steel, entirely hardened and tempered
- > blade chrome plated, black anodised tip
- > handle: ergonomic shape
- > handle - polypropylene
- > hanging hole
- > made according to standard ISO 8764-1,2

SKU	+	C	L	D	📦
616370	PH 1	80	180	4.5	60
616371	PH 2	100	210	6	94
616372	PH 3	150	270	8	154

## 625TBI



**Premium Hard**


## Double-crosstip (PZ) screwdriver TBI

- > blade: premium hard chrome vanadium steel, entirely hardened and tempered
- > blade chrome plated, black anodised tip
- > handle: ergonomic shape
- > three component material
- > hanging hole
- > made according to standard ISO 8764-1,2

SKU	+	C	L	D	📦
611741	PZ 0	60	145	3	34
611742	PZ 1	80	180	4.5	60
611743	PZ 2	100	210	6	91

**625CR**

**Double-crosstip (PZ) screwdriver CR**




- > blade: premium hard chrome vanadium steel, entirely hardened and tempered
- > blade chrome plated, black anodised tip
- > handle: ergonomic shape
- > handle - polypropylene
- > hanging hole
- > made according to standard ISO 8764-1,2



SKU	+	C	L	D	📦
616393	PZ0	60	145	3	34
616394	PZ1	80	165	4.5	60
616395	PZ2	100	200	6	93
616396	PZ3	150	260	8	156

**625NI**

**Double-crosstip (PZ) screwdriver**



- > blade: premium hard chrome vanadium steel, entirely hardened and tempered
- > blade nickel plated
- > handle: ergonomic shape
- > handle - polypropylene
- > hanging hole
- > made according to standard ISO 8764-1,2



SKU	+	C	L	D	📦
616433	PZ1	80	165	4.5	60
616434	PZ2	100	200	6	93

**626CR**

**Stubby crosstip (PH) screwdriver CR**




- > blade: premium hard chrome vanadium steel, entirely hardened and tempered
- > blade chrome plated, black anodised tip
- > handle: ergonomic shape
- > handle - polypropylene
- > hanging hole
- > made according to standard ISO 8764-1,2



SKU	+	C	L	D	📦
616398	PH2	25	86	6	41

**626TBI**

**Stubby crosstip (PH) screwdriver TBI**




- > blade: premium hard chrome vanadium steel, entirely hardened and tempered
- > blade chrome plated, black anodised tip
- > handle: ergonomic shape
- > three component material
- > hanging hole
- > made according to standards DIN ISO 8764-1: 2006, DIN ISO 8764-2: 2006, DIN EN ISO 4757: 1994



SKU	+	C	L	D	📦
612830	PH1	25	87	4.5	37
612831	PH2	25	87	6	41

## 627TBI

## Stubby flat screwdriver TBI




- > blade: premium hard chrome vanadium steel, entirely hardened and tempered
- > blade chrome plated, black anodised tip
- > handle: ergonomic shape
- > three component material
- > hanging hole
- > made according to standard DIN ISO 2380-1:2006 and DIN ISO 2380-2:2006

SKU	axb	C	L	D	📦
612833	0.8 x 4.0	25	87	4	41
612834	1.0 x 5.5	25	87	5.5	40
612835	1.2 x 6.5	25	87	6.5	34

Premium Hard

## 628CR

## Stubby double-crosstip (PZ) screwdriver CR




- > blade: premium hard chrome vanadium steel, entirely hardened and tempered
- > blade chrome plated, blackened tip
- > handle: ergonomic shape
- > handle - polypropylene
- > hanging hole
- > made according to standards DIN ISO 8764-1: 2006, DIN ISO 8764-2: 2006, DIN EN ISO 4757: 1994

SKU	+	C	L	D	📦
616402	PZ 1	25	85	4.5	37

+ Premium Hard

## 636

## Reversible screwdriver




- > blade: premium hard chrome vanadium steel, entirely hardened and tempered
- > blade nickel plated
- > handle: ergonomic shape
- > handle - polypropylene

SKU	axb	+	L	D	📦
608922	1.0 x 6.0	PH 2	140	6	42

- + Premium Hard

## 620TBI

## Ball-end hex screwdriver TBI




- > blade: premium hard chrome vanadium steel, entirely hardened and tempered
- > blade chrome plated, blackened tip
- > handle: ergonomic shape
- > three component material
- > hanging hole

SKU	🔸	C	L	D	📦
611715	2	65	150	3	31
611716	2.5	75	160	3	34
611717	3	75	160	3.5	37
611718	4	100	200	5	68
611719	5	100	210	6	93

## 620/1CR

## Hex screwdriver CR




- > blade: premium hard chrome vanadium steel, entirely hardened and tempered
- > blade: blackened
- > handle: ergonomic shape
- > handle - polypropylene
- > hanging hole

SKU	🔸	C	L	📦
617130	3	75	160	37

621TBI

Screwdriver TBI with TX profile



- > blade: premium hard chrome vanadium steel, entirely hardened and tempered
- > blade chrome plated, blackened tip
- > handle: ergonomic shape
- > three component material
- > hanging hole



SKU	★	C	L	D	📦				
611722	TX 6	60	145	3	34	▼	611729	TX 25	100 200 4.5 63
611724	TX 8	60	145	3	34		611730	TX 27	115 215 5.5 76
611726	TX 10	80	165	3	35		611731	TX 30	115 225 6 98
611727	TX 15	80	165	3,5	37		611732	TX 40	130 250 7 130
611728	TX 20	100	185	4	43				

621CS7TBI

Screwdriver set TBI with TX profile



- Set includes:**
- > 7x screwdriver TBI with TX profile (article 621TBI) dim. TX 10, TX 15, TX 20, TX 25, TX 27, TX 30, TX 40




SKU	👉
612300	7

🔧 621TBI (TX 10, TX 15, TX 20, TX 25, TX 27, TX 30, TX 40)

621CR

Screwdriver CR with TX profile



- > blade: premium hard chrome vanadium steel, entirely hardened and tempered
- > blade chrome plated, blackened tip
- > handle: ergonomic shape
- > handle - polypropylene
- > hanging hole



SKU	★	C	L	D	📦				
616379	TX 6	60	145	3	34	▼	616385	TX 20	100 185 4 43
616381	TX 8	80	165	3	34		616386	TX 25	100 185 4.5 63
616382	TX 9	80	165	3	34		616387	TX 27	115 215 5.5 76
616383	TX 10	80	165	3	35		616388	TX 30	115 215 6 98
616384	TX 15	80	165	3.5	37		616389	TX 40	130 240 7 130

621CS7CR

Screwdriver set CR with TX profile




- Set includes:**
- > 7x screwdriver CR with TX profile (article 621CR) dim. TX 10, TX 15, TX 20, TX 25, TX 27, TX 30, TX 40



SKU	👉
617031	7

🔧 621CR (TX 10, TX 15, TX 20, TX 25, TX 27, TX 30, TX 40)

## 621E




## Electronic screwdriver with TX profile

- > material: premium hard chrome vanadium steel
- > ergonomic heavy duty double component handle
- > tip coated with anticorrosion protection
- > handle with rotating cap

SKU	★	C	L	D	📦
604546	TX 4	60	153	3	12
604547	TX 5	60	153	3	12
608310	TX 6	60	153	3	13
608311	TX 7	60	153	3	14
608312	TX 8	60	153	3	12

608313	TX 9	60	153	3	15
608314	TX 10	60	153	3	14
608315	TX 15	60	153	3.5	17
608316	TX 20	80	173	4	19

## 629TBI



## Socket wrench with TBI handle

- > blade: premium hard chrome vanadium steel, entirely hardened and tempered
- > blade chrome plated
- > handle: ergonomic shape
- > three component material
- > hanging hole
- > made according to standard DIN 3125

SKU	★	C	L	D	📦
612672	5.5	125	235	5,2	103
611747	6	125	235	5,2	103
611748	7	125	245	6,2	123
611749	8	125	245	6,2	140
611750	9	125	245	6,2	155

611751	10	125	245	8,2	157
611752	11	125	245	8,2	166
611753	12	125	245	9,2	184
611754	13	125	245	9,2	186

## 629CS5TBI



## Set of socket wrenches with TBI handle


## Set includes:

- > 5x socket wrench with TBI handle (article 629TBI) dim. 6, 8, 10, 12, 13

SKU	📦
612318	5

629TBI (6, 8, 10, 12, 13)

## 629CR



## Socket wrench with CR handle

- > blade: premium hard chrome vanadium steel, entirely hardened and tempered
- > blade chrome plated
- > handle: ergonomic shape
- > handle - polypropylene
- > hanging hole
- > made according to standard DIN 3125

SKU	📦	C	L	D	📦
616408	6	125	225	5,2	103
616409	7	125	235	6,2	123
616410	8	125	235	6,2	140
616411	10	125	235	8,2	157
616414	13	125	245	9,2	186

633

## Magnetizer/demagnetizer




- > material: ABS
- > blue colour

**Usage:**

- > Use the magnetiser to magnetise the screwdriver's tip so that the screws stick to the tip. Magnetise the tip by pushing the tip and the shaft of the screwdriver through the opening of the magnetiser marked with +. The screwdriver's tip will be magnetised immediately.
- > The tip can be demagnetised by pushing the tip and the shaft into the magnetiser's opening marked with - and by lightly rubbing the inner wall of the opening.
- > The duration of the magnetisation depends on the area of use. If a magnetised screwdriver is used in a room where the magnetic field lines are stronger (e.g. electric cabinet), the tip demagnetises faster. In a normal environment, the magnetisation lasts longer.
- > The magnetiser is used for fastening screws with screwdrivers where the screw cannot be aligned directly with the hole but can be placed into the hole or onto the point of screwing with the screwdriver tip. The same applies for unfastening, since the screw can easily be removed from an area where there is limited space. The magnetised tip can also serve for picking up tiny metal objects in hard to reach places that are otherwise not accessible with the hands.

**Important!**

- > The magnetised screwdriver cannot be used for grabbing stainless steel screws.




SKU	B	A	
612866	52	30	91

638TBI6,3

## TBI handle for bits 6,3



- > blade: premium hard chrome vanadium steel, entirely hardened and tempered
- > handle: ergonomic shape
- > three component material
- > with magnet
- > hanging hole




SKU	Ø mm	C	L	D		
625356	6,3	100	210	10	6,3	103

6460C6,3

## Slotted bit, 3 pcs set



- > material: premium hard chrome vanadium steel
- > long durability
- > anti-corrosion protection
- > for hand and power drivers
- > combined with different magnetic and non-magnetic bit holders
- > made according to standard ISO 2351




SKU	axb	L	
602372	0.6 x 3.5	25	10
602373	0.6 x 4.5	25	10
602375	0.8 x 5.5	25	11

6463TINC6,3

## Crosstip (PH) bit, 3 pcs set




- > material: premium hard chrome vanadium steel
- > long durability
- > anti-corrosion protection
- > for hand and power drivers
- > combined with different magnetic and non-magnetic bit holders
- > titanium coated
- > made according to standard ISO 2351



SKU	+	D	L	
604692	PH2	6	25	10

## 6465C6,3

## Crosstip (PH) bit, 3 pcs set




- › material: premium hard chrome vanadium steel
- › long durability
- › anti-corrosion protection
- › for hand and power drivers
- › combined with different magnetic and non-magnetic bit holders
- › made according to standard ISO 2351



SKU	+	D	L	📦
602395	PH 2	6	50	16
602396	PH 3	8	50	22

## 6466C6,3

## Double-crosstip (PZ) bit, 3 pcs set




- › material: premium hard chrome vanadium steel
- › long durability
- › anti-corrosion protection
- › for hand and power drivers
- › combined with different magnetic and non-magnetic bit holders
- › made according to standard ISO 2351



SKU	+	D	L	📦
602397	PZ 1	4.5	25	10

## 6466TINC6,3

## Double-crosstip (PZ) bit, 3 pcs set




- › material: premium hard chrome vanadium steel
- › long durability
- › anti-corrosion protection
- › for hand and power drivers
- › combined with different magnetic and non-magnetic bit holders
- › titanium coated
- › made according to standard ISO 2351



SKU	+	D	L	📦
604695	PZ 2	6	25	10
604696	PZ 3	8	25	10

## 6472C6,3

## TX profile bit, 3 pcs set




- › material: premium hard chrome vanadium steel
- › long durability
- › anti-corrosion protection
- › for hand and power drivers
- › combined with different magnetic and non-magnetic bit holders



SKU	★	L	📦
602406	TX 7	25	9
602407	TX 8	25	9
602412	TX 25	25	10
621283	TX 27	25	10

## 6472TINC6,3

## TX profile bit, 3 pcs set




- › material: premium hard chrome vanadium steel
- › long durability
- › anti-corrosion protection
- › for hand and power drivers
- › combined with different magnetic and non-magnetic bit holders
- › titanium coated



SKU	★	L	📦
604701	TX 20	25	10

6480C8

Slotted bit, 3 pcs set




- > material: premium hard chrome vanadium steel
- > long durability
- > anti-corrosion protection
- > for hand and power drivers
- > combined with different magnetic and non-magnetic bit holders
- > made according to standard ISO 2351

SKU	axb	L	📦
602414	1.0 x 5.5	41	15
602415	1.2 x 6.5	41	18
602417	1.6 x 8.0	41	19
602418	1.6 x 10.0	41	24

6483C8

Crosstip (PH) bit, 3 pcs set




- > material: premium hard chrome vanadium steel
- > long durability
- > anti-corrosion protection
- > for hand and power drivers
- > combined with different magnetic and non-magnetic bit holders
- > made according to standard ISO 2351

SKU	+	L	D	📦
602423	PH2	32	6	14

6486C8

Double-crosstip (PZ) bit, 3 pcs set




- > material: premium hard chrome vanadium steel
- > long durability
- > anti-corrosion protection
- > for hand and power drivers
- > combined with different magnetic and non-magnetic bit holders
- > made according to standard ISO 2351

SKU	+	L	D	📦
602427	PZ2	32	6	14
602428	PZ3	32	8	16

6489C8

Hex bit, 3 pcs set




- > material: premium hard chrome vanadium steel
- > long durability
- > anti-corrosion protection
- > for hand and power drivers
- > combined with different magnetic and non-magnetic bit holders
- > made according to standard ISO 2351

SKU	📏	L	📦
602431	5	30	14

6492C8

TX profile bit, 3 pcs set




- > material: premium hard chrome vanadium steel
- > long durability
- > anti-corrosion protection
- > for hand and power drivers
- > combined with different magnetic and non-magnetic bit holders

SKU	★	L	📦
602436	TX25	30	13

## 6503E6,3

## Crosstip (PH) bit, 3 pcs set




- > material: premium hard chrome vanadium steel
- > long durability
- > anti-corrosion protection
- > for hand and power drivers
- > combined with different magnetic and non-magnetic bit holders
- > made according to standard ISO 2351

SKU	+	L	D	📦
602519	PH 1	50	4.5	15
602521	PH 3	50	8	18

## 6506E6,3

## Double-crosstip (PZ) bit, 3 pcs set




- > material: premium hard chrome vanadium steel
- > long durability
- > anti-corrosion protection
- > for hand and power drivers
- > combined with different magnetic and non-magnetic bit holders
- > made according to standard ISO 2351

SKU	+	L	D	📦
602524	PZ 3	50	8	19

## 6509E6,3

## Hex bit




- > material: premium hard chrome vanadium steel
- > long durability
- > anti-corrosion protection
- > for hand and power drivers
- > combined with different magnetic and non-magnetic bit holders
- > made according to standard ISO 2351

SKU	⬡	L	📦
602526	3	50	14
602527	4	50	16
602528	5	50	17

## 6515E6,3

## Square (SQ) bit, 3 pcs set




- > material: premium hard chrome vanadium steel
- > long durability
- > anti-corrosion protection
- > for hand and power drivers
- > combined with different magnetic and non-magnetic bit holders

SKU	■	L	📦
603418	SQ2	75	23

## 6762.1

## Impact screwdriver



SKU	■	L	📦
605062	1/2"	144	661

More sets with tool tray on pages from 302 to 314.



**964/9SOS**  
page 302



**964/33SOS**  
page 308



**964/37SOS**  
page 310



**964/61SOS**  
page 313



**964EC09**  
page 314

**MADE FOR WORK.**

# Pullers

Check products online.



- ✓ **material: body from premium flex plus carbon steel, arm from premium chrome vanadium steel**
- ✓ **drop forged, entirely hardened and tempered**
- ✓ **surface finish: trivalent chrome plated according to ISO 1456:2009, screw blackened**
- ✓ **arms adjustable in two positions**
- ✓ **lever action claws fit closely under the part to be removed**



## PRODUCTS



**Pullers with two adjustable arms**



**Pullers with three adjustable arms**



**Other pullers**

## Premium Flex +

### EFFICIENCY AND DURABILITY UNDER CONSIDERABLE CRUSHING AND DEFORMATION STRESS

Construction and trade steels have special properties that guarantee their appropriate hardness, ductility and elasticity, as is required for tools such as setters, hammers and screw clamps, which are exposed to great force during hammering and clamping. Steels with a medium carbon content that are used to make tools have a higher carbon content, resulting in better durability. A suitable manganese content increases the tensile strength and ductility of the material, which is particularly important under high load conditions. The chrome content reduces the susceptibility to cracking, while the silicon content increases the elasticity of tool materials subjected to strong forces. Medium carbon steel C45R, according to EU directive 2000/53/EC and the EN 10083-2 standards

- 0,45% carbon for higher tensile strength and better tempering
- 0,70% manganese for higher tensile strength and ductility
- 0,35% chrome for higher tensile strength and lower susceptibility to cracking
- 0,20% silicon for higher elasticity

#### Puller body

A steel tool with a high carbon content that can withstand high pull-off forces. High-quality material and well-designed manufacturing ensure strength and durability.




680/2

Puller with two adjustable arms



- > material: body from premium flex plus carbon steel, arm from premium chrome vanadium steel
- > drop forged, entirely hardened and tempered
- > surface finish: trivalent chrome plated according to ISO 1456:2009, screw blackened
- > arms adjustable in two positions
- > lever action claws fit closely under the part to be removed

SKU	Nº	L <sup>MAX</sup>	D <sup>MAX</sup>	kN <sup>MAX</sup>	T <sup>MAX</sup>	M	S	📦
612603	0	90	90	20	2	M 10 x 1	13	405
601762	1	130	160	30	3	M 14 x 1,5	17	915
601763	2	190	230	40	4	M20 x 2	22	2078
601764	3	250	300	60	6	M 22 x 2	24	4075



681/2

Puller with two sliding arms





- > material: body from premium flex plus carbon steel, arm from premium chrome vanadium steel
- > drop forged, entirely hardened and tempered
- > surface finish: trivalent chrome plated according to ISO 1456:2009, screw blackened

**Advantages:**

- > by reversing the arms, the puller can be used as internal or external puller
- > sturdy design for very heavy duty work

SKU	Nº	B	D1	D2	L <sup>MAX</sup>	kN <sup>MAX</sup>	t <sup>MAX</sup>	M	S	📦
601765	300	280	70-220	110-260	150	65	6.5	M 20 x 2	22	3355
601766	400	450	110-360	190-450	200	110	11	M 22 x 2	32	8725




682/2

Puller with three adjustable arms



- > material: body from premium flex plus carbon steel, arm from premium chrome vanadium steel
- > drop forged, entirely hardened and tempered
- > surface finish: trivalent chrome plated according to ISO 1456:2009, screw blackened
- > arms adjustable in two positions
- > lever action claws fit closely under the part to be removed

SKU	Nº	L <sup>MAX</sup>	D <sup>MAX</sup>	kN <sup>MAX</sup>	T <sup>MAX</sup>	M	S	📦
612604	0	90	90	25	2.5	M 10 x 1	13	305
601767	1	130	160	40	4	M 14 x 1,5	17	1725
601768	2	190	230	50	5	M 20 x 2	22	2570
601769	3	250	300	80	8	M 22 x 2	24	5100



683/2

Puller with two sliding arms




- > material: body from premium flex plus carbon steel, arm from premium chrome vanadium steel
- > drop forged, entirely hardened and tempered
- > surface finish: trivalent chrome plated according to ISO 1456:2009, screw blackened
- > lever action claws fit closely under the part to be removed

**Advantages:**

- > by reversing the arms, the puller can be used as internal or external puller

SKU	Nº	L <sup>MAX</sup>	D1	D2	kN <sup>MAX</sup>	T <sup>MAX</sup>	M	S	📦
615076	60	90	65	50 - 90	25	2.5	M 10x1	13	325
615077	90	90	90	50 - 110	25	2.5	M 10x1	13	395
615078	130	140	130	80 - 140	50	5	M 14x1,5	17	1125
615079	180	140	180	80 - 180	50	5	M 14x1,5	17	1225
615080	250	195	250	130 - 250	75	7.5	M 22x2	24	4025
615081	350	195	350	130 - 350	75	7.5	M 22x2	24	4525



689/5BI

Inner bearing puller



- > material: premium chrome vanadium steel
- > drop forged, entirely hardened and tempered
- > surface finish: zinc plated according to ISO 2081:2018 (E)
- > ergonomic heavy duty double component handle

**Advantages:**

- > Set includes 6 pcs of expandable collet for inner bearing dimensions 6.5-8,10-12, 12-15, 17-20, 22-28, 30-36

**Usage:**

- > It is used for extraction of different typ of bearing. Expandable collet grips inner bearing race. and pulls it out.
- > The bearing is extracted by impact forces of 1kg sliding hammer.



SKU	D <sup>MIN</sup>	D <sup>MAX</sup>	D1	L	L1	L2	M	
622587	6,5	36	50	180	271	415	M12	3300

689/5ABI

Inner bearing puller




- > material: premium chrome vanadium steel
- > drop forged, entirely hardened and tempered
- > surface finish: zinc plated according to ISO 2081:2018 (E)
- > ergonomic heavy duty double component handle

**Advantages:**

- > Set includes 2 pcs of expandable collet for inner bearing dimensions 40-50mm, 50-60mm

**Usage:**


- > It is used for extraction of different typ of bearing. Expandable collet grips inner bearing race. and pulls it out.
- > Expandable collet 40-50mm is used for following types of bearings: 16008, 6008, 6208, 6308, 6408, 7308, 61808, 61908, 61809, 61909, 16009, 6009, 6309, 6409
- > Expandable collet 50-60mm is used for following types of bearings: 61810, 61910, 16010, 6010, 6210, 6310, 6410, 61811, 61911, 16011, 6011, 6211, 6311, 6411, 61812, 61912, 16012, 6012, 6212, 6312, 6412
- > The bearing is extracted by impact forces of 2kg sliding hammer




SKU	D <sup>MIN</sup>	D <sup>MAX</sup>	D1	L	L1	L2	M	
629560	40	60	69	295	415	560	M14	5890

689.1/5

Expandable collet for 689/5BI



SKU	D <sup>MIN</sup>	D <sup>MAX</sup>	L <sup>MAX</sup>	S1	S2	M	
623089	6,5	8	54	11	14	M12	38
623090	10	12	56	11	14	M12	53
623091	12	15	62	11	14	M12	65
623092	17	20	70	14	14	M12	125
623093	22	28	90	17	17	M12	269
623094	30	36	100	22	22	M12	525




# Hammers, punches and chisels

Check products online.



- ✓ *metal balls in the head absorb the impact and add additional striking force*
- ✓ *lacquered metal tubular handle with plastic grip*
- ✓ *polyurethane faces are unchangeable*
- ✓ *high security*
- ✓ *less handle vibration while striking*




## PRODUCTS

-  Locksmiths' hammers
-  Carpenters' hammers
-  Sledge hammers
-  Bumping hammers
-  Chisels
-  Punches

812

Locksmiths` hammer




- > material: premium flex plus carbon steel
- > drop forged
- > striking face and nose induction hardened
- > surface finish: lacquered
- > ash wood handle with special oval wedge
- > made according to standard DIN 1041

SKU	gr	L	B	A	📦
601796	100	260	82	15	145
601799	200	280	95	19	280
601802	300	300	105	22,5	380
601803	400	310	112	25	487
601804	500	320	118	27,5	625

601805	600	330	122	30	720
601806	800	350	130	33	955
601807	1000	360	135	36	1150
601809	1500	380	145	42	1690
601810	2000	400	155	47	2195

812A

Locksmiths` hammer




- > material: premium flex plus carbon steel
- > drop forged
- > striking face and nose induction hardened
- > surface finish: lacquered
- > ash wood handle with protective plastic sleeve and fitted with roll pin and oval wedge
- > made according to standard DIN 1041

SKU	gr	L	B	A	📦
602537	300	300	105	22,5	380

805

Carpenters` hammer




- > material: premium flex plus carbon steel
- > drop forged
- > striking face and nose induction hardened
- > surface finish: lacquered
- > chrome plated metal tubular handle with plastic grip
- > made according to standard DIN 7239

SKU	gr	L	B	A	📦
601824	550	320	168	27	825

805A

Carpenters` hammer with magnet




- > material: premium flex plus carbon steel
- > drop forged
- > striking face and nose induction hardened
- > surface finish: lacquered
- > chrome plated metal tubular handle with plastic grip
- > made according to standard DIN 7239

**Advantages:**  
> with magnet

SKU	gr	L	B	A	📦
605516	550	320	168	27	825

806

Ball-peen hammer



- > material: premium flex plus carbon steel
- > drop forged
- > striking face and nose induction hardened
- > ash wood handle

SKU	gr	L	Weight
612221	340	323	470
612222	454	348	605
612223	680	398	960
612224	910	398	1165

816

Sledge hammer




- > material: premium flex plus carbon steel
- > drop forged
- > striking face and nose induction hardened
- > surface finish: lacquered
- > ash wood handle with special oval wedge
- > made according to standard DIN 1042

SKU	gr	L	B	A	Weight
601812	3000	600	160	56	3395
601813	4000	700	174	62	4395
601814	5000	800	184	68	5595
601816	8000	900	208	80	8390

817

Club hammer



- > material: premium flex plus carbon steel
- > drop forged
- > striking faces induction hardened
- > surface finish: lacquered
- > ash wood handle with special oval wedge
- > made according to standard DIN 6475

SKU	gr	L	B	A	Weight
601840	1000	260	95	40	1065
601841	1250	260	100	43	1305
601842	1500	280	115	45	1525
601843	2000	300	120	50	2050

818

Sledge hammer



- > material: premium flex plus carbon steel
- > drop forged
- > striking faces induction hardened
- > surface finish: lacquered
- > ash wood handle with special oval wedge
- > made according to standard DIN 6475


SKU	gr	L	B	A	Weight
601844	3000	600	140	57	3455
601845	4000	700	150	62	4595
601847	5000	800	160	68	5720

601848	6000	800	170	72	6570
601849	8000	900	180	82	9195
601850	10000	900	200	85	10595

819A

Dead blow hammer



- > metal balls in the head absorb the impact
- > those granulate absorb the impact
- > lacquered metal housing
- > lacquered metal tubular handle with plastic grip
- > polyurethane faces are unchangeable
- > high security

**Advantages:**

- > Advantage over an ordinary hammer is that it doesn't bounce back from the object because of the steel granulate which absorb the impact.
- > Steel balls in the hammer head prevents rebound and adds additional striking force.
- > Less handle vibration while striking!

**Usage:**


- > Hammer is used for mounting ball bearings, for furniture assembly, interior and exterior lay paving.
- > Not recommended for use on sharp objects. Strike on sharp objects can damage polyurethane face of the hammer.

SKU	D	L	B	Weight
615034	45	315	116	866
628815	55	345	114	1250



820

Plastic hammer





- > material: cellidor, hardness 60-70 shore D
- > oil resistant
- > grey cast head
- > wooden handle, lacquered
- > intended for working soft and easily damaged materials

SKU	D	L	B	Weight
601832	22	260	80	165
601833	27	280	90	245
601834	32	300	100	321
601835	40	320	112	565
601836	50	360	120	830

820A

Plastic hammer



- > material: polyuretan, hardness 45 - 55 shore D
- > oil resistant
- > grey cast head
- > wooden handle, lacquered
- > very tough and unbreakable material that allows versatility of use


SKU	D	L	B	Weight
605492	27	280	90	230
605493	32	300	100	335
605494	40	320	112	535
605495	50	360	120	870

820B


2-in-1 Plastic hammer



- > material of heads: cellidor, hardness 60-70 shore D and polyuretan, hardness 45 - 55 shore D
- > oil resistant
- > grey cast head
- > wooden handle, lacquered



SKU	D	L	B	📦
629302	40	320	112	520




640/6

Drift punch



- > material: premium chrome vanadium steel
- > entirely hardened and tempered
- > tip induction hardened
- > surface finish: lacquered
- > made according to standard DIN 6458




SKU	L	D	📦
601702	120	1	64
601704	120	3	70
601705	120	4	72
601706	120	5	73

641/6

Pin punch



- > material: premium chrome vanadium steel
- > entirely hardened and tempered
- > tip induction hardened
- > surface finish: lacquered
- > made according to standard DIN 6450



SKU	L	D	📦	▼	SKU	L	D	📦
601711	150	2	65		601715	150	6	78
601712	150	3	44		601716	150	7	108
601713	150	4	73		601717	150	8	104
601714	150	5	73		601719	150	10	126

641/6HSPB

Set of pin punches with handle in plastic box




- > Dimension of box: 197 x 167 x 47
- Set includes:**
- > 6x pin punch with handle (article 641/6HS) dim. 2, 3, 4, 5, 6, 8

SKU		
620066	6	
641/6HS (2, 3, 4, 5, 6, 8), 981PBM1 (197x167x47)		



642/6

Centre punch




- > material: premium chrome vanadium steel
- > entirely hardened and tempered
- > tip induction hardened
- > surface finish: lacquered
- > made according to standard DIN 7250



SKU	L	D	
601724	100	3	38
601725	120	4	70
601726	120	5	93

642A

Automatic centre punch



- > machine steel
- > replaceable pin, entirely hardened and tempered
- > surface finish: nickel plated

- Advantages:**
- > rugged self-striking mechanism, activated by downward pressure
  - > adjustable force



SKU	L	
616810	125	70

645

Chisel and punch set



- Set includes:**
- > 3x drift punch (article 640/6) in dim. 2, 4, 6
  - > 1x centre punch (article 642/6) in dim. 3
  - > 1x mason's chisel (article 660/6A) dim. 125
  - > 1x pointed chisel (article 670/6A) dim. 125



SKU		
601739	6	525
640/6 (2, 4, 6),  642/6 (3),  660/6A (125),  670/6A (125)		

646

Drift and centre punch set



- Set includes:**
- > 5x drift punch (article 640/6) in dim. 2, 3, 4, 5, 6
  - > 1x centre punch (article 642/6) in dim. 3

SKU		
601737	6	515
640/6 (2, 3, 4, 5, 6),  642/6 (3)		

646A

Drift and centre punches set



- Set includes:**
- > 1x drift punch (article 640/6) in dim. 4
  - > 2x centre punch (article 642/6) in dim. 3, 4

SKU		
620178	3	260
640/6 (4),  642/6 (3, 4)		

647

Pin punch set



- Set includes:**
- > 6x pin punch (article 641/6) dim. 2, 3, 4, 5, 6, 8)

SKU		
601738	6	575
641/6 (2, 3, 4, 5, 6, 8)		

647A

Pin punches set



- Set includes:**
- > 3x pin punch (article 641/6) dim. 3, 4, 5

SKU		
620176	3	283
641/6 (3, 4, 5)		

647B

Pin punches set



- Set includes:**
- > 3x pin punch (article 641/6) dim. 6, 8, 10

SKU		
620177	3	390
641/6 (6, 8, 10)		

642LPB

Set of letter steel punches



- > material: premium flex plus carbon steel
- > surface finish: anticorrosive oiled
- > Set of 27 punches with letters from A to Z and sign
- > made according to standard DIN 1451



SKU	↔	📦
620945	6	1240
620946	8	1850
620947	10	2405

642NPB

Set of number steel punches




- > material: premium flex plus carbon steel
- > surface finish: anticorrosive oiled
- > Set of 9 punches with numbers from 0 to 8
- > made according to standard DIN 1451



SKU	↔	📦
620941	6	420
620942	8	643
620943	10	800

660/6

Flat chisel




- > material: premium chrome vanadium steel
- > drop forged
- > entirely hardened and tempered
- > tip induction hardened
- > surface finish: lacquered
- > made according to standard DIN 6453



SKU	L	axb	B	📦
601732	150	19 x 3	19	183
604242	175	22 x 3	22	283
601733	200	25 x 3	24	388
601734	250	26 x 4	24	506

660/6HS

Flat chisel with guard




- > material: premium chrome vanadium steel
- > drop forged
- > entirely hardened and tempered
- > tip induction hardened
- > surface finish: lacquered
- > made according to standard DIN 6453



SKU	L	axb	B	📦
608484	250	4 x 26	24	615

670/6

Cross chisel



- > material: premium chrome vanadium steel
- > drop forged
- > entirely hardened and tempered
- > tip induction hardened
- > surface finish: lacquered
- > made according to standard DIN 6451



SKU	L	axb	B	
601747	150	7 x 3	23	172
601748	200	10 x 3	28	302

670/6AHS

Pointed chisel with guard




- > material: premium chrome vanadium steel
- > drop forged
- > entirely hardened and tempered
- > tip induction hardened
- > surface finish: lacquered
- > made according to standard DIN 7256



SKU	L		
608490	300	18	713

660/6A

Mason`s chisel




- > material: premium chrome vanadium steel
- > drop forged
- > entirely hardened and tempered
- > tip induction hardened
- > surface finish: lacquered
- > made according to standard DIN 7254



SKU	L		B	
608492	250	16	23	403
608493	300	18	26	612

660/6AHS

Mason`s chisel with guard




- > material: premium chrome vanadium steel
- > drop forged
- > entirely hardened and tempered
- > tip induction hardened
- > surface finish: lacquered
- > made according to standard DIN 7254



SKU	L		B	
608497	250	16	23	529
608498	300	18	26	758
608499	350	18	26	848

665/6A

Electrician`s chisel




- > material: premium chrome vanadium steel
- > drop forged
- > entirely hardened and tempered
- > tip induction hardened
- > surface finish: lacquered



SKU	L		B	
608500	250	8	11	110
608501	250	10	12	160

666/6A

Slitting chisel




- > material: premium chrome vanadium steel
- > drop forged
- > entirely hardened and tempered
- > tip induction hardened
- > surface finish: lacquered



SKU	L	axb	B	
603477	240	3 x 28	28	315

666/6AHS

Slitting chisel with guard




- > material: premium chrome vanadium steel
- > drop forged
- > entirely hardened and tempered
- > tip induction hardened
- > surface finish: lacquered



SKU	L	axb	B	
608503	240	3 x 28	28	459

667/6A

Jointing chisel




- > material: premium chrome vanadium steel
- > drop forged
- > entirely hardened and tempered
- > tip induction hardened
- > surface finish: lacquered



SKU	L	axb	B	
608671	250	4 x 49	49	480

667/6AHS

Jointing chisel with guard



- > material: premium chrome vanadium steel
- > drop forged
- > entirely hardened and tempered
- > tip induction hardened
- > surface finish: lacquered



SKU	L	axb	B	
609286	250	4 x 49	49	625



# Workshop equipment

Check products online.



- ✓ *central locking system with a lock and folding key*
- ✓ *oil and acid resistant casters of a diameter of 125mm, one with brake, which blocks spinning and swiveling of the caster*
- ✓ *coated with eco colour of Qualicoat quality standard*
- ✓ *wide range of accessories*
- ✓ *full extension drawers with soft closing mechanism*
- ✓ *ergonomic handle for easy opening of drawer*
- ✓ *drawer fronts can be customized with graphic design as separate order*

## PRODUCTS



Tool carriages



Work benches



Lean manufacturing system



Tool boxes



Tool cabinets



Tool cases and bags



Wall panels and accessories



Wardrobe cabinet



## Premium +


### OUTSTANDING MECHANICAL PROPERTIES

Tool trolleys and work benches made by Unior are designed to ensure that tools are easily accessible and can be effectively and safely stored. The tool trolleys and work benches are made from cold-rolled plate steel of high quality. Cold-rolled plate steel is characterised by smooth surfaces and improved strength tolerance. The high-quality steel plate and construction techniques such as optimal reinforcement of the parts subjected to the highest loads ensure higher stability.



## 940JUMBO2

## Tool carriage Jumbo



- › material: premium PLUS sheet metal
- › central locking system with a lock and folding key
- › lock with key included also foam keyring
- › new block safety system, prevents opening of more than one drawer at once. When one drawer is opened, all other drawers are locked and cannot be opened.
- › oil and acid resistant casters of a diameter of 160mm, two with brake, which blocks spinning and swiveling of the caster, fixed casters of diameter 200mm
- › full extension drawers with top quality ball-bearing slides
- › opening and closing of drawers is very simple due to the uniform solution - drawer handle on the upper side enables users a synchronic grip and opening of a carriage drawer.
- › drawers with non-slip interior synthetic lining
- › coated with eco colour of Qualicoat quality standard
- › 8 front drawers (1x L 1126 x W 570 x H 110mm, 3x L 563 x W 570 x H 70mm, 2x L 563 x W 605 x H 150mm, 2x L 484 x W 605 x H 265mm)
- › basic dimensions with handle and casters L 1337 x W 825 x H 1047 mm
- › total volume of drawers: 400 litres
- › static load capacity of carriages without casters: 2300 kg
- › dynamic load capacity of carriages: 600 kg
- › capacity of front drawers: 90 kg
- › drawers compatible with SOS tool trays 1/3, 2/3, 3/3

**Advantages:**

- › extra large working surface 1250 x 670 mm
- › upper working surface with raised edges of 35mm in height, which is meant to contain tools and working items
- › include extra large drawer
- › big casters enable easy moving of carriage
- › model with drawers
- › The increased depth of the top drawer enables to store all sockets, including long sockets, in an upright position. This gives maximum space efficiency and increases the number of tools that can be stored in the drawer compared to traditional shallow drawers. In an upright position can be stored all tools in larger dimensions till maximum height of 110mm.

SKU	L	L1	L2	B	B1	H	H1	
628932	1337	1258	1080	825	680	1047	856	140400

## 940TWJ

## Wooden top for 940JUMBO




- › beech plywood
- › great load capacity and durability
- › surface sanded and coated with environmentally friendly linseed oil
- › edges rounded

SKU	L	B	H	
628933	1250	663	22	16500

## 991HD-BLACK

## Heavy duty drawer cabinet




- › heavy duty and durable cabinet construction
- › cabinet dimensions: L1221 x W700 x H1304 mm
- › 6 drawers: 2 in size L1106 x W596 x H72 mm with capacity 90 kg and 4 in size L1106 x W596 x H198 mm with capacity 180 kg
- › total drawer volume: 522 liters
- › 100% extension drawers with high quality ball bearing slides
- › central locking system with a lock and folding key
- › block safety system prevents simultaneous opening of more than one drawer. When one drawer is opened, all other drawers are locked and cannot be opened, which prevents drawer from tipping over.
- › customization – divide drawers with the use of partitions and dividers according to your needs
- › made of premium PLUS sheet metal
- › painted with eco colors of Qualicoat quality standard

SKU	L	B	H	
628256	1221	700	1304	215000

**991.1HDS**


Set of partitions for 991HD small drawer, 3 pieces



SKU	L	B	H	
628266	596	28.2	63	1150

**991.11HDS**


Set of dividers for 991HD small drawer, 5 pieces



SKU	L	B	H	
628267	74.7	7	68	162

**991.12HDS**


Set of dividers for 991HD small drawer, 5 pieces



SKU	L	B	H	
628268	100.5	7	68	220

**991.13HDS**


Set of dividers for 991HD small drawer, 5 pieces



SKU	L	B	H	
628269	152	7	68	339

**991.2HDS**

Set of partitions for 991HD big drawer, 3 pieces




SKU	L	B	H	
628270	596	28	134	2147

**991.21HDS**

**Set of dividers for 991HD big drawer, 5 pieces**



SKU	L	B	H	
628271	74.4	7	139	332




**991.22HDS**

**Set of dividers for 991HD big drawer, 5 pieces**



SKU	L	B	H	
628272	100.5	7	139	450





**991.23HDS**

**Set of dividers for 991HD big drawer, 5 pieces**




SKU	L	B	H	
628273	152	7	139	696



**991LMS.C1****Cabinet organizer for documents**

- › The cabinet organizer for documents is an ideal solution for systematically organized documentation, safely stored behind see-through doors for extra visibility. It features four adjustable shelves and a wide-open door option. Its walls are perforated, which allows the installation of additional accessories that will make the space additionally optimized.
- › material: premium PLUS sheet metal
- › door locked with lock and folding key
- › plexiglass door for viewing the cabinet interior
- › the doors open 180°
- › unlocked doors are held by magnets
- › includes 4 shelves which can be customised on 9 vertical positions
- › the shelves basically have spacing of 342mm
- › the bottom of cabinet serves as the fifth, fixed shelf
- › the shelves are reinforced
- › the side parts of the cabinet in the upper part are perforated for attaching accessories
- › the cabinet bottom is made in such way that it allows the cabinet to be moved with standard transport equipment such as forklifts and hand pallet trucks
- › basic dimensions of cabinet L 770 x W 430 x H 2052mm
- › coated with eco colour of Qualicoat quality standard

SKU	L	B	H	
628541	770	430	2052	80000

**991LMS.C2****Cabinet organizer for tool trays**


- › Cabinet organizer for tool trays with nine shelves allows a visible and structured way of storing tools. The trays are slanted for visibility purposes, but can also be mounted in a horizontal position. The trays fit the standard 3/3 inserts with slots for various hand tools. The trays fit the trolleys and are easily replaceable.
- › material: premium PLUS sheet metal
- › door locked with lock and folding key
- › plexiglass door for viewing the cabinet interior
- › the doors open 180°
- › unlocked doors are held by magnets
- › includes 9 shelves at a 20° angle for a better overview of the tools in SOS inserts
- › 9 metal trays for storage and transport of 3/3 SOS foam trays are included in delivery of the cabinet
- › a shelf with a front edge for limiting the tray
- › the shelves basically have spacing of 170mm
- › the shelves are reinforced
- › the side parts of the cabinet in the upper part are perforated for attaching accessories
- › the cabinet bottom is made in such way that it allows the cabinet to be moved with standard transport equipment such as forklifts and hand pallet trucks
- › basic dimensions of cabinet L 770 x W 430 x H 2052mm
- › coated with eco colour of Qualicoat quality standard

SKU	L	B	H	
628542	770	430	2052	116000

**991LMS.C1****991LMS.C2****991LMS.PS1**

**991LMS.PS1**

**Tool charging station**



- > The charging station has direct connection to the power grid. With four shelves, it allows you to charge battery tools or connect other electrical accessories, such as your phone, laptop, and other smart devices. It is an indispensable element of a modern workshop.
- > material: premium PLUS sheet metal
- > door locked with lock and folding key
- > plexiglass door for viewing the cabinet interior
- > the doors open 180°
- > unlocked doors are held by magnets
- > includes 4 shelves, the upper 2 are fixed, the lower two are adjustable
- > the upper two shelves are designed for charging batteries and smart devices. Each include a bank of twelve main outlets type F.
- > the upper shelves are perforated for extracting hot air
- > the shelves are reinforced
- > the side parts of the cabinet in the upper part are perforated for an easier extraction of hot air. Perforation serves as a means to attach accessories
- > the cover contains a plate with the mains switch, protective switches for the splitters and a thermostat, which can be regulated between 0 and 60 °C
- > the cover also contains a ventilator allowing the air to flow at 160 m3/h, which is activated at the set temperature and removes hot air from the cabinet, it includes a protective mesh netting and filter at the front, and the cover above the ventilator contains perforation for removing air
- > main plugin cable, length of 5 m, 5x16 A 400 V
- > the cables are hidden in ducts
- > all electronics are marked with appropriate stickers
- > all cabinet parts are grounded
- > the cabinet bottom is made in such way that it allows the cabinet to be moved with standard transport equipment such as forklifts and hand pallet trucks
- > basic dimensions of cabinet L 770 x W 430 x H 2052mm
- > coated with eco colour of Qualicoat quality standard

SKU	L	B	H	
628543	770	430	2052	90000

**991LMS.S1**

**Storage&transport metal tray**




- > A metal tray for a standard 3/3 insert allows storage and transfer of tools from the cabinet to the trolley or vice versa; exactly where you need it.
- > material: premium PLUS sheet metal
- > the sides hold back larger holes as handles with a plastic edge for an easier grip
- > metal tray compatible with Unior 3/3 tool trays
- > coated with eco colour of Qualicoat quality standard

SKU	L	B	H	
628544	565	367	90	2340

**994**

**Mobile control trolley**




- > material: premium PLUS sheet metal
- > working surface with mobile durable plate with buckle, size landscape A3
- > raised edge for preventing plate slippage
- > mobile phone stand
- > holes for pen storage
- > deepened storage surface for accessories
- > 2 drawers L 563 x W 365 x H 70mm
- > drawers can be modified with partitions set 940ES3A or 940ES3
- > 2 storage surfaces in the lower part of the trolley
- > ergonomic handle
- > central locking system with a lock and folding key
- > oil and acid resistant casters of a diameter of 100 mm, one with brake, which blocks spinning and swiveling of the caster
- > full extension drawers with top quality ball-bearing slides
- > the synthetic covering protects drawers and tools from damage
- > coated with eco colour of Qualicoat quality standard
- > basic dimensions with handle and casters L 770 x W 460 x H 1252mm
- > maximum capacity of each drawer: 45kg
- > drawers compatible with SOS tool trays 1/3, 2/3, 3/3

SKU	L	L1	B	B1	H	H1	
612208	770	673	460.5	440	1252	1125	39000

## 940H4

## Tool carriage Hercules



- › material: premium PLUS sheet metal
- › central locking system with a lock and folding key
- › lock with key included also foam keyring
- › oil and acid resistant casters of a diameter of 125mm, two with brake, which blocks spinning and swiveling of the caster
- › coated with eco colour of QualiCoat quality standard
- › 7 drawers (5x L 563 x W 365 x H 70mm, 2x L 563 x W 365 x H 150mm)
- › basic dimensions with handle and casters L 1182 x W 640 x H 955 mm
- › total volume of drawers: 133 litres
- › door with lock
- › wooden worktop
- › static load capacity of carriages without casters: 2300 kg
- › dynamic load capacity of carriages: 550 kg
- › capacity of front drawers: 45 kg
- › drawers compatible with SOS tool trays 1/3, 2/3, 3/3


**Advantages:**

- › full extension drawers with soft closing mechanism
- › ergonomic handle for easy opening of drawer
- › drawer fronts can be customized with graphic design as separate order
- › improved colour durability

SKU	L	L1	L2	B	B1	H	H1	
629591	1182	1040	1080	640	550	955	800	90800

## 940H2

## Tool carriage Hercules



- › material: premium PLUS sheet metal
- › central locking system with a lock and folding key
- › lock with key included also foam keyring
- › oil and acid resistant casters of a diameter of 125mm, two with brake, which blocks spinning and swiveling of the caster
- › full extension drawers with top quality ball-bearing slides
- › opening and closing of drawers is very simple due to the uniform solution - drawer handle on the upper side enables users a synchronic grip and opening of a carriage drawer.
- › drawers with non-slip interior synthetic lining
- › coated with eco colour of QualiCoat quality standard
- › 7 front drawers (5x L 563 x W 365 x H 70mm, 2x L 563 x W 383 x H 150mm)
- › basic dimensions with handle and casters L 1182 x W 640 x H 955 mm
- › total volume of drawers: 133 litres
- › door with lock
- › wooden worktop
- › static load capacity of carriages without casters: 2300 kg
- › dynamic load capacity of carriages: 550 kg
- › capacity of front drawers: 45 kg
- › drawers compatible with SOS tool trays 1/3, 2/3, 3/3

**Advantages:**


- › Perforated wall on the back side of the tool carriage allows hanging tools with tool hooks
- › As an accessories available also a spray holder for easy storage of sprays up to dia. 68mm, and a back door with a lock

SKU	L	L1	L2	B	B1	H	H1	
615511	1182	1040	1080	640	550	955	800	96200



## 940H2-BLACK

### Tool carriage Hercules



- > material: premium PLUS sheet metal
- > central locking system with a lock and folding key
- > lock with key included also foam keyring
- > oil and acid resistant casters of a diameter of 125mm, two with brake, which blocks spinning and swiveling of the caster
- > full extension drawers with top quality ball-bearing slides
- > opening and closing of drawers is very simple due to the uniform solution - drawer handle on the upper side enables users a synchronic grip and opening of a carriage drawer.
- > drawers with non-slip interior synthetic lining
- > coated with eco colour of QualiCoat quality standard
- > 7 front drawers (5x L 563 x W 365 x H 70mm, 2x L 563 x W 383 x H 150mm)
- > basic dimensions with handle and casters L 1182 x W 640 x H 955 mm
- > total volume of drawers: 133 litres
- > door with lock
- > wooden worktop
- > static load capacity of carriages without casters: 2300 kg
- > dynamic load capacity of carriages: 550 kg
- > capacity of front drawers: 45 kg
- > drawers compatible with SOS tool trays 1/3, 2/3, 3/3


#### Advantages:

- > Perforated wall on the back side of the tool carriage allows hanging tools with tool hooks
- > As an accessories available also a spray holder for easy storage of sprays up to dia. 68mm, and a back door with a lock

SKU	L	L1	L2	B	B1	H	H1	
628212	1182	1040	1080	640	550	955	800	96200

## 940H2BLOCK

### Tool carriage Hercules with block system



- > material: premium PLUS sheet metal
- > central locking system with a lock and folding key
- > lock with key included also foam keyring
- > new block safety system, prevents opening of more than one drawer at once. When one drawer is opened, all other drawers are locked and cannot be opened.
- > oil and acid resistant casters of a diameter of 125mm, two with brake, which blocks spinning and swiveling of the caster
- > full extension drawers with top quality ball-bearing slides
- > opening and closing of drawers is very simple due to the uniform solution - drawer handle on the upper side enables users a synchronic grip and opening of a carriage drawer.
- > drawers with non-slip interior synthetic lining
- > 7 front drawers (5x L 563 x W 365 x H 70mm, 2x L 563 x W 383 x H 150mm)
- > basic dimensions with handle and casters L 1182 x W 640 x H 955 mm
- > total volume of drawers: 133 litres
- > door with lock
- > wooden worktop
- > static load capacity of carriages without casters: 2300 kg
- > dynamic load capacity of carriages: 550 kg
- > capacity of front drawers: 45 kg
- > drawers compatible with SOS tool trays 1/3, 2/3, 3/3

#### Advantages:

- > Perforated wall on the back side of the tool carriage allows hanging tools with tool hooks
- > As an accessories available also a spray holder for easy storage of sprays up to dia. 68mm, and a back door with a lock

SKU	L	L1	L2	B	B1	H	H1	
626800	1182	1040	1080	640	550	955	800	96200

## 940HS5

### Spray holder for 940H




- > material: premium sheet metal
- > coated with eco colour of QualiCoat quality standard

SKU	L	B	H	
626881	511	76	50	766

## 940PLUS3

## Tool carriage Europlus



- › material: premium PLUS sheet metal
- › central locking system with a lock and folding key
- › lock with key included also foam keyring
- › oil and acid resistant casters of a diameter of 125mm, one with brake, which blocks spinning and swiveling of the caster
- › corners protected with anti-shock rubber
- › 7 drawers (5x L 563 x W 365 x H 70mm, 2x L 563 x W 365 x H 150mm)
- › basic dimensions with handle and casters L 801 x W 524 x H 931mm
- › static load capacity of carriages without casters: 2000 kg
- › dynamic load capacity of carriages: 500 kg
- › maximum capacity of each drawer: 45kg
- › coated with eco colour of Qualicoat quality standard
- › total volume of drawers: 133 litres
- › drawers compatible with SOS tool trays 1/3, 2/3, 3/3
- › wide range of accessories


**Advantages:**

- › full extension drawers with soft closing mechanism
- › ergonomic handle for easy opening of drawer
- › drawer fronts can be customized with graphic design as separate order
- › improved colour durability

SKU	L	B	H	H1	
629590	801	524	931	778	61600

## 940EM1

## Tool carriage Euromotion



- › material: premium PLUS sheet metal
- › central locking system with a lock and folding key
- › lock with key included also foam keyring
- › oil and acid resistant casters of a diameter of 125mm, one with brake, which blocks spinning and swiveling of the caster
- › wide range of accessories
- › blind nuts for fixing accessories are mounted on the carriage.
- › coated with eco colour of Qualicoat quality standard
- › static load capacity of carriage without casters: 1600kg
- › dynamic load capacity of carriages: 500 kg
- › maximum capacity of each drawer: 45kg
- › 7 drawers (5x L 563 x W 365 x H 70mm, 2x L 563 x W 365 x H 150mm)
- › basic dimensions with handle and casters L 780 x W 440 x H 923mm
- › total volume of drawers: 133 litres
- › drawers compatible with SOS tool trays 1/3, 2/3, 3/3

**Advantages:**

- › full extension drawers with soft closing mechanism
- › ergonomic handle for easy opening of drawer
- › drawer fronts can be customized with graphic design as separate order
- › improved colour durability

SKU	L	L1	B	H	H1	
629589	780	700	440	923	768	53600

**Customize your Tool carriage!**

With our product, you will increase efficiency and reduce the confusion of finding the tools you need, while at the same time making your workspace shine in your own image. The labels are wear-resistant, ensuring a long life and carefree use. Take the first step towards more organised working environment - choose and design Unior label for your tool carriage today! It is easy to design and customise in the configurator..


**Use with:**

Tool carriage Euromotion  
Tool carriage Europlus  
Tool carriage Hercules



## 940EV4

### Tool carriage Eurovision



- > material: premium PLUS sheet metal
- > wide range of accessories
- > blind nuts for fixing accessories are mounted on the carriage.
- > static load capacity of carriage without casters: 1600kg
- > maximum capacity of each drawer: 45kg
- > 7 drawers (5x L 563 x W 365 x H 70mm, 2x L 563 x W 383 x H 150mm)
- > basic dimensions with handle and casters L 800 x W 440 x H 923mm
- > total volume of drawers: 140 litres
- > drawers compatible with SOS tool trays 1/3, 2/3, 3/3


#### Advantages:

- > coated with eco colour of QualiCoat quality standard
- > opening and closing of drawers is very simple due to the uniform solution - drawer handle on the upper side enables users a synchronic grip and opening of a carriage drawer.
- > drawer closing mechanism prevents unwanted opening of drawers
- > drawers with non-slip interior synthetic lining
- > central locking system with a lock and folding key
- > lock with key included also foam keyring
- > full extension drawers with top quality ball-bearing slides
- > oil and acid resistant casters of a diameter of 125mm, one with brake, which blocks spinning and swiveling of the caster
- > dynamic load capacity of carriages: 500 kg

SKU	L	L1	B	H	H1	
619885	800	700	440	923	768	57000

## 940EV4BLOCK

### Tool carriage Eurovision with BLOCK safety system




- > material: premium PLUS sheet metal
- > central locking system with a lock and folding key
- > lock with key included also foam keyring
- > new block safety system, prevents opening of more than one drawer at once. When one drawer is opened, all other drawers are locked and cannot be opened.
- > oil and acid resistant casters of a diameter of 125mm, one with brake, which blocks spinning and swiveling of the caster
- > opening and closing of drawers is very simple due to the uniform solution - drawer handle on the upper side enables users a synchronic grip and opening of a carriage drawer.
- > full extension drawers with top quality ball-bearing slides
- > drawers with non-slip interior synthetic lining
- > drawer closing mechanism prevents unwanted opening of drawers
- > wide range of accessories
- > coated with eco colour of QualiCoat quality standard
- > blind nuts for fixing accessories are mounted on the carriage.
- > static load capacity of carriage without casters: 1600kg
- > dynamic load capacity of carriages: 500 kg
- > maximum capacity of each drawer: 45kg
- > 7 drawers (5x L 563 x W 365 x H 70mm, 2x L 563 x W 383 x H 150mm)
- > basic dimensions with handle and casters L 800 x W 440 x H 923mm
- > total volume of drawers: 140 litres
- > drawers compatible with SOS tool trays 1/3, 2/3, 3/3

SKU	L	L1	B	H	H1	
625000	800	700	440	923	768	57000



## 940EV6

## Tool carriage Eurovision



- › material: premium PLUS sheet metal
- › possibility to add accessories
- › blind nuts for fixing accessories are mounted on the carriage.
- › static load capacity of carriage without casters: 1600kg
- › dynamic load capacity of carriages: 500 kg
- › maximum capacity of each drawer: 45kg
- › 8 drawers (7x L 563 x W 365 x H 70mm, 1x L 563 x W 383 x H 150mm)
- › basic dimensions with handle and casters L 800 x W 440 x H 923mm
- › total volume of drawers: 135 litres
- › drawers compatible with SOS tool trays 1/3, 2/3, 3/3


**Advantages:**

- › coated with eco colour of QualiCoat quality standard
- › opening and closing of drawers is very simple due to the uniform solution - drawer handle on the upper side enables users a synchronic grip and opening of a carriage drawer.
- › drawer closing mechanism prevents unwanted opening of drawers
- › drawers with non-slip interior synthetic lining
- › central locking system with a lock and folding key
- › lock with key included also foam keyring
- › full extension drawers with top quality ball-bearing slides
- › oil and acid resistant casters of a diameter of 125mm, one with brake, which blocks spinning and swiveling of the caster

SKU	L	L1	B	H	H1	
619886	800	700	440	923	768	60000

## 940EVS1

## Sheet metal basket for 940EV



- › material: premium sheet metal
- › possibility to fit with tool carriage Eurovision

SKU	L	B	H	
620416	350	120	300	2849

## 940EVS4

## Paper holder for 940EV




- › from metal
- › delivery without hand towels
- › possibility to fit with tool carriage Eurovision
- › for paper roll max. dia. 300 mm and length 260 mm

SKU	
620418	540

## 940EVS7

## Holder for bottles for 940EV



- › material: premium sheet metal
- › possibility to fit with tool carriage Eurovision


SKU	L	B	H	
620419	350	100	85	978

**940E1**

**Tool carriage Eurostyle**



- > material: premium PLUS sheet metal
- > central locking system with a lock and folding key
- > lock with key included also foam keyring
- > oil and acid resistant casters of a diameter of 100 mm, one with brake, which blocks spinning and swiveling of the caster
- > full extension drawers with top quality ball-bearing slides
- > the synthetic covering protects drawers and tools from damage
- > coated with eco colour of Qualicoat quality standard
- > 4 drawers (3 x L 560 x W 365 x H 70 mm, 1 x L 560 x W 400 x H 150 mm)
- > lifting door with locking system
- > basic dimensions with handle and casters L 760 x W 440 x H 895 mm
- > total volume of drawers: 76 litres
- > static load capacity of carriage without casters: 1600kg
- > maximum capacity of each drawer: 45kg
- > dynamic load capacity of carriages: 300 kg
- > drawers compatible with SOS tool trays 1/3, 2/3, 3/3
- > wide range of accessories



SKU	L	L1	B	H	H1	
608542	770	700	440	895	768	42000




**940E3**

**Tool carriage Eurostyle**



- > material: premium PLUS sheet metal
- > central locking system with a lock and folding key
- > lock with key included also foam keyring
- > oil and acid resistant casters of a diameter of 100 mm, one with brake, which blocks spinning and swiveling of the caster
- > full extension drawers with top quality ball-bearing slides
- > the synthetic covering protects drawers and tools from damage
- > coated with eco colour of Qualicoat quality standard
- > 6 drawers (3 x L 560 x W 365 x H 70 mm, 3 x L 560 x W 400 x H 150 mm)
- > static load capacity of carriage without casters: 1600kg
- > dynamic load capacity of carriages: 300 kg
- > maximum capacity of each drawer: 45kg
- > total volume of drawers: 144 litres
- > drawers compatible with SOS tool trays 1/3, 2/3, 3/3
- > wide range of accessories



SKU	L	L1	B	H	H1	
608544	770	700	440	895	768	48000




## 940E4

## Tool carriage Eurostyle



- › material: premium PLUS sheet metal
- › central locking system with a lock and folding key
- › lock with key included also foam keyring
- › oil and acid resistant casters of a diameter of 100 mm, one with brake, which blocks spinning and swiveling of the caster
- › full extension drawers with top quality ball-bearing slides
- › the synthetic covering protects drawers and tools from damage
- › coated with eco colour of Qualicoat quality standard
- › 7 drawers (5 x L 560 x W 365 x H 70 mm, 2 x L 560 x W 400 x H 150 mm)
- › basic dimensions with handle and casters L 760 x W 440 x H 895 mm
- › total volume of drawers: 140 litres
- › static load capacity of carriage without casters: 1600kg
- › dynamic load capacity of carriages: 300 kg
- › maximum capacity of each drawer: 45kg
- › drawers compatible with SOS tool trays 1/3, 2/3, 3/3
- › wide range of accessories




SKU	L	L1	B	H	H1	
608545	770	700	440	895	768	52000

## 940E4/1L-BLACK

## Tool carriage Eurostyle



- › material: premium PLUS sheet metal
- › central locking system with a lock and folding key
- › lock with key included also foam keyring
- › oil and acid resistant casters of a diameter of 100 mm, one with brake, which blocks spinning and swiveling of the caster
- › full extension drawers with top quality ball-bearing slides
- › the synthetic covering protects drawers and tools from damage
- › wide range of accessories
- › coated with eco colour of Qualicoat quality standard
- › 7 drawers (5 x L 560 x W 365 x H 70 mm, 2 x L 560 x W 400 x H 150 mm)
- › basic dimensions with handle and casters L 760 x W 440 x H 895 mm
- › total volume of drawers: 140 litres
- › static load capacity of carriage without casters: 1600kg
- › dynamic load capacity of carriages: 300 kg
- › maximum capacity of each drawer: 45kg
- › left and right side are perforated
- › include 10 hooks dimension 50mm
- › ABS plate on the top of the carriage
- › drawers compatible with SOS tool trays 1/3, 2/3, 3/3



SKU	L	L1	B	H	H1	
628213	770	700	448	895	768	52000

## 964ASOS

## Empty SOS tool tray for 940PLUS, 940EM, 940H, 940E and 940EV



- › material: low density polyethylene foam
- › Tool tray dimension: 188 x 364 x 30 mm
- › Compatible with drawers of Eurostyle, Eurovision, Euromotion, Europlus and Hercules (front drawers) line



SKU	L	B	H	
621896	364	188	30	41

## 964BSOS

### Empty SOS tool tray for 920PLUS, 940E and 940EV



- > material: low density polyethylene foam
- > Tool tray dimension: 564 x 364 x 30 mm
- > Compatible with drawers of Eurostyle, Eurovision, Euromotion, Europlus and Hercules (front drawers) line



SKU	L	B	H	
621897	364	564	30	113

## 940ES3

### Partitions set- 4 pieces for 940E




- > material: premium sheet metal
- > possibility to fit with tool carriage Eurostyle and Eurovision



SKU	L	B	H	
608925	377	2.2	65	709

## 940ES3A

### Partitions set for small drawer 940E and 940EV



- > material: premium sheet metal
- > possibility to fit with tool carriage Eurostyle and Eurovision



SKU	L	B	H	
622597	557	375	65	1542


## 940ES5

### Document holder for 940E and 940EV



- > material: premium sheet metal
- > possibility to fit with tool carriage Eurostyle and Eurovision

SKU	L	B	H	
608969	330	60	300	1018



**940ES7****Holder for bottles for 940E and 940EV**


- > material: premium sheet metal
- > possibility to fit with tool carriage Eurostyle and Eurovision



SKU	L	B	H	
608971	350	100	70	894

**940ES8****ABS plate for 940E and 940EV**


- > material polystyrene
- > possibility to fit with tool carriage Eurostyle and Eurovision



SKU	L	B	H	
608972	705	440	22	1260

**940ES9****Wooden plate for 940E and 940EV**

- > possibility to fit with tool carriage Eurostyle and Eurovision



SKU	L	B	H	
608973	690	430	16	3260

**940ES10****Screwdrivers hanger for 940E and 940EV**

- > material: premium sheet metal
- > possibility to fit with tool carriage Eurostyle and Eurovision




SKU	L	B	H	
622598	350	40	67	349

**94OECO**

**Tool carriage Economic**



- > material: premium PLUS sheet metal
- > central locking system with a lock and folding key
- > lock with key included also foam keyring
- > oil and acid resistant casters of a diameter of 100 mm, one with brake, which blocks spinning and swiveling of the caster
- > full extension drawers with top quality ball-bearing slides
- > the synthetic covering protects drawers and tools from damage
- > wide range of accessories
- > coated with eco colour of Qualicoat quality standard
- > 6 drawers (4 x L 498 x W 273 x H 70 mm, 2 x L 498 x W 311 x H 150 mm)
- > maximum capacity of each drawer: 30kg
- > The only carriage in the production program of Unior that is exclusively intended for use by the private consumer.



SKU	L	L1	B	H	H1	
617227	700	625	355	890	764	33000

**94OECOS1**

**Partitions-3 pcs set for 94OECO**



- > material: premium sheet metal
- > coated with eco colour of Qualicoat quality standard




SKU	
617269	540

**94OECOES7**

**Bottle holder 94OECO**



- > material: premium sheet metal
- > coated with eco colour of Qualicoat quality standard




SKU	L	B	H	
618460	326	106	79	706

## 946A

## Work bench



- › material: premium PLUS sheet metal
- › central locking system with a lock and folding key
- › lock with key included also foam keyring
- › full extension drawers with top quality ball-bearing slides
- › the synthetic covering protects drawers and tools from damage
- › coated with eco colour of Qualicoat quality standard
- › wooden worktop
- › 5 drawers (3x L 560 x W 570 x H 70mm, 2x L 560 x W 605 x H150mm)
- › static load capacity: 2300 kg
- › capacity of drawer: 45kg




SKU	L	B	H	
612328	1500	750	925	116000

## 946AC

## Work bench with cabinet



- › combination of work bench (art. 946A) and cabinet for work bench (art. 946C) (article 946 ACR cabinet with roller shutter)
- › material: premium PLUS sheet metal
- › central locking system with a lock and folding key
- › lock with key included also foam keyring
- › full extension drawers with top quality ball-bearing slides
- › the synthetic covering protects drawers and tools from damage
- › coated with eco colour of Qualicoat quality standard
- › wooden worktop
- › 5 drawers (3x L 560 x W 570 x H 70mm, 2x L 560 x W 605 x H150mm)
- › static load capacity: 2300 kg
- › capacity of drawer: 45kg
- › with 30 hooks




SKU	L	B	H	
612220	1500	750	1665	136000

## 946ACR

## Work bench with cabinet with roller shutter




- › combination of work bench (art. 946A) and cabinet with roller shutter for work bench (art. 946CR)
- › material: premium PLUS sheet metal
- › central locking system with a lock and folding key
- › lock with key included also foam keyring
- › full extension drawers with top quality ball-bearing slides
- › the synthetic covering protects drawers and tools from damage
- › coated with eco colour of Qualicoat quality standard
- › wooden worktop
- › 5 drawers (3x L 560 x W 570 x H 70mm, 2x L 560 x W 605 x H150mm)
- › static load capacity: 2300 kg
- › capacity of drawer: 45kg
- › with 30 hooks
- › model CR with roller shutter and with locking system




SKU	L	B	H	
612331	1500	750	1665	146000

## 990T

## Mobile work bench



- › material: premium PLUS sheet metal
- › coated with eco colour of Qualicoat quality standard
- › beech plywood
- › protected with environmentally friendly coating
- › dynamic load capacity: 1000 kg
- › casters dia. 200mm



SKU	L	B	H	
621448	2000	750	795	90000



## 940T

## Service trolley




- › Ergonomic, lightweight and easily moved service trolley
- › This industrial-quality service trolley is ideal for use in garages, engineering workshops and warehouses.
- › It allows the user to easily transport tools and components around the working area, and keep them easily at hand while working on a task.
- › This trolley encourages and organized, pre-planned approach to tasks, and improves efficiency, productivity and comfort.
- › The water-resistant top shelf allows easy access to tools and parts at a comfortable working height, while the lower shelf provides additional storage.
- › The shelves are engineered for a maximum load of 100kg each, and are protected with an impact-resistant, anti-slip mat.
- › Made in Europe to the highest standards, and backed by Unior's lifetime warranty.

**Includes:**

- › 4 casters - 2 fixed and 2 swivelling. One easily-braked caster.
- › Two water-resistant shelves, upper complete with impact-absorbing, anti-slip mat

**Specifications:**

- › Total capacity 200kg. Maximum 100kg per shelf.
- › Assembled dimensions: 1072 x 600 x 887mm
- › Packaged dimensions: 1020 x 635 x 190mm



SKU	L	L1	B	H	H1	
627351	1072	1000	600	887	760	30000



## 940.1T

## Shelf for 940T



- › material: premium PLUS sheet metal
- › coated with eco colour of Qualicoat quality standard

SKU	L	B	H	
628207	995	595	40	9800



## 940.2H

## Back door for 940H



- › material: premium sheet metal
- › coated with eco colour of Qualicoat quality standard

SKU	L	B	H	
626882	600	22	725	4600



## 990MA1

## Modular work bench - module A1



- › Work benches are an indispensable element in a professional or home workshop. Unior's modular benches are durable, stable and convenient due to their durable work surface, perforated walls, excellent lighting options, convenient drawers. Module A1 also features plastic containers for storing small inventory.

**Dimensions and Specifications:**

- › basic dimensions of work bench L 2000 x W 750 x H 2025mm
- › Weight Capacity: 1000kg
- › The work surface made of beech plywood, 40mm thick, ensures that your work surface remains durable, reliable, and undamaged during everyday use.
- › Two drawer cabinet, one wide and one narrow, together offer 12 storage drawers. The drawer width is aligned with the Unior SOS tool trays system.
- › Perforated Back Panel, spanning the entire width of the workbench, it can be used with accessories such as hooks and tool holders (not included) to extend storage space. Includes LED lighting for sufficient workspace illumination and a handy parapet channel for charging accessories, bike components, electric tools, or personal electronics.

**Unior 990TW Wooden Bench Top Features:**

- › The work surface made of beech plywood, 40mm thick, ensures that your work surface remains durable, reliable, and undamaged during everyday use.
- › The wooden work surface can be protected with an additional stainless steel cover, which is available as an option.
- › Worktop dimensions: Length 2m, Depth 75cm

**Unior 990WD6 Tool Chest Features:**


- › Heavy-duty Construction: Made from high-quality Premium PLUS steel, the tool cabinet offers exceptional durability and stability.
- › Six Wide Drawers: Each cabinet provides ample storage (total volume 214L) space for tools of various sizes, ensuring that everything you need is within easy reach.
- › Smooth Operation: Equipped with ball-bearing slides, the drawers open and close smoothly, even when fully loaded.
- › Drawer dimensions; 4 x L 564 x W 570 x H 70mm, 1x L 564 x W 605 x H 150mm, 1x L 564 x W 605 x H 230mm
- › Drawer Capacity: Each drawer can hold up to 50kg.
- › Secure Storage: Central locking system ensures that your tools are safe and secure when not in use.
- › Elegant Design: Finished in a stylish blue-grey color combination, the tool cabinet adds a professional and modern look to your workshop.

**Unior 990ND6 Tool Chest Features:**

- › Heavy-duty Construction: Made from high-quality Premium PLUS steel, the tool cabinet offers exceptional durability and stability.
- › Six narrow Drawers: Each cabinet provides ample storage (total volume 145L) space for tools of various sizes, ensuring that everything you need is within easy reach.
- › Smooth Operation: Equipped with ball-bearing slides, the drawers open and close smoothly, even when fully loaded.
- › Drawer dimensions; 4 x L 374 x W 570 x H 70mm, 1x L 564 x W 605 x H 150mm, 1x L 564 x W 605 x H 230mm
- › Drawer Capacity: Each drawer can hold up to 50kg.
- › Secure Storage: Central locking system ensures that your tools are safe and secure when not in use.
- › Elegant Design: Finished in a stylish blue-grey color combination, the tool cabinet adds a professional and modern look to your workshop.

**Unior Perforated Back panel with light and parapet channel**

- › Perforated Back Panel is made from premium PLUS sheet metal and coated with the eco color of Qualicoat quality standard, ensuring both durability and a sleek appearance. Spanning the entire width of the 2m workbench, this versatile back panel can be used with accessories such as hooks, tool holders and overhead cabinet to get the most out of additional storage space. This back panel includes integrated LED lighting for optimal workspace illumination and a convenient parapet channel for charging accessories, bike components, electric tools, or personal electronics.
- › material: premium PLUS sheet metal
- › Eco color of Qualicoat quality standard
- › Dimensions: L 2000 x H 1155mm
- › The shelf with holders extends over half of the workbench and is securely mounted to the columns. It can be adjusted to various heights and positioned at two angles: perpendicular to the perforated back or at a 12-degree incline. The shelf has a load capacity of 50 kg.
- › The bin holder, 1 meter wide, provides storage space for storage bins with rear mounting, covering half the width of the workbench.
- › LED lighting with a lifetime of 25000 hours and color temperature of 4000K
- › Parapet channel compatible with OBO STD-D0 Modul 45 plugs

**Unior 3D configurator**

Unior 3D configurator is a perfect tool for setting up your workshop in 3D. It provides our partners and customers with easier and more transparent shopping experience. It is simple to use while providing you with all necessary designing tools.

**SKU**

625751



20

**990WD6** (663x650x870), **990ND6** (475x650x870), **990TW** (2000x750x40), **990SL** (32x45x1155), **990SR** (32x45x1155), **990SM** (32x45x1155), **990HPC** (983x53x131), **990B** (952x1018), **990HL** (983), **990LIGHT** (900), **990HPB** (1000), **PB.990HPB** (235x155x125), **990SHELF** (1000), **997.1** (50)



- › Featuring two integrated Unior 990WD7 BLACK Tool Cabinets, each with seven wide drawers, that will fit the 2600 series tool trays, providing extensive storage space for tools and equipment, keeping your workspace organized and clutter-free. The middle power support cabinet is equipped with reels with electrical cable and hose for compressed air.
- › Engineered for optimal ergonomic positioning, the workbench provides a comfortable working height, reducing strain and enhancing productivity during prolonged tasks.
- › Ideal for various types of bike repairs, from road bikes and mountain bikes to e-bikes, kids' bikes, and cargo bikes. The workbench is designed to meet the diverse needs of professional mechanics and demanding enthusiasts.
- › The sleek and modern design not only enhances functionality but also adds a sophisticated touch to your workshop or garage.

#### Dimensions and Specifications:

- › Total Size: Length 2m, Height 91cm, Depth 75cm
- › Weight Capacity: 1000kg
- › The stainless-steel bench top, resistant to corrosion, rust, and heat up to 100°C, ensures your bench top remains durable, reliable, and pristine against everyday wear and tear
- › Two 990WD7 Wide Drawer Cabinets combined offer 14 storage drawers, all capable of accommodating 2600 series tool trays and plenty of room to store all the spare parts.
- › 990PNE Power Support Cabinet: Equipped with a reel for an electricity cable and a hose for compressed air with a spring return system, this cabinet helps keep your workshop tidy and ready to use frequently needed accessories.
- › Perforated Back Panel, spanning the entire width of the workbench, it can be used with accessories such as hooks and tool holders (not included) to extend storage space. Includes LED lighting for sufficient workspace illumination and a handy parapet channel for charging accessories, bike components, electric tools, or personal electronics.

#### Unior 990TW-SST chipboard Bench Top with Stainless Steel Cover Features:

- › Superior Strength and Durability: The inox stainless steel cover provides a robust shield against everyday wear and tear, ensuring that your bench top remains in top condition.
- › Inox stainless steel cover: Specially engineered to withstand corrosive elements and rust, extending the life of your bench top and maintaining its pristine appearance.
- › Heat Resistance: Withstanding temperatures up to 100°C, this cover is perfect for handling high-temperature tasks without damage.
- › Long-term Reliability: Designed for durability, this bench top ensures you enjoy a consistently beautiful and functional work surface day after day.
- › Worktop dimensions: Length 2m, Depth 75cm

#### Unior 990WD7 BLACK Tool Chest Features:

- › Heavy-duty Construction: Made from high-quality Premium PLUS steel, the tool cabinet offers exceptional durability and stability.
- › Seven Wide Drawers: Each cabinet provides ample storage (total volume 214L) space for tools of various sizes, ensuring that everything you need is within easy reach.
- › Smooth Operation: Equipped with ball-bearing slides, the drawers open and close smoothly, even when fully loaded.
- › Drawer dimensions; 5 x L 564 x W 570 x H 70mm, 2x L 564 x W 605 x H 150mm
- › Drawer Capacity: Each drawer can hold up to 50kg.
- › Secure Storage: Central locking system ensures that your tools are safe and secure when not in use.
- › Stylish Design: Finished in sleek black, the tool cabinet adds a professional and modern look to your workspace.

#### Unior 990PNE BLACK Power support for modular work bench

- › Elevate your workshop experience with the 990PNE Power Support Cabinet, where functionality meets reliability. Power Support Cabinet is designed to enhance the functionality of your workshop with unparalleled convenience and efficiency.
- › Crafted from premium PLUS sheet metal for durability and longevity
- › Includes two reels, electric cable and hose for compressed air with stop and spring return function for hassle-free operation.
- › The electric cable reel features a 13m cable suitable for 220V, ensuring ample reach and power supply.
- › Compressed air hose reel includes a 10m hose on the reel, and an additional 3m hose to connect to the air compressor or system. The hose's outer diameter is 12mm and it uses 1/4" connector, providing optimal airflow with a max. working pressure of 7 bars.
- › The bottom part of the cabinet is dedicated to storage and closed with lockable metal door.

#### Unior 990BP Back panel with light and parapet channel

- › Perforated Back Panel is made from premium PLUS sheet metal and coated with the eco color of Qualicoat quality standard, ensuring both durability and a sleek appearance. Spanning the entire width of the 2m workbench, this versatile back panel can be used with accessories such as hooks, tool holders and overhead cabinet to get the most out of additional storage space. This back panel includes integrated LED lighting for optimal workspace illumination and a convenient parapet channel for charging accessories, bike components, electric tools, or personal electronics.
- › material: premium PLUS sheet metal
- › Eco color of Qualicoat quality standard
- › Dimensions: L 2000 x H 1155mm
- › LED lighting with a lifetime of 25000 hours and color temperature of 4000K
- › Parapet channel compatible with OBO STD-D0 Modul 45 plugs

#### SKU

629896



15

2x 990WD7-BLACK (663x650x870), 990PNE-BLACK (475x650x870), 990TW-SST (2000x753x39), 990SR-BLACK (32x45x1155), 990SM-BLACK (32x45x1155), 990SL-BLACK (32x45x1155), 990B (952x1018), 990HPC (983x53x131), 990HL (983), 990LIGHT (900)

## 990TB2

## Tech Bench with two wide cabinets



- › Featuring two integrated Unior 990WD7 BLACK Tool Cabinets, each with seven wide drawers, that will fit the 2600 series tool trays, providing extensive storage space for tools and equipment, keeping your workspace organized and clutter-free. The middle power support cabinet is equipped with reels with electrical cable and hose for compressed air.
- › Engineered for optimal ergonomic positioning, the workbench provides a comfortable working height, reducing strain and enhancing productivity during prolonged tasks.
- › Ideal for various types of bike repairs, from road bikes and mountain bikes to e-bikes, kids' bikes, and cargo bikes. The workbench is designed to meet the diverse needs of professional mechanics and demanding enthusiasts.
- › The sleek and modern design not only enhances functionality but also adds a sophisticated touch to your workshop or garage.

**Dimensions and Specifications:**

- › Total Size: Length 2m, Height 91cm, Depth 75cm
- › Weight Capacity: 1000kg
- › The stainless-steel bench top, resistant to corrosion, rust, and heat up to 100°C, ensures your bench top remains durable, reliable, and pristine against everyday wear and tear
- › Two 990WD7 Wide Drawer Cabinets combined offer 14 storage drawers, all capable of accommodating 2600 series tool trays and plenty of room to store all the spare parts.

**Unior 990TW-SST chipboard Bench Top with Stainless Steel Cover Features:**

- › Superior Strength and Durability: The inox stainless steel cover provides a robust shield against everyday wear and tear, ensuring that your bench top remains in top condition.
- › Inox stainless steel cover: Specially engineered to withstand corrosive elements and rust, extending the life of your bench top and maintaining its pristine appearance.
- › Heat Resistance: Withstanding temperatures up to 100°C, this cover is perfect for handling high-temperature tasks without damage.
- › Long-term Reliability: Designed for durability, this bench top ensures you enjoy a consistently beautiful and functional work surface day after day.
- › Worktop dimensions: Length 2m, Depth 75cm

**Unior 990WD7 BLACK Tool Chest Features:**

- › Heavy-duty Construction: Made from high-quality Premium PLUS steel, the tool cabinet offers exceptional durability and stability.
- › Seven Wide Drawers: Each cabinet provides ample storage (total volume 214L) space for tools of various sizes, ensuring that everything you need is within easy reach.
- › Smooth Operation: Equipped with ball-bearing slides, the drawers open and close smoothly, even when fully loaded.
- › Drawer dimensions; 5 x L 564 x W 570 x H 70mm, 2x L 564 x W 605 x H 150mm
- › Drawer Capacity: Each drawer can hold up to 50kg.
- › Secure Storage: Central locking system ensures that your tools are safe and secure when not in use.
- › Stylish Design: Finished in sleek black, the tool cabinet adds a professional and modern look to your workspace.

## SKU

629897



3

2x 990WD7-BLACK (663x650x870), 990TW-SST (2000x753x39)





- › Featuring two integrated Unior 990WD7 BLACK Tool Cabinets, each with seven wide drawers, that will fit the 2600 series tool trays, providing extensive storage space for tools and equipment, keeping your workspace organized and clutter-free. The middle power support cabinet is equipped with reels with electrical cable and hose for compressed air.
- › Engineered for optimal ergonomic positioning, the workbench provides a comfortable working height, reducing strain and enhancing productivity during prolonged tasks.
- › Ideal for various types of bike repairs, from road bikes and mountain bikes to e-bikes, kids' bikes, and cargo bikes. The workbench is designed to meet the diverse needs of professional mechanics and demanding enthusiasts.
- › The sleek and modern design not only enhances functionality but also adds a sophisticated touch to your workshop or garage.

**Dimensions and Specifications:**

- › Total Size: Length 2m, Height 91cm, Depth 75cm
- › Weight Capacity: 1000kg
- › The stainless-steel bench top, resistant to corrosion, rust, and heat up to 100°C, ensures your bench top remains durable, reliable, and pristine against everyday wear and tear
- › Two 990WD7 Wide Drawer Cabinets combined offer 14 storage drawers, all capable of accommodating 2600 series tool trays and plenty of room to store all the spare parts.

**Unior 990TW-SST chipboard Bench Top with Stainless Steel Cover Features:**

- › Superior Strength and Durability: The inox stainless steel cover provides a robust shield against everyday wear and tear, ensuring that your bench top remains in top condition.
- › Inox stainless steel cover: Specially engineered to withstand corrosive elements and rust, extending the life of your bench top and maintaining its pristine appearance.
- › Heat Resistance: Withstanding temperatures up to 100°C, this cover is perfect for handling high-temperature tasks without damage.
- › Long-term Reliability: Designed for durability, this bench top ensures you enjoy a consistently beautiful and functional work surface day after day.
- › Worktop dimensions: Length 2m, Depth 75cm

**Unior 990WD7 BLACK Tool Chest Features:**

- › Heavy-duty Construction: Made from high-quality Premium PLUS steel, the tool cabinet offers exceptional durability and stability.
- › Seven Wide Drawers: Each cabinet provides ample storage (total volume 214L) space for tools of various sizes, ensuring that everything you need is within easy reach.
- › Smooth Operation: Equipped with ball-bearing slides, the drawers open and close smoothly, even when fully loaded.
- › Drawer dimensions; 5 x L 564 x W 570 x H 70mm, 2x L 564 x W 605 x H 150mm
- › Drawer Capacity: Each drawer can hold up to 50kg.
- › Secure Storage: Central locking system ensures that your tools are safe and secure when not in use.
- › Stylish Design: Finished in sleek black, the tool cabinet adds a professional and modern look to your workspace.

**Unior 990PNE BLACK Power support for modular work bench**

- › Elevate your workshop experience with the 990PNE Power Support Cabinet, where functionality meets reliability. Power Support Cabinet is designed to enhance the functionality of your workshop with unparalleled convenience and efficiency.
- › Crafted from premium PLUS sheet metal for durability and longevity
- › Includes two reels, electric cable and hose for compressed air with stop and spring return function for hassle-free operation.
- › The electric cable reel features a 13m cable suitable for 220V, ensuring ample reach and power supply.
- › Compressed air hose reel includes a 10m hose on the reel, and an additional 3m hose to connect to the air compressor or system. The hose's outer diameter is 12mm and it uses 1/4" connector, providing optimal airflow with a max. working pressure of 7 bars.
- › The bottom part of the cabinet is dedicated to storage and closed with lockable metal door.

SKU	
629898	4
2x 990WD7-BLACK (663x650x870), 990PNE-BLACK (475x650x870), 990TW-SST (2000x753x39)	



- › material: premium PLUS sheet metal
- › Eco color of Qualicoat quality standard
- › Dimensions: L 2000 x H 1155mm
- › LED lighting with a lifetime of 25000 hours and color temperature of 4000K
- › Parapet channel compatible with OBO STD-D0 Modul 45 plugs

SKU	
629899	11
990SR-BLACK (32x45x1155), 990SM-BLACK (32x45x1155), 990SL-BLACK (32x45x1155), 2x 990B (952x1018), 2x 990HPC (983x53x131), 2x 990HL (983), 2x990LIGHT (900)	

## 990TBC



## Tech Corner Bench with narrow cabinet and back panel

- › Featuring integrated narrow cabinet with 2 drawers and door, providing extensive storage space for tools and equipment, keeping your workspace organized and clutter-free.
- › Engineered for optimal ergonomic positioning, the workbench provides a comfortable working height, reducing strain and enhancing productivity during prolonged tasks.
- › Ideal for various types of bike repairs, from road bikes and mountain bikes to e-bikes, kids' bikes, and cargo bikes. The workbench is designed to meet the diverse needs of professional mechanics and demanding enthusiasts.
- › The sleek and modern design not only enhances functionality but also adds a sophisticated touch to your workshop or garage.
- › Thick, high-quality beech plywood top provides a durable and resilient workspace.
- › Integrated 990NDD2 narrow cabinet with 2 drawers and door.
- › Perforated Back Panel, covering the entire width of the corner workbench. It can be used with accessories such as hooks and tool holders (not included) to extend storage space.
- › Parapet channel for charging accessories, bike components, electric tools or personal electronics.

**Unior 990NDD2 BLACK Tool Chest Features:**

- › Heavy-duty Construction: Made from high-quality Premium PLUS steel, the tool cabinet offers exceptional durability and stability.
- › Two narrow drawers with dimensions L 374 x W 570 x H 70 mm and 30 litres volume.
- › Lockable metal door with shelf for additional storage.
- › Smooth Operation: Equipped with ball-bearing slides, the drawers open and close smoothly, even when fully loaded.
- › Drawer Capacity: Each drawer can hold up to 50kg.
- › Secure Storage: Central locking system ensures that your tools are safe and secure when not in use.
- › Stylish Design: Finished in sleek black, the tool cabinet adds a professional and modern look to your workspace.

**Unior 990BP Back panel with light and parapet channel**

- › Perforated Back Panel is made from premium PLUS sheet metal and coated with the eco color of Qualicoat quality standard, ensuring both durability and a sleek appearance. Spanning the entire width of the 2m workbench, this versatile back panel can be used with accessories such as hooks, tool holders and overhead cabinet to get the most out of additional storage space. This back panel includes integrated LED lighting for optimal workspace illumination and a convenient parapet channel for charging accessories, bike components, electric tools, or personal electronics.
- › material: premium PLUS sheet metal
- › Eco color of Qualicoat quality standard
- › Dimensions: L 2000 x H 1155mm
- › LED lighting with a lifetime of 25000 hours and color temperature of 4000K
- › Parapet channel compatible with OBO STD-D0 Modul 45 plugs

## SKU

629900



10

**990NDD2-BLACK** (475x650x870), **990TW1** (1000x1000x40), **990BA1** (), **990BA** (228x28,5x509), **990B** (952x1018), **990HPC** (983x53x131), **990SR-BLACK** (32x45x1155), **990SM-BLACK** (32x45x1155), **990SL-BLACK** (32x45x1155)

## 990MA6



## Modular work bench - module A6

**Dimensions and Specifications:**

- › basic dimensions of work bench L 1500 x W 750 x H 2025mm
- › Weight Capacity: 1000kg
- › Narrow drawer cabinet offer 6 storage drawers. The drawer width is aligned with the Unior SOS tool trays system.
- › Perforated Back Panel, spanning the entire width of the workbench, it can be used with accessories such as hooks and tool holders (not included) to extend storage space. Includes LED lighting for sufficient workspace illumination and a handy parapet channel for charging accessories, bike components, electric tools, or personal electronics.

**Unior 990TW Wooden Bench Top Features:**

- › The work surface made of beech plywood, 40mm thick, ensures that your work surface remains durable, reliable, and undamaged during everyday use.
- › The wooden work surface can be protected with an additional stainless steel cover, which is available as an option.
- › Worktop dimensions: Length 2m, Depth 75cm

**Unior 990ND6 Tool Chest Features:**

- › Heavy-duty Construction: Made from high-quality Premium PLUS steel, the tool cabinet offers exceptional durability and stability.
- › Six narrow Drawers: Each cabinet provides ample storage (total volume 145L) space for tools of various sizes, ensuring that everything you need is within easy reach.
- › Smooth Operation: Equipped with ball-bearing slides, the drawers open and close smoothly, even when fully loaded.
- › Drawer dimensions; 4 x L 374 x W 570 x H 70mm, 1x L 564 x W 605 x H 150mm, 1x L 564 x W 605 x H 230mm
- › Drawer Capacity: Each drawer can hold up to 50kg.
- › Secure Storage: Central locking system ensures that your tools are safe and secure when not in use.
- › Elegant Design: Finished in a stylish blue-grey color combination, the tool cabinet adds a professional and modern look to your workshop.

**Unior Perforated Back panel with parapet channel**

- › material: premium PLUS sheet metal
- › Eco color of Qualicoat quality standard
- › Dimensions: L 2000 x H 1155mm
- › Parapet channel compatible with OBO STD-D0 Modul 45 plugs

## SKU

625756



9

**990ND6** (475x650x870), **990LA** (100x650x690x1110), **990TW** (1500x750x40), **990SL** (32x45x1155), **990SR** (32x45x1155), **990HPC** (1467x53x131), **990B** (1436x1018), **997.1** (50)

**Dimensions and Specifications:**

- › basic dimensions of work bench L 1500 x W 750 x H (730 - 1150)mm
- › Weight Capacity: 1000kg
- › The work surface made of beech plywood, 40mm thick, ensures that your work surface remains durable, reliable, and undamaged during everyday use.
- › Elements for mounted under-bench top, including a drawer cabinet unit with four drawers and a cabinet with a shelf and door, provide ample storage space for tools.

**Unior 990TW Wooden Bench Top Features:**

- › The work surface made of beech plywood, 40mm thick, ensures that your work surface remains durable, reliable, and undamaged during everyday use.
- › The wooden work surface can be protected with an additional stainless steel cover, which is available as an option.
- › Worktop dimensions: Length 1.5m, Depth 75cm

**Unior 990NDH4 Drawer cabinet Features:**

- › Heavy-duty Construction: Made from high-quality Premium PLUS steel, the tool cabinet offers exceptional durability and stability.
- › Four Drawers: Each cabinet provides ample storage space for tools of various sizes, ensuring that everything you need is within easy reach.
- › Smooth Operation: Equipped with ball-bearing slides, the drawers open and close smoothly, even when fully loaded.
- › Drawer dimensions; 4 x L 374 x W 570 x H 70mm
- › Drawer Capacity: Each drawer can hold up to 50kg.
- › Secure Storage: Central locking system ensures that your tools are safe and secure when not in use.
- › Elegant Design: Finished in a stylish blue-grey color combination, the tool cabinet adds a professional and modern look to your workshop.

**Unior 990NDH Tool cabinet Features:**

- › Heavy-duty Construction: Made from high-quality Premium PLUS steel, the tool cabinet offers exceptional durability and stability.
- › Lockable metal door with shelf for additional storage.
- › Secure Storage: Central locking system ensures that your tools are safe and secure when not in use.
- › Elegant Design: Finished in a stylish blue-grey color combination, the tool cabinet adds a professional and modern look to your workshop.

**Unior 990LA Adjustable leg Features:**

- › Heavy-duty Construction: Made from high-quality Premium PLUS steel, the tool cabinet offers exceptional durability and stability.
- › Height adjustable from 690 mm to 1110 mm, with a minimum increment of 30 mm.

**SKU**

625757



6

2x 990LA (100x650x690x1110), 990TW (1500x750x40), 990NDH4 (475x650x430), 990NDH (475x650x430), 990C (1500)



## 990MA10

## Modular work bench - module A10



- › The Modular Work Bench Module A10 emphasizes flexibility and efficiency in workspace organization. It features durable construction and a functional design aimed at enhancing productivity and workflow optimization. This module likely includes provisions for mounting tools and accessories, ensuring that users can personalize their workstations according to specific needs and preferences. Ideal for professionals in mechanical trades, manufacturing, or any industry requiring structured workstations, the Modular Work Bench Module A10 is tailored to meet the demands of modern workplaces.
- › Work benches are an indispensable element in a professional or home workshop. Unior's modular benches are durable, stable and convenient due to their durable work surface, perforated walls, excellent lighting options, convenient drawers.

**Dimensions and Specifications:**

- › basic dimensions of work bench L 2500 x W 750 x H 2025mm
- › Weight Capacity: 1000kg
- › The work surface made of beech plywood, 40mm thick, ensures that your work surface remains durable, reliable, and undamaged during everyday use.
- › Two drawer cabinet, one wide and one narrow, together offer 12 storage drawers. The drawer width is aligned with the Unior SOS tool trays system.
- › Perforated Back Panel, spanning the entire width of the workbench, it can be used with accessories such as hooks and tool holders (not included) to extend storage space. Includes LED lighting for sufficient workspace illumination and a handy parapet channel for charging accessories, bike components, electric tools, or personal electronics.

**Unior 990TW Wooden Bench Top Features:**

- › The work surface made of beech plywood, 40mm thick, ensures that your work surface remains durable, reliable, and undamaged during everyday use.
- › The wooden work surface can be protected with an additional stainless steel cover, which is available as an option.
- › Worktop dimensions: Length 2.5m, Depth 75cm

**Unior 990WD6 Tool Chest Features:**


- › Heavy-duty Construction: Made from high-quality Premium PLUS steel, the tool cabinet offers exceptional durability and stability.
- › Six Wide Drawers: Each cabinet provides ample storage (total volume 214L) space for tools of various sizes, ensuring that everything you need is within easy reach.
- › Smooth Operation: Equipped with ball-bearing slides, the drawers open and close smoothly, even when fully loaded.
- › Drawer dimensions; 4 x L 564 x W 570 x H 70mm, 1x L 564 x W 605 x H 150mm, 1x L 564 x W 605 x H 230mm
- › Drawer Capacity: Each drawer can hold up to 50kg.
- › Secure Storage: Central locking system ensures that your tools are safe and secure when not in use.
- › Elegant Design: Finished in a stylish blue-grey color combination, the tool cabinet adds a professional and modern look to your workshop.

**Unior 990WD8 Tool Chest Features:**

- › Heavy-duty Construction: Made from high-quality Premium PLUS steel, the tool cabinet offers exceptional durability and stability.
- › Eight Wide Drawers: Each cabinet provides ample storage (total volume 208L) space for tools of various sizes, ensuring that everything you need is within easy reach.
- › Smooth Operation: Equipped with ball-bearing slides, the drawers open and close smoothly, even when fully loaded.
- › Drawer dimensions; 7 x L 564 x W 570 x H 70mm, 1x L 564 x W 605 x H 150mm
- › Drawer Capacity: Each drawer can hold up to 50kg.
- › Secure Storage: Central locking system ensures that your tools are safe and secure when not in use.
- › Elegant Design: Finished in a stylish blue-grey color combination, the tool cabinet adds a professional and modern look to your workshop.

**Unior Perforated Back panel with light and parapet channel**

- › Perforated Back Panel is made from premium PLUS sheet metal and coated with the eco color of Qualicoat quality standard, ensuring both durability and a sleek appearance. Spanning the entire width of the 2m workbench, this versatile back panel can be used with accessories such as hooks, tool holders and overhead cabinet to get the most out of additional storage space. This back panel includes integrated LED lighting for optimal workspace illumination and a convenient parapet channel for charging accessories, bike components, electric tools, or personal electronics.
- › material: premium PLUS sheet metal
- › Eco color of Qualicoat quality standard
- › Dimensions: L 2500 x H 1155mm
- › LED lighting with a lifetime of 25000 hours and color temperature of 4000K
- › Parapet channel compatible with OBO STD-D0 Modul 45 plugs



## Unior 3D configurator

Unior 3D configurator is a perfect tool for setting up your workshop in 3D. It provides our partners and customers with easier and more transparent shopping experience. It is simple to use while providing you with all necessary designing tools.



SKU

625760



14

**990WD6** (663x650x870), **990WD8** (663x650x870), **990TW** (2500x750x40), **990SL** (32x45x1155), **990SR** (32x45x1155), **990SM** (32x45x1155), **2x 990HPC** (1233x53x131), **2x 990B** (1202x1018), **2x 990HL** (1233), **2x 990LIGHT** (1200)



- › The Modular Work Bench emphasizes flexibility and efficiency in workspace organization. It features durable construction and a functional design aimed at enhancing productivity and workflow optimization. This module likely includes provisions for mounting tools and accessories, ensuring that users can personalize their workstations according to specific needs and preferences. Ideal for professionals in mechanical trades, manufacturing, or any industry requiring structured workstations, the Modular Work Bench is tailored to meet the demands of modern workplaces.
- › Work benches are an indispensable element in a professional or home workshop. Unior's modular benches are durable, stable and convenient due to their durable work surface, perforated walls, excellent lighting options, convenient drawers. Module A12 also features plastic containers for storing small inventory.

#### Dimensions and Specifications:

- › basic dimensions of work bench L 2000 x W 750 x H 2025mm
- › Weight Capacity: 1000kg
- › The work surface made of beech plywood, 40mm thick, ensures that your work surface remains durable, reliable, and undamaged during everyday use.
- › Two drawer cabinet, one wide and one narrow, together offer 8 storage drawers and additionally, there is an enclosed storage space with doors. The drawer width is aligned with the Unior SOS tool trays system.
- › Perforated Back Panel, spanning the entire width of the workbench, it can be used with accessories such as hooks and tool holders (not included) to extend storage space. Includes LED lighting for sufficient workspace illumination and a handy parapet channel for charging accessories, bike components, electric tools, or personal electronics.

#### Unior 990TW Wooden Bench Top Features:

- › The work surface made of beech plywood, 40mm thick, ensures that your work surface remains durable, reliable, and undamaged during everyday use.
- › The wooden work surface can be protected with an additional stainless steel cover, which is available as an option.
- › Worktop dimensions: Length 2m, Depth 75cm

#### Unior 990WD6 Tool Chest Features:

- › Heavy-duty Construction: Made from high-quality Premium PLUS steel, the tool cabinet offers exceptional durability and stability.
- › Six Wide Drawers: Each cabinet provides ample storage (total volume 214L) space for tools of various sizes, ensuring that everything you need is within easy reach.
- › Smooth Operation: Equipped with ball-bearing slides, the drawers open and close smoothly, even when fully loaded.
- › Drawer dimensions; 4 x L 564 x W 570 x H 70mm, 1x L 564 x W 605 x H 150mm, 1x L 564 x W 605 x H 230mm
- › Drawer Capacity: Each drawer can hold up to 50kg.
- › Secure Storage: Central locking system ensures that your tools are safe and secure when not in use.
- › Elegant Design: Finished in a stylish blue-grey color combination, the tool cabinet adds a professional and modern look to your workshop.

#### Unior 990WDD2 Tool Chest Features:

- › Heavy-duty Construction: Made from high-quality Premium PLUS steel, the tool cabinet offers exceptional durability and stability.
- › Two wide drawers with a total capacity of 45L, along with a lower storage area featuring a shelf and doors, provide ample space for storing tools of various sizes, ensuring that everything you need is always within reach.
- › Smooth Operation: Equipped with ball-bearing slides, the drawers open and close smoothly, even when fully loaded.
- › Drawer dimensions; 2 x L 564 x W 570 x H 70mm
- › Drawer Capacity: Each drawer can hold up to 50kg.
- › Secure Storage: Central locking system ensures that your tools are safe and secure when not in use.
- › Elegant Design: Finished in a stylish blue-grey color combination, the tool cabinet adds a professional and modern look to your workshop.

#### Unior Perforated Back panel with light and parapet channel

- › Perforated Back Panel is made from premium PLUS sheet metal and coated with the eco color of Qualicoat quality standard, ensuring both durability and a sleek appearance. Spanning the entire width of the 2m workbench, this versatile back panel can be used with accessories such as hooks, tool holders and overhead cabinet to get the most out of additional storage space. This back panel includes integrated LED lighting for optimal workspace illumination and a convenient parapet channel for charging accessories, bike components, electric tools, or personal electronics.
- › material: premium PLUS sheet metal
- › Eco color of Qualicoat quality standard
- › Dimensions: L 2000 x H 1155mm
- › The shelf with holders extends over half of the workbench and is securely mounted to the columns. It can be adjusted to various heights and positioned at two angles: perpendicular to the perforated back or at a 12-degree incline. The shelf has a load capacity of 50 kg.
- › The bin holder, 1 meter wide, provides storage space for storage bins with rear mounting, covering half the width of the workbench.
- › LED lighting with a lifetime of 25000 hours and color temperature of 4000K
- › Parapet channel compatible with OBO STD-D0 Modul 45 plugs

#### SKU

626730



20

990WD6 (663x650x870), 990WDD2 (663x650x870), 990TW (2000x750x40), 990SL (32x45x1155), 990SM (32x45x1155), 990SR (32x45x1155), 2x 990HPC (983x53x131), 2x 990B (952x1018), 2x 990HL (983), 2x 990LIGHT (900), 990HPB (1000), 990SHELF (1000), 997.1 (50), PB.990HPB (235x155x125)

## 990MA13

## Modular work bench - module A13



- › Workbenches are an essential element in both professional and home workshops. Unior's modular workbenches are durable, stable, and convenient, featuring a robust work surface and perforated walls. The A13 module is a model with two wide drawers cabinet offering ample storage space for tools. Above the work surface, there is an option to upgrade with a perforated back panel.

**Dimensions and Specifications:**

- › basic dimensions of work bench L 2000 x W 750 x H 910mm
- › Weight Capacity: 1000kg
- › The work surface made of beech plywood, 40mm thick, ensures that your work surface remains durable, reliable, and undamaged during everyday use.
- › Wide drawer cabinet offer 6 storage drawers. The drawer width is aligned with the Unior SOS tool trays system.
- › Perforated Back Panel, spanning the entire width of the workbench, it can be used with accessories such as hooks and tool holders (not included) to extend storage space. Includes LED lighting for sufficient workspace illumination and a handy parapet channel for charging accessories, bike components, electric tools, or personal electronics.

**Unior 990TW Wooden Bench Top Features:**

- › The work surface made of beech plywood, 40mm thick, ensures that your work surface remains durable, reliable, and undamaged during everyday use.
- › The wooden work surface can be protected with an additional stainless steel cover, which is available as an option.
- › Worktop dimensions: Length 2m, Depth 75cm

**Unior 990WD6 Tool Chest Features:**

- › Heavy-duty Construction: Made from high-quality Premium PLUS steel, the tool cabinet offers exceptional durability and stability.
- › Six Wide Drawers: Each cabinet provides ample storage (total volume 214L) space for tools of various sizes, ensuring that everything you need is within easy reach.
- › Smooth Operation: Equipped with ball-bearing slides, the drawers open and close smoothly, even when fully loaded.
- › Drawer dimensions; 4 x L 564 x W 570 x H 70mm, 1x L 564 x W 605 x H 150mm, 1x L 564 x W 605 x H 230mm
- › Drawer Capacity: Each drawer can hold up to 50kg.
- › Secure Storage: Central locking system ensures that your tools are safe and secure when not in use.
- › Elegant Design: Finished in a stylish blue-grey color combination, the tool cabinet adds a professional and modern look to your workshop.

**Unior 990WDD2 Tool Chest Features:**

- › Heavy-duty Construction: Made from high-quality Premium PLUS steel, the tool cabinet offers exceptional durability and stability.
- › Two wide drawers with a total capacity of 45L, along with a lower storage area featuring a shelf and doors, provide ample space for storing tools of various sizes, ensuring that everything you need is always within reach.
- › Smooth Operation: Equipped with ball-bearing slides, the drawers open and close smoothly, even when fully loaded.
- › Drawer dimensions; 2 x L 564 x W 570 x H 70mm
- › Drawer Capacity: Each drawer can hold up to 50kg.
- › Secure Storage: Central locking system ensures that your tools are safe and secure when not in use.
- › Elegant Design: Finished in a stylish blue-grey color combination, the tool cabinet adds a professional and modern look to your workshop.

## SKU

626731



3

990WD6 (663x650x870), 990WDD2 (663x650x870), 990TW (2000x750x40)

## Unior 3D configurator

Unior 3D configurator is a perfect tool for setting up your workshop in 3D. It provides our partners and customers with easier and more transparent shopping experience. It is simple to use while providing you with all necessary designing tools.



## 990MA14

## Modular work bench - module A14



- › Workbenches are an essential element in both professional and home workshops. Unior's modular workbenches are durable, stable, and practical, featuring a robust work surface, perforated backs, convenient drawers, and a wide range of additional elements that allow for customization to suit individual needs.

**Dimensions and Specifications:**

- › basic dimensions of work bench L 2000 x W 750 x H 910mm
- › Weight Capacity: 1000kg
- › The work surface made of beech plywood, 40mm thick, ensures that your work surface remains durable, reliable, and undamaged during everyday use.
- › Wide drawer cabinet offer 6 storage drawers. The drawer width is aligned with the Unior SOS tool trays system.

**Unior 990TW Wooden Bench Top Features:**

- › The work surface made of beech plywood, 40mm thick, ensures that your work surface remains durable, reliable, and undamaged during everyday use.
- › The wooden work surface can be protected with an additional stainless steel cover, which is available as an option.
- › Worktop dimensions: Length 2m, Depth 75cm

**Unior 990WD6 Tool Chest Features:**

- › Heavy-duty Construction: Made from high-quality Premium PLUS steel, the tool cabinet offers exceptional durability and stability.
- › Six Wide Drawers: Each cabinet provides ample storage (total volume 214L) space for tools of various sizes, ensuring that everything you need is within easy reach.
- › Smooth Operation: Equipped with ball-bearing slides, the drawers open and close smoothly, even when fully loaded.
- › Drawer dimensions; 4 x L 564 x W 570 x H 70mm, 1x L 564 x W 605 x H 150mm, 1x L 564 x W 605 x H 230mm
- › Drawer Capacity: Each drawer can hold up to 50kg.
- › Secure Storage: Central locking system ensures that your tools are safe and secure when not in use.
- › Elegant Design: Finished in a stylish blue-grey color combination, the tool cabinet adds a professional and modern look to your workshop.

**Unior 990LA Adjustable leg Features:**

- › Heavy-duty Construction: Made from high-quality Premium PLUS steel, the tool cabinet offers exceptional durability and stability.
- › Height adjustable from 690 mm to 1110 mm, with a minimum increment of 30 mm.

SKU	
627544	3
<b>990LA</b> (100x650x690x1110), <b>990WD6</b> (663x650x870), <b>990TW</b> (2000x750x40)	

## 990MA15

## Modular work bench - module A15



- › Workbenches are an essential element in both professional and home workshops. Unior's modular workbenches are durable, stable, and practical, featuring a robust work surface and perforated backs. Module A15 is a basic 2-meter workbench model with the option to upgrade by adding a perforated back panel or mounting elements under the worktop. Two adjustable legs allow the workbench height to be set between 730 mm and 1150 mm, ensuring perfect adaptability to the user.

**Dimensions and Specifications:**

- › basic dimensions of work bench L 2000 x W 750 x H (730 - 1150)mm
- › Weight Capacity: 1000kg
- › The work surface made of beech plywood, 40mm thick, ensures that your work surface remains durable, reliable, and undamaged during everyday use.

**Unior 990TW Wooden Bench Top Features:**

- › The work surface made of beech plywood, 40mm thick, ensures that your work surface remains durable, reliable, and undamaged during everyday use.
- › The wooden work surface can be protected with an additional stainless steel cover, which is available as an option.
- › Worktop dimensions: Length 2m, Depth 75cm

**Unior 990LA Adjustable leg Features:**

- › Heavy-duty Construction: Made from high-quality Premium PLUS steel, the tool cabinet offers exceptional durability and stability.
- › Height adjustable from 690 mm to 1110 mm, with a minimum increment of 30 mm.
- › The legs are connected with a connector for increased load capacity and stability of the workbench.

SKU	
627545	4
<b>2x 990LA</b> (100x650x690x1110), <b>990C</b> (2000), <b>990TW</b> (2000x750x40)	

## 990MA16

## Modular work bench - module A16



- › Work benches are an indispensable element in a professional or home workshop. Unior's modular benches are durable, stable and convenient due to their durable work surface, perforated walls, excellent lighting options, convenient drawers. Module A16 also features plastic containers for storing small inventory.

**Dimensions and Specifications:**

- › basic dimensions of work bench L 1500 x W 750 x H 2025mm
- › Weight Capacity: 1000kg
- › The work surface made of beech plywood, 40mm thick, ensures that your work surface remains durable, reliable, and undamaged during everyday use.
- › Two drawer cabinet, one wide and one narrow, together offer 12 storage drawers. The drawer width is aligned with the Unior SOS tool trays system.
- › Perforated Back Panel, spanning the entire width of the workbench, it can be used with accessories such as hooks and tool holders (not included) to extend storage space. Includes LED lighting for sufficient workspace illumination and a handy parapet channel for charging accessories, bike components, electric tools, or personal electronics.

**Unior 990TW Wooden Bench Top Features:**

- › The work surface made of beech plywood, 40mm thick, ensures that your work surface remains durable, reliable, and undamaged during everyday use.
- › The wooden work surface can be protected with an additional stainless steel cover, which is available as an option.
- › Worktop dimensions: Length 1.5m, Depth 75cm

**Unior 990ND6 Tool Chest Features:**

- › Heavy-duty Construction: Made from high-quality Premium PLUS steel, the tool cabinet offers exceptional durability and stability.
- › Six narrow Drawers: Each cabinet provides ample storage (total volume 145L) space for tools of various sizes, ensuring that everything you need is within easy reach.
- › Smooth Operation: Equipped with ball-bearing slides, the drawers open and close smoothly, even when fully loaded.
- › Drawer dimensions; 4 x L 374 x W 570 x H 70mm, 1x L 564 x W 605 x H 150mm, 1x L 564 x W 605 x H 230mm
- › Drawer Capacity: Each drawer can hold up to 50kg.
- › Secure Storage: Central locking system ensures that your tools are safe and secure when not in use.
- › Elegant Design: Finished in a stylish blue-grey color combination, the tool cabinet adds a professional and modern look to your workshop.

**Unior Perforated Back panel with light and parapet channel**

- › Perforated Back Panel is made from premium PLUS sheet metal and coated with the eco color of Qualicoat quality standard, ensuring both durability and a sleek appearance. Spanning the entire width of the 2m workbench, this versatile back panel can be used with accessories such as hooks, tool holders and overhead cabinet to get the most out of additional storage space. This back panel includes integrated LED lighting for optimal workspace illumination and a convenient parapet channel for charging accessories, bike components, electric tools, or personal electronics.
- › material: premium PLUS sheet metal
- › Eco color of Qualicoat quality standard
- › Dimensions: L 1500 x H 1155mm
- › The shelf with holders extends across the entire width of the workbench and is securely mounted to the columns. It can be adjusted to various heights and positioned at two angles: perpendicular to the perforated back or at a 12-degree incline. The shelf has a load capacity of 50 kg.
- › The 1.5m wide holder for storage bins provides storage space across the entire width of the workbench, featuring rear mounting for the bins.
- › LED lighting with a lifetime of 25000 hours and color temperature of 4000K
- › Parapet channel compatible with OBO STD-D0 Modul 45 plugs

SKU



627607

17

990LA (100x650x690x1110), 990ND6 (475x650x870), 990NDU (60), 990TW (1500x750x40), 990MC9 ( )

## Unior 3D configurator

Unior 3D configurator is a perfect tool for setting up your workshop in 3D. It provides our partners and customers with easier and more transparent shopping experience. It is simple to use while providing you with all necessary designing tools.





- › Work benches are an indispensable element in a professional or home workshop. Unior's modular benches are durable, stable and convenient due to their durable work surface, perforated walls, excellent lighting options, convenient drawers. Module A1 also features plastic containers for storing small inventory.

#### Dimensions and Specifications:

- › basic dimensions of work bench L 2000 x W 750 x H 2025mm
- › Weight Capacity: 1000kg
- › The work surface made of beech plywood, 40mm thick, ensures that your work surface remains durable, reliable, and undamaged during everyday use.
- › Wide drawer cabinet offer 6 storage drawers. The drawer width is aligned with the Unior SOS tool trays system.
- › Perforated Back Panel, spanning the entire width of the workbench, it can be used with accessories such as hooks and tool holders (not included) to extend storage space. Includes LED lighting for sufficient workspace illumination and a handy parapet channel for charging accessories, bike components, electric tools, or personal electronics.
- › Two hanging cabinets with a total width of 2 meters are mounted on the supports, providing additional enclosed storage space.

#### Unior 990TW Wooden Bench Top Features:

- › The work surface made of beech plywood, 40mm thick, ensures that your work surface remains durable, reliable, and undamaged during everyday use.
- › The wooden work surface can be protected with an additional stainless steel cover, which is available as an option.
- › Worktop dimensions: Length 2m, Depth 75cm

#### Unior 990WD6LC100 Tool Chest Features:

- › Heavy-duty Construction: Made from high-quality Premium PLUS steel, the tool cabinet offers exceptional durability and stability.
- › Six Wide Drawers: Each cabinet provides ample storage (total volume 214L) space for tools of various sizes, ensuring that everything you need is within easy reach.
- › Smooth Operation: Equipped with ball-bearing slides, the drawers open and close smoothly, even when fully loaded.
- › Drawer dimensions; 4 x L 564 x W 570 x H 70mm, 1x L 564 x W 605 x H 150mm, 1x L 564 x W 605 x H 230mm
- › Drawer Capacity: Each drawer can hold up to 100kg.
- › Secure Storage: Central locking system ensures that your tools are safe and secure when not in use.
- › Elegant Design: Finished in a stylish blue-grey color combination, the tool cabinet adds a professional and modern look to your workshop.

#### Unior 990LA Adjustable leg Features:

- › Heavy-duty Construction: Made from high-quality Premium PLUS steel, the tool cabinet offers exceptional durability and stability.
- › Height adjustable from 690 mm to 1110 mm, with a minimum increment of 30 mm.

#### Unior Perforated Back panel with light and parapet channel

- › Perforated Back Panel is made from premium PLUS sheet metal and coated with the eco color of Qualicoat quality standard, ensuring both durability and a sleek appearance. Spanning the entire width of the 2m workbench, this versatile back panel can be used with accessories such as hooks, tool holders and overhead cabinet to get the most out of additional storage space. This back panel includes integrated LED lighting for optimal workspace illumination and a convenient parapet channel for charging accessories, bike components, electric tools, or personal electronics.
- › material: premium PLUS sheet metal
- › Eco color of Qualicoat quality standard
- › Dimensions: L 2000 x H 1155mm
- › module included plastic boxes: 60x60x50mm 2 pcs, 90x60x50mm 5 pcs, 120x60x50mm 3 pcs, 90x90x50mm 1 pc, 120x120x50mm 1 pc, 180x90x50mm 1 pc
- › The perforated back panel includes 10 plier holders, holders for hammers, screwdrivers, wrenches, a tablet holder, and a holder for plastic boxes.
- › LED lighting with a lifetime of 25000 hours and color temperature of 4000K
- › Parapet channel compatible with OBO STD-D0 Modul 45 plugs

#### SKU

627655



28

**990WD6LC100** (663x650x870), **990LA** (100x650x690x1110), **990TW** (2000x750x40), **990SL** (32x45x1155), **990SM** (32x45x1155), **990SR** (32x45x1155), **2x 990HPC** (983x53x131), **990B** (952x1018), **2x 990CAU** (1000x350x510), **2x 990LIGHT** (900), **990.MD** (460x226), **BASE.990MOD** (450x210), **h.990.BAT** (35x84x22), **2x h.990.HAM**, **h.990.PAP**, **10x h.990.PLI** (50x22), **2x h.990.SCR**, **h.990.TAB**, **h.990.WRE**

**Dimensions and Specifications:**

- › basic dimensions of work bench L 1500 x W 750 x H 2025mm
- › Weight Capacity: 1000kg
- › The work surface made of beech plywood, 40mm thick, ensures that your work surface remains durable, reliable, and undamaged during everyday use.
- › Two drawer cabinet, one wide and one narrow, together offer 12 storage drawers. The drawer width is aligned with the Unior SOS tool trays system.
- › Perforated Back Panel, spanning the entire width of the workbench, it can be used with accessories such as hooks and tool holders (not included) to extend storage space. Includes LED lighting for sufficient workspace illumination and a handy parapet channel for charging accessories, bike components, electric tools, or personal electronics.

**Unior 990TW Wooden Bench Top Features:**

- › The work surface made of beech plywood, 40mm thick, ensures that your work surface remains durable, reliable, and undamaged during everyday use.
- › The wooden work surface can be protected with an additional stainless steel cover, which is available as an option.
- › Worktop dimensions: Length 1.5m, Depth 75cm

**Unior 990ND6LC100 Tool Chest Features:**

- › Heavy-duty Construction: Made from high-quality Premium PLUS steel, the tool cabinet offers exceptional durability and stability.
- › Six narrow Drawers: Each cabinet provides ample storage (total volume 145L) space for tools of various sizes, ensuring that everything you need is within easy reach.
- › Smooth Operation: Equipped with ball-bearing slides, the drawers open and close smoothly, even when fully loaded.
- › Drawer dimensions; 4 x L 374 x W 570 x H 70mm, 1x L 564 x W 605 x H 150mm, 1x L 564 x W 605 x H 230mm
- › Drawer Capacity: Each drawer can hold up to 100kg.
- › Secure Storage: Central locking system ensures that your tools are safe and secure when not in use.
- › Elegant Design: Finished in a stylish blue-grey color combination, the tool cabinet adds a professional and modern look to your workshop.

**Unior 990PNE Power support for modular work bench**

- › Elevate your workshop experience with the 990PNE Power Support Cabinet, where functionality meets reliability. Power Support Cabinet is designed to enhance the functionality of your workshop with unparalleled convenience and efficiency.
- › Crafted from premium PLUS sheet metal for durability and longevity
- › Includes two reels, electric cable and hose for compressed air with stop and spring return function for hassle-free operation.
- › The electric cable reel features a 13m cable suitable for 220V, ensuring ample reach and power supply.
- › Compressed air hose reel includes a 10m hose on the reel, and an additional 3m hose to connect to the air compressor or system. The hose's outer diameter is 12mm and it uses 1/4" connector, providing optimal airflow with a max. working pressure of 7 bars.
- › The bottom part of the cabinet is dedicated to storage and closed with lockable metal door.

**Unior 990BIN Cleaning Support**

- › This cleaning element is designed to optimize waste organization and the efficient use of paper, significantly contributing to a neat and productive workspace.
- › Crafted from premium PLUS sheet metal for durability and longevity
- › Includes two drawers:
  - › The upper drawer is designed for storing a paper roll with a maximum diameter of 270 mm and a length of 380 mm. There is a space at the back of the drawer for an additional paper roll.
  - › The lower drawer contains two divided containers for waste with a total volume of 50 liters. The first container allows waste to be disposed of through the flap door at the front of the drawer.

**Unior Perforated Back panel with light and parapet channel**

- › Perforated Back Panel is made from premium PLUS sheet metal and coated with the eco color of Qualicoat quality standard, ensuring both durability and a sleek appearance. Spanning the entire width of the 2m workbench, this versatile back panel can be used with accessories such as hooks, tool holders and overhead cabinet to get the most out of additional storage space. This back panel includes integrated LED lighting for optimal workspace illumination and a convenient parapet channel for charging accessories, bike components, electric tools, or personal electronics.
- › material: premium PLUS sheet metal
- › Eco color of Qualicoat quality standard
- › Dimensions: L 1500 x H 1155mm
- › The shelf with holders extends across the entire width of the workbench and is securely mounted to the columns. It can be adjusted to various heights and positioned at two angles: perpendicular to the perforated back or at a 12-degree incline. The shelf has a load capacity of 50 kg.
- › The 1.5m wide holder for storage bins provides storage space across the entire width of the workbench, featuring rear mounting for the bins.
- › LED lighting with a lifetime of 25000 hours and color temperature of 4000K
- › Parapet channel compatible with OBO STD-D0 Modul 45 plugs

**SKU**

627656




15

**990ND6LC100** (475x650x870), **990PNE** (475x650x870), **990TW** (1500x750x40), **990B** (1436x1018), **990BIN** (475x650x870), **990HL** (1467), **990HPB** (1500), **990HPC** (1467x53x131), **990LIGHT** (1200), **990SHELF** (1500), **990SL** (32x45x1155), **990SR** (32x45x1155), **PB.990HPB** (235x155x125)

## 990MC4

### Perforated back - module C4



#### Unior Perforated Back panel with light and parapet channel

- > Perforated Back Panel is made from premium PLUS sheet metal and coated with the eco color of Qualicoat quality standard, ensuring both durability and a sleek appearance. Spanning the entire width of the 2m workbench, this versatile back panel can be used with accessories such as hooks, tool holders and overhead cabinet to get the most out of additional storage space. This back panel includes integrated LED lighting for optimal workspace illumination and a convenient parapet channel for charging accessories, bike components, electric tools, or personal electronics.
- > material: premium PLUS sheet metal
- > Eco color of Qualicoat quality standard
- > basic dimensions of perforated back L 2000 x H 1155mm
- > The shelf with holders extends over half of the workbench and is securely mounted to the columns. It can be adjusted to various heights and positioned at two angles: perpendicular to the perforated back or at a 12-degree incline. The shelf has a load capacity of 50 kg.
- > The bin holder, 1 meter wide, provides storage space for storage bins with rear mounting, covering half the width of the workbench.
- > LED lighting with a lifetime of 25000 hours and color temperature of 4000K
- > Parapet channel compatible with OBO STD-D0 Modul 45 plugs

SKU	
625754	17
<b>990SL</b> (32x45x1155), <b>990SR</b> (32x45x1155), <b>990SM</b> (32x45x1155), <b>2x 990HPC</b> (983x53x131), <b>2x 990B</b> (952x1018), <b>2x 990HL</b> (983), <b>2x 990LIGHT</b> (900), <b>990HPB</b> (1000), <b>2x PB.990HPB</b> (235x155x125), <b>990SHELF</b> (1000), <b>2x 997.1</b> (50)	

## 990AD1

### Angle modular work bench




- > basic dimensions of angle work bench L 1000 x W 1000 x H 2025mm

SKU	
627057	11
<b>990B</b> (952x1018), <b>990BA</b> (228x28,5x509), <b>990BA1</b> (), <b>990HPC</b> (983x53x131), <b>990LB</b> (), <b>990SL</b> (32x45x1155), <b>990SM</b> (32x45x1155), <b>990SR</b> (32x45x1155), <b>990TW1</b> (1000x1000x40)	

## 990WD6

### Wide drawer cabinet - 6 drawers




- > material: premium PLUS sheet metal
- > central locking system with a lock and folding key
- > lock with key included also foam keyring
- > full extension drawers with top quality ball-bearing slides
- > the synthetic covering protects drawers and tools from damage
- > coated with eco colour of Qualicoat quality standard
- > 6 drawers (4 x L 564 x W 570 x H 70mm, 1 x L 564 x W 605 x H 150 mm and 1 x L 564 x W 605 x H 230 mm)
- > basic dimensions L 663 x W 650 x H 870 mm
- > total volume of drawers: 220 litres
- > possible use of SOS tool tray system in drawers
- > maximum capacity of each drawer: 50kg

SKU	L	B	H	
625620	663	650	870	65500



**990WD6LC100****Wide drawer cabinet - 6 drawers with load capacity 100kg**


- > material: premium PLUS sheet metal
- > central locking system with a lock and folding key
- > lock with key included also foam keyring
- > full extension drawers with top quality ball-bearing slides
- > the synthetic covering protects drawers and tools from damage
- > coated with eco colour of Qualicoat quality standard
- > 6 drawers (4 x L 564 x W 570 x H 70mm, 1 x L 564 x W 605 x H 150 mm and 1 x L 564 x W 605 x H 230 mm)
- > basic dimensions L 663 x W 650 x H 870 mm
- > total volume of drawers: 220 litres
- > possible use of SOS tool tray system in drawers
- > maximum capacity of each drawer: 100kg



SKU	L	B	H	
627059	663	650	870	72800

**990WD7-BLACK****Tool chest wide - 7 drawers**


- > material: premium PLUS sheet metal
- > central locking system with a lock and folding key
- > lock with key included also foam keyring
- > full extension drawers with top quality ball-bearing slides
- > the synthetic covering protects drawers and tools from damage
- > coated with eco colour of Qualicoat quality standard
- > 7 drawers (5 x L 564 x W 570 x H 70mm, 2x L 564 x W 605 x H 150mm)
- > basic dimensions L 663 x W 650 x H 870 mm
- > total volume of drawers: 214 litres
- > possible use of SOS tool tray system in drawers
- > maximum capacity of each drawer: 50kg



SKU	L	B	H	
628585	663	650	870	71500

**990WD8****Wide drawer cabinet - 8 drawers**

- > material: premium PLUS sheet metal
- > central locking system with a lock and folding key
- > lock with key included also foam keyring
- > full extension drawers with top quality ball-bearing slides
- > the synthetic covering protects drawers and tools from damage
- > coated with eco colour of Qualicoat quality standard
- > 8 drawers (7 x L 564 x W 570 x H 70mm, 1x L 564 x W 605 x H 150mm)
- > basic dimensions L 663 x W 650 x H 870 mm
- > total volume of drawers: 208 litres
- > possible use of SOS tool tray system in drawers
- > maximum capacity of each drawer: 50kg




SKU	L	B	H	
625621	663	650	870	76500

**990WDD2**

**Wide drawer cabinet - 2 drawers and door**



- > material: premium PLUS sheet metal
- > central locking system with a lock and folding key
- > lock with key included also foam keyring
- > full extension drawers with top quality ball-bearing slides
- > the synthetic covering protects drawers and tools from damage
- > coated with eco colour of Qualicoat quality standard
- > 2 drawers (2 x L 564 x W 570 x H 70 mm)
- > with door
- > basic dimensions L 663 x W 650 x H 870 mm
- > total volume of drawers: 45 litres
- > possible use of SOS tool tray system in drawers
- > maximum capacity of each drawer: 50kg



SKU	L	B	H	
625625	663	650	870	44000




**990WDD2-BLACK**

**Wide drawer cabinet - 2 drawers and door**



- > material: premium PLUS sheet metal
- > central locking system with a lock and folding key
- > lock with key included also foam keyring
- > full extension drawers with top quality ball-bearing slides
- > the synthetic covering protects drawers and tools from damage
- > coated with eco colour of Qualicoat quality standard
- > 2 drawers (2 x L 564 x W 570 x H 70 mm)
- > with door
- > basic dimensions L 663 x W 650 x H 870 mm
- > total volume of drawers: 45 litres
- > possible use of SOS tool tray system in drawers
- > maximum capacity of each drawer: 50kg



SKU	L	B	H	
629433	663	650	870	44000




**990WDP**

**Partitions for wide drawer cabinet**



- > material: premium sheet metal




SKU	L	B	H	
625639	558	583	60	1362



## 990WDU

## Wide drawer cabinet underbase



› material: premium sheet metal


**Features:**

- › Height Elevation: Raises workbench height by 60mm (total base height 78mm) for improved ergonomics.
- › Efficient Storage: Allows for easy storage of tool carriages beneath your workbench.
- › Durable Construction: High-quality steel build ensures long-lasting durability.
- › Upgrade your workshop with the Unior 990WDU Underbase.

SKU	L	B	H	
627052	630	640	48	7200
625641	630	640	78	8200
625742	630	640	108	9200
625642	630	640	138	10000

## 990WDU-BLACK

## Wide tool chest underbase



› material: premium sheet metal


**Features:**

- › Height Elevation: Raises workbench height by 60mm (total base height 78mm) for improved ergonomics.
- › Efficient Storage: Allows for easy storage of tool carriages beneath your workbench.
- › Durable Construction: High-quality steel build ensures long-lasting durability.
- › Upgrade your workshop with the Unior 990WDU BLACK Underbase.

SKU	L	B	H	
627688	630	640	78	7200

## 990PNE

## Power support for modular work bench



› material: premium PLUS sheet metal

- › Power support for modular work bench includes 2 reels (electric and hose) with spring return.
- › Electric cable reel includes 13m cable 3x1,5mm<sup>2</sup> for 220V. Outlet Type F.
- › Hose reel includes hose in length of 10+3m, inner diameter 8mm, outer diameter 12mm, 1/4" connector. Max. working pressure 7 bars.
- › The bottom part with doors and a shelf in the interior.
- › The reels are available also as a individual article; the hose reel under the code 627388 and the electric cable reel under code 627387. Reels can be assembled on the support leg of the modular work bench with help of the pneumatic holder, code 627372.
- › lock with key included also foam keyring

SKU	L	B	H	
625646	475	650	870	33000




**990PNE-BLACK**

**Power support for modular work bench**



- > Crafted from premium PLUS sheet metal for durability and longevity
- > Includes two reels, electric cable and hose for compressed air with stop and spring return function for hassle-free operation.
- > The electric cable reel features a 13m cable suitable for 220V, ensuring ample reach and power supply.
- > Compressed air hose reel includes a 10m hose on the reel, and an additional 3m hose to connect to the air compressor or system. The hose's outer diameter is 12mm and it uses 1/4" connector, providing optimal airflow with a max. working pressure of 7 bars.
- > The bottom part of the cabinet is dedicated to storage and closed with lockable metal door.




SKU	L	B	H	
628809	475	650	870	33000

**990BIN**

**Cleaning support for modular work bench**



- > material: premium PLUS sheet metal
- > With 2 pull out drawers.
- > In the upper drawer can be placed a paper roll of max. dia. 270mm and max. length 380mm. There is also a place on the back side of the drawer for the spare paper roll. A paper roll comes with a cleaning support.
- > The lowest drawer has 2 divided containers for waste, total volume 50 litres; the first container has possibility to put the waste through the flap door on the front side of the drawer.
- > coated with eco colour of Qualicoat quality standard




SKU	L	B	H	
625655	475	650	870	50000

**990BIN-BLACK**

**Cleaning support for modular work bench**



- > material: premium PLUS sheet metal
- > With 2 pull out drawers.
- > In the upper drawer can be placed a paper roll of max. dia. 270mm and max. length 380mm. There is also a place on the back side of the drawer for the spare paper roll. A paper roll comes with a cleaning support.
- > The lowest drawer has 2 divided containers for waste, total volume 50 litres; the first container has possibility to put the waste through the flap door on the front side of the drawer.
- > coated with eco colour of Qualicoat quality standard




SKU	L	B	H	
628810	475	650	870	41200

## 990ND6

## Narrow drawer cabinet - 6 drawers



- › material: premium PLUS sheet metal
- › central locking system with a lock and folding key
- › lock with key included also foam keyring
- › full extension drawers with top quality ball-bearing slides
- › the synthetic covering protects drawers and tools from damage
- › coated with eco colour of Qualicoat quality standard
- › 6 drawers (4 x L 374 x W 570 x H 70 mm, 1 x L 374 x W 605 x H 150 mm, 1 x L 374 x W 605 x H 230 mm)
- › basic dimensions L 475 x W 650 x H 870 mm
- › total volume of drawers: 145 litres
- › possible use of SOS tool tray system in drawers
- › maximum capacity of each drawer: 50kg




SKU	L	B	H	📦
625622	475	650	870	60200

## 990ND6-BLACK

## Narrow drawer cabinet - 6 drawers



- › material: premium PLUS sheet metal
- › central locking system with a lock and folding key
- › lock with key included also foam keyring
- › full extension drawers with top quality ball-bearing slides
- › the synthetic covering protects drawers and tools from damage
- › coated with eco colour of QualiCoat quality standard
- › 6 drawers (4 x L 374 x W 570 x H 70 mm, 1 x L 374 x W 605 x H 150 mm, 1 x L 374 x W 605 x H 230 mm)
- › basic dimensions L 475 x W 650 x H 870 mm
- › total volume of drawers: 145 litres
- › possible use of SOS tool tray system in drawers
- › maximum capacity of each drawer: 50kg




SKU	L	B	H	📦
626166	475	650	870	54000

## 990ND6LC100

## Narrow drawer cabinet - 6 drawers with load capacity 100kg



- › material: premium PLUS sheet metal
- › central locking system with a lock and folding key
- › lock with key included also foam keyring
- › full extension drawers with top quality ball-bearing slides
- › the synthetic covering protects drawers and tools from damage
- › coated with eco colour of QualiCoat quality standard
- › 6 drawers (4 x L 374 x W 570 x H 70 mm, 1 x L 374 x W 605 x H 150 mm, 1 x L 374 x W 605 x H 230 mm)
- › basic dimensions L 475 x W 650 x H 870 mm
- › total volume of drawers: 145 litres
- › possible use of SOS tool tray system in drawers
- › maximum capacity of each drawer: 100kg




SKU	L	B	H	📦
627061	475	650	870	69000

## 990ND8

### Narrow drawer cabinet - 8 drawers



- > material: premium PLUS sheet metal
- > central locking system with a lock and folding key
- > lock with key included also foam keyring
- > full extension drawers with top quality ball-bearing slides
- > the synthetic covering protects drawers and tools from damage
- > coated with eco colour of Qualicoat quality standard
- > 8 drawers (7 x L 374 x W 570 x H 70 mm, 1 x L 374 x W 605 x H 150 mm)
- > basic dimensions L 475 x W 650 x H 870 mm
- > total volume of drawers: 128 litres
- > possible use of SOS tool tray system in drawers
- > maximum capacity of each drawer: 50kg



SKU	L	B	H	Weight
625623	475	650	870	60500




## 990NDD2

### Narrow drawer cabinet - 2 drawers and door



- > material: premium PLUS sheet metal
- > central locking system with a lock and folding key
- > lock with key included also foam keyring
- > full extension drawers with top quality ball-bearing slides
- > the synthetic covering protects drawers and tools from damage
- > coated with eco colour of QualiCoat quality standard
- > 2 drawers (2 x L 374 x W 570 x H 70 mm)
- > with door
- > basic dimensions L 475 x W 650 x H 870 mm
- > total volume of drawers: 30 litres
- > possible use of SOS tool tray system in drawers
- > maximum capacity of each drawer: 50kg



SKU	L	B	H	Weight
625624	475	650	870	40000




## 990NDD2-BLACK

### Narrow drawer cabinet - 2 drawers and door



- > material: premium PLUS sheet metal
- > central locking system with a lock and folding key
- > lock with key included also foam keyring
- > full extension drawers with top quality ball-bearing slides
- > the synthetic covering protects drawers and tools from damage
- > coated with eco colour of QualiCoat quality standard
- > 2 drawers (2 x L 374 x W 570 x H 70 mm)
- > with door
- > basic dimensions L 475 x W 650 x H 870 mm
- > total volume of drawers: 30 litres
- > possible use of SOS tool tray system in drawers
- > maximum capacity of each drawer: 50kg



SKU	L	B	H	Weight
626167	475	650	870	40000




## 990NDH

## Tool cabinet mounted under bench top



- > material: premium PLUS sheet metal
- > door locked with lock and folding key
- > lock with key included also foam keyring
- > coated with eco colour of Qualicoat quality standard
- > with door




SKU	L	B	H	
625627	475	650	430	18600

## 990NDH4

## Narrow drawer cabinet mounted under bench top - 4 drawers



- > material: premium PLUS sheet metal
- > central locking system with a lock and folding key
- > lock with key included also foam keyring
- > full extension drawers with top quality ball-bearing slides
- > the synthetic covering protects drawers and tools from damage
- > coated with eco colour of QualiCoat quality standard
- > possible use of SOS tool tray system in drawers
- > maximum capacity of each drawer: 50kg
- > 4 drawers (4 x L 374 x W 570 x H 70 mm)




SKU	L	B	H	
625626	475	650	430	36200

## 990NDP

## Partitions for narrow drawers cabinet



- > material: premium sheet metal




SKU	L	B	H	
625640	370	583	60	1208

# MADE FOR WORK.

## 990NDU

### Narrow drawer cabinet underbase



> material: premium sheet metal


**Features:**

- > Height Elevation: Raises workbench height by 60mm (total base height 78mm) for improved ergonomics.
- > Efficient Storage: Allows for easy storage of tool carriages beneath your workbench.
- > Durable Construction: High-quality steel build ensures long-lasting durability.
- > Upgrade your workshop with the Unior 990NDU Underbase.

SKU	L	B	H	
627053	442	640	48	5407
625643	442	640	78	6400
625743	442	640	108	7200
625644	442	640	138	8000

## 990NDU-BLACK

### Narrow tool chest underbase



> material: premium sheet metal

**Features:**

- > Height Elevation: Raises workbench height by 60mm (total base height 78mm) for improved ergonomics.
- > Efficient Storage: Allows for easy storage of tool carriages beneath your workbench.
- > Durable Construction: High-quality steel build ensures long-lasting durability.
- > Upgrade your workshop with the Unior 990NDU BLACK Underbase.

SKU	L	B	H	
627689	442	640	78	6400

## 990L


### Leg for modular work bench



> material: premium sheet metal

> coated with eco colour of Qualicoat quality standard

SKU	L	B	H	
625628	105	650	870	10600



## 990LA


### Adjustable leg for modular work bench



> material: premium sheet metal

> coated with eco colour of Qualicoat quality standard

SKU	L	B	B1	
625629	100	650	680	12000




## 990LA-BLACK

## Adjustable leg for modular work bench



- > material: premium sheet metal
- > coated with eco colour of Qualicoat quality standard

SKU	L	B	B1	
626630	100	650	680	11800




## 990LB

## Support for angle modular work bench, 2 pcs set



SKU	L	B	H	H1	
628202	100,5	65	858	868	2580




## 990LBH

## Set for high adjustment of support 990LB



SKU	H	H1	H2	H3	
626254	955	800	955	800	827




## 990TW

## Wooden bench top




- > beech plywood
- > protected with environmentally friendly coating



SKU	L	B	H	
625630	1500	750	40	36200
625631	2000	750	40	46200
625632	2500	750	40	61000

**990TWS**

**Stainless worktop**



- > Elevate Your Works pace with Unmatched Durability and Style
- > material: stainless steel
- > thickness of stainless worktop is 1 mm
- > Superior Strength and Durability: The inox stainless steel cover provides a robust shield against everyday wear and tear, ensuring that your bench top remains in top condition.
- > Corrosion and Rust Resistance: Specially engineered to withstand corrosive elements and rust, extending the life of your bench top and maintaining its pristine appearance.
- > Heat Resistance: Withstanding temperatures up to 100°C, this cover is perfect for handling high-temperature tasks without damage.
- > Non-Porous Surface: Prevents dirt and oil stains from penetrating the material, making it easy to clean and maintain, keeping your workspace hygienic and professional.
- > Long-term Reliability: Designed for durability, this bench top ensures you enjoy a consistently beautiful and functional work surface day after day.
- > stainless worktop is used only with wooden bench top article 990TW

SKU	L	B	H	
625633	1500	753	41	10800
625634	2000	753	41	13000

**990TW-SST**

**Wooden working plate with stainless steel cover**




- > Elevate Your Works pace with Unmatched Durability and Style
- > Protect your valuable investment with our chipboard bench top, now enhanced with a sleek inox stainless steel cover – an unbeatable combination of style and strength. Engineered to resist corrosion, rust, and temperatures up to 100°C, this bench top is designed for long-term use, ensuring that your workspace remains as beautiful and functional as the day you set it up.
- > Superior Strength and Durability: The inox stainless steel cover provides a robust shield against everyday wear and tear, ensuring that your bench top remains in top condition.
- > Corrosion and Rust Resistance: Specially engineered to withstand corrosive elements and rust, extending the life of your bench top and maintaining its pristine appearance.
- > Heat Resistance: Withstanding temperatures up to 100°C, this cover is perfect for handling high-temperature tasks without damage.
- > Non-Porous Surface: Prevents dirt and oil stains from penetrating the material, making it easy to clean and maintain, keeping your workspace hygienic and professional.
- > Long-term Reliability: Designed for durability, this bench top ensures you enjoy a consistently beautiful and functional work surface day after day.
- > Invest in the longevity and aesthetics of your workshop with the Unior Bench Top and Inox Stainless Steel Cover (Article 990TW-SST). Ensure your investment lasts and looks stunning for years to come. Get yours today!

SKU	L	B	H	
629423	1500	753	39	36600
629424	2000	753	39	46200
629425	2500	753	39	76800

**990TW1**

**Angle wooden bench top**



- > beech plywood
- > protected with environmentally friendly coating

SKU	L	L1	L3	B	B1	H	
628149	1000	750	350	1000	750	40	29400

## 990IN4

## Set 4 insert nuts



## SKU


626419



25

## 990C

## Connector



- > coated with eco colour of Qualicoat quality standard
- > material: premium PLUS sheet metal

## SKU

## L

## B

## H



625636

1425

80

40

3400

625637

1925

80

40

4800

625638

2302

80

40

6000

## 990C-BLACK

## Connector



## SKU

## L

## B

## H



629603

1425

80

40

3400

629602

1925


80

40

4800

## 990NCA

## Self standing narrow cabinet



- > material: premium PLUS sheet metal
- > door locked with lock and folding key
- > lock with key included also foam keyring
- > coated with eco colour of Qualicoat quality standard
- > 5 adjustable shelves in height
- > basic dimensions L 500 x W 450 x H 2065 mm

## SKU

## L

## B

## H

H<sup>MIN</sup>H<sup>MAX</sup>

625745

500

450

2065

120

1620

55200




**990CA**

**Cabinet with roller shutter**



- > material: premium PLUS sheet metal
- > coated with eco colour of Qualicoat quality standard
- > lenght 1000 mm with 20 hooks, lenght 1500 mm with 30 hooks
- > lock with key included also foam keyring

SKU	L	B	B1	H	
625668	1000	125	157	740	25000
612330	1500	125	157	740	30000




**990CAU**

**Hanging cabinet for work benches**



- > material: premium PLUS sheet metal
- > door locked with lock and folding key
- > lock with key included also foam keyring
- > coated with eco colour of Qualicoat quality standard
- > maximal load capacity of hanging cabinet length 1000mm is 40kg, for 1250mm and 1500mm is 50kg. Load capacity of the shelf is 15kg
- > hanging door with telescopic mechanism
- > on the bottom part of the cabinet is set a light holder
- > two possibilities of hanging - on the support leg of the modular work bench or on the wall. For hanging on the wall additional support is enclosed.




SKU	L	B	H	
627088	1000	350	510	22400

**990CAU-BLACK**

**Hanging cabinet for work benches**



- > material: premium PLUS sheet metal
- > door locked with lock and folding key
- > lock with key included also foam keyring
- > coated with eco colour of Qualicoat quality standard
- > maximal load capacity of hanging cabinet length 1000mm is 40kg, for 1250mm and 1500mm is 50kg. Load capacity of the shelf is 15kg
- > hanging door with telescopic mechanism
- > on the bottom part of the cabinet is set a light holder
- > two possibilities of hanging - on the support leg of the modular work bench or on the wall. For hanging on the wall additional support is enclosed.



SKU	L	B	H	
628808	1000	350	510	22400



## 990CWR

## Cabinet




- > material: premium PLUS sheet metal
- > coated with eco colour of Qualicoat quality standard
- > with 30 hooks

SKU	L	B	H	🔒
625669	1000	125	740	18600
612329	1500	125	740	26300



**990B**

**Perforated back, 2 pcs set**



- > **Robust Construction and Precision Craftsmanship:** Made from high-quality materials, proudly crafted in Slovenia, Europe. Expertly laser cut from steel sheet plates, ensuring long-lasting durability, clean edges, and a perfect fit.
- > **Enhanced Organization:** The perforated design allows for easy attachment of hooks, holders, and tool organizers, keeping your tools within reach and neatly arranged.
- > **Customizable Layout:** The two-piece set offers flexibility in arranging your workspace according to your specific needs. Combine or separate the pieces to fit your space perfectly.
- > **Easy Installation:** Designed for quick and straightforward installation, the 990B set can be mounted on various surfaces, making it versatile for different work environments.
- > **Sleek Design:** With a modern and professional look, this perforated back panel set not only enhances functionality but also adds a stylish touch to your workshop.

**Dimensions and Specifications:**


- > **Material:** High-strength steel with a durable powder-coated finish
- > **Weight:** 12,6kg (625652); 16,4kg (625653); 19,8kg (625654)

**Usage:**

- > Ideal for garages, workshops, and industrial settings, the Unior 990B Perforated Back 2 Pcs Set is perfect for organizing hand tools, power tools, and accessories. Enhance your productivity by keeping your workspace tidy and tools easily accessible.
- > **Code 625652:** Length 952mm, suitable for 2m benches (need 2 sets for 2m bench)
- > **Code 625653:** Length 1202mm, suitable for 2.5m benches. (need 2 sets for 2.5m bench)
- > **Code 625654:** Length 1436mm, suitable for 1.5m benches. (need 1 set for 1.5m bench)

**Compatibility:**

- > The back panels are fully compatible with Unior hooks, providing even more options for tool storage and organization.



SKU	L	B	H	H1	
625652	952	28	1018	509	12600
625653	1202	28	1018	509	16400
625654	1436	28	1018	509	19800


**990BA**

**Perforated back for angle modular work bench, 4 pcs set**



- > **material:** premium PLUS sheet metal
- > coated with eco colour of Qualicoat quality standard

SKU	L	B	H	
628201	228	28,5	509	6600




**990BA1**

**Cover set for angle modular work bench, 2 pcs set**




SKU	L	B	H	
628203	241,4	130	31,8	710




### 990SL

#### Left support




### 990SM

#### Middle support



### 990SR

#### Right support



- > coated with eco colour of Qualicoat quality standard
- > material: premium PLUS sheet metal

SKU	ID	L	B	B1	A	A1	📦
625648	990SL	1155	45	75	32	80	2604
625650	990SM	1155	45	70	32	80	2600
625649	990SR	1155	45	75	32	80	2610


### 990SL-BLACK

#### Left support




### 990SM-BLACK

#### Middle support



### 990SR-BLACK

#### Right support




- > material: premium PLUS sheet metal
- > coated with eco colour of Qualicoat quality standard

SKU	ID	L	B	B1	A	A1	📦
627694	990SL-BLACK	1155	45	75	32	80	2604
627691	990SM-BLACK	1155	45	70	32	80	2600
627690	990SR-BLACK	1155	45	75	32	80	2610

## 990S1


### Additional support for 990S



SKU	Weight
628210	1874

## 990HPB


### Holder for plastic box



SKU	L	B	H	Weight
625660	1000	40,5	98	2400
625661	1250	40,5	98	3000
625662	1500	40,5	98	3600

## PB.990HPB

### Stackable storage bin, 3 pcs set




SKU	B	H	A	Weight
625748	100	75	160	200
625749	155	125	235	580
625750	200	150	330	1180

## 990SHELF

### Shelf with holders



- > material: premium PLUS sheet metal
- > coated with eco colour of Qualicoat quality standard




SKU	L	B	H	Weight
625672	984	250	40	3200
625673	1234	250	40	5400
625674	1468	250	40	6400

**990HPC****Holder with parapet channel**

- › Compatible with OBO STD-D0 Modul 45 plugs
- › Plugs type F




SKU	L	B	H	
625656	983	53	131	4326
625657	1233	53	131	5465
625658	1467	53	131	6620

**990HL****Holder for light with console**

SKU	A	A1	B	B1	H	H1	
625663	983	450	97	147	64	17	2151
625664	1233	450	97	147	64	17	2469
625665	1467	450	97	147	64	17	2760

**990LIGHT****Light**

- › with power supply cable and two light connector
- › lifetime of leds is 25000 hours
- › Color temperature is 4000K
- › Hg free
- › UV free



SKU	L	B	H	
625667	860	23	37	297
625671	1150	23	37	315

IP20 25000h 4000K HgFREE UVFREE

**VL990ND1****SOS tool tray with compartment for work bench narrow drawer cabinet**

- › Dimensions of compartments: 20x dim. 70x95mm
- › Tool tray dimension: 374 x 570 x 40 mm
- › Compatible with drawers of work benches line 990ND




SKU	L	B	H	
625589	374	570	40	126

**VL990WD1**

**SOS tool tray with compartment for work bench wide drawer cabinet**



- > Dimensions of compartments: 30x dim. 95x70mm
- > Tool tray dimension: 562 x 570 x 40 mm
- > Compatible with drawers of work benches line 990WD and 946




SKU	L	B	H	
625585	562	570	40	177

**VL990WD2**

**SOS tool tray with compartment for work bench wide drawer cabinet**



- > Dimensions of compartments: 15x dim. 95x150mm




SKU	L	B	H	
625586	562	570	40	161

**VL990WD3**

**SOS tool tray with compartment for work bench wide drawer cabinet**



- > Dimensions of compartments: 10x dim. 95x240mm




SKU	L	B	H	
625587	562	570	40	144

**h.990.BAT**

**Holder for cordless screwdriver**



- > material: premium sheet metal 2mm
- > 2 pcs in the set
- > assembly with two screws M6x10mm



SKU	L	B	H	
629752	35	84	22	125

**h.990.HAM****Holder for hammers**



- › material: premium sheet metal 2mm
- › one holder holds 1 hammer or 1 tool with T-handle
- › assembly with two screws M6x10mm

SKU	L	B	H	
629753	60	50	22	56

**h.990.PAP-BLACK****Paper roll holder**

- › metal construction
- › possibility of assembly under the work bench or on the wall
- › for paper roll max. dia. 370mm and max. length 380mm
- › holder has a serrated knife for easy cut of the paper

SKU	L	L <sup>MAX</sup>	D <sup>MAX</sup>	B	B1	
629559	420	380	370	72	40	1315

**h.990.SCR****Holder for screwdrivers**

- › material: premium sheet metal 0,8mm
- › assembly on the perforated Unior wall with screws M6x10
- › screwdriver holder with 5 holes dia. 15mm for holding different screwdrivers

SKU	L	B	H	
629755	188	28,5	45	125



### h.990.PIN

### Holder with pin, 10 pcs set



> assembly with screw M6x10mm

SKU	L	B	H	📦
627804	51,5	15	30	155



### h.990.PLI

### Holder for pliers, 10 pcs set



> material: premium sheet metal 2mm  
 > one holder holds 1 pliers  
 > assembly with screw M6x10mm

SKU	B	H	📦
627070	50	22	22




### h.990.TAB


### Holder for tablet




> material: premium sheet metal 2mm  
 > assembly on the perforated Unior wall at an angle of 67°  
 > assembly with four screws M6x10mm  
 > adjustable width from min. 210mm to max. 340mm with use of the side sliders  
 > rubber screws on the bottom surface of the holder prevent damages to the tablet

SKU	L <sup>MIN</sup>	L <sup>MAX</sup>	B	H	📦
627073	210	340	85	213	1090



**h.990.WRE****Holder for wrenches**

- › material: premium sheet metal 1mm
- › assembly on the perforated Unior wall with screws M6x10
- › assembly on the wall at an angle of 67° which allows better transparency and use of the wrenches
- › 8 pcs of open end wrenches or 8 pcs of offset ring wrenches can be stored on the holder (up to dim. 24mm)



SKU	L	L1	B	H	H1	H2	📦
629756	197	68	138	84,8	15,4	39	206

**990.MD****Modular holder for merchandiser**


- › material: premium sheet metal 1,25mm
- › assembly on the perforated Unior wall at an angle of 13°
- › assembly with two screws M6x10mm
- › load capacity 10kg
- › Holder has a multi-use. You can use it with plastic boxes with help of the base pad dim. 480x210mm (code 627385). You can use before prepared set of the boxes or you can choose your own boxes and create your own set.
- › set of modular holder for merchandiser with plastic boxes and base pade is under the code 627604



SKU	L	B	H	📦
627371	460	226	58	1654

**939/3EV****Tool chest Eurovision - 3 compartments**

- › material: premium PLUS sheet metal
- › central locking system with a lock and folding key
- › lock with key included also foam keyring
- › drawers with ball-bearing slides
- › the synthetic covering protects drawers and tools from damage
- › coated with eco colour of Qualicoat quality standard
- › 3 drawers (2 x L 560 x W 275 x H 70mm, 1 x L 560 x W 315 x H 150mm)
- › maximum capacity of each drawer: 30kg



SKU	L	B	H	📦
620556	690	355	394	21600


**911/5**

**Tool box - 5 compartments**



- > coated with eco colour of Qualicoat quality standard
- > short type with one handle
- > box can be locked with padlock

SKU	L	B	H	H <sup>MAX</sup>	A	C	
601909	500	210	225	320	460	220	3956




**912/5**

**Tool box - 5 compartments**



- > coated with eco colour of Qualicoat quality standard
- > long type with one handle
- > box can be locked with padlock

SKU	L	B	H	H <sup>MAX</sup>	A	C	
601912	600	210	225	320	560	220	5386




**914/3**

**Tool box - 3 compartments**



- > material: premium PLUS sheet metal
- > short type with two handles
- > coated with eco colour of Qualicoat quality standard
- > box can be locked with padlock

SKU	L	L1	B	H	H <sup>MAX</sup>	C	
608538	485	460	210	175	225	235	3513




914/5

## Tool box - 5 compartments



- › material: premium PLUS sheet metal
- › coated with eco colour of Qualicoat quality standard
- › short type with two handles
- › box can be locked with padlock

SKU	L	L1	B	H	H <sup>MAX</sup>	C	
601985	485	460	210	225	275	235	4768




915/5

## Tool box - 5 compartments



- › coated with eco colour of Qualicoat quality standard
- › long type with two handles
- › material: premium PLUS sheet metal
- › box can be locked with padlock

SKU	L	L1	B	H	H <sup>MAX</sup>	C	
607137	585	560	210	225	275	235	5541




917A

Plastic tool box



- > material: polypropylene
- > basic dimensions of box L 514 x W 280 x H 260 mm
- > with removable tool tray inside the box
- > lid contains two compartments in dimension L80 x B140 x H35 mm covered with plastic cover
- > closing with plastic clip
- > box can be locked with padlock




SKU	L	B	H	
619765	514	280	260	1930

917C

Plastic tool box



- > material: polypropylene
- > basic dimensions of box L 394 x W 215 x H 195 mm
- > with removable tool tray inside the box
- > lid contains two compartments in dimension L108 x B200 x H35 mm covered with plastic cover
- > closing with plastic clip
- > box can be locked with padlock



SKU	L	B	H	
619767	394	215	195	920




960/2

Tool box



- > material: premium PLUS sheet metal
- > coated with eco colour of Qualicoat quality standard
- > intended for transport and storage of tools, power tools, different equipment and documentation. Tool box can be used in various climatic conditions
- > box can be locked with padlock



SKU	L	B	H	
605897	840	420	335	23000

MADE FOR WORK.


## 960/3

## Tool box



- > material: premium PLUS sheet metal
- > coated with eco colour of Qualicoat quality standard
- > intended for transport and storage of tools, power tools, different equipment and documentation. Tool box can be used in various climatic conditions
- > box can be locked with padlock

SKU	L	B	H	
605898	910	530	430	31000




## 960/6

## Installers tool box



- > material: premium PLUS sheet metal
- > coated with eco colour of Qualicoat quality standard
- > with synthetic belt
- > box can be locked with padlock

SKU	L	B	H	
603673	550	200	230	5200
612989	620	200	230	4900




## 981K1/4

## Metal box



- > empty tool box designed for storing and carrying of tools
- > material: premium PLUS sheet metal
- > coated with eco colour of Qualicoat quality standard
- > box delivered without tool tray and tools

SKU	L	B	H	
601918	197	105	38	275




## 981K3/8

## Metal box



- > empty tool box designed for storing and carrying of tools
- > material: premium PLUS sheet metal
- > coated with eco colour of Qualicoat quality standard
- > closing mechanism with integrated handle
- > box delivered without tool tray and tools

SKU	L	B	H	
601913	321	198	54	798




**981K1/2**

**Metal box**



- > empty tool box designed for storing and carrying of tools
- > material: premium PLUS sheet metal
- > coated with eco colour of Qualicoat quality standard
- > closing mechanism with integrated handle
- > box delivered without tool tray and tools




SKU	L	B	H	
601954	448	198	54	1456

**981K3/4**

**Metal box**



- > empty tool box designed for storing and carrying of tools
- > material: premium PLUS sheet metal
- > coated with eco colour of Qualicoat quality standard
- > box with metal handle
- > box delivered without tool tray and tools




SKU	L	B	H	
602743	505	215	75	2500

**981K1**

**Metal box**



- > empty tool box designed for storing and carrying of tools
- > material: premium PLUS sheet metal
- > coated with eco colour of Qualicoat quality standard
- > box with metal handle
- > integrated metal partitions
- > box delivered without tool tray and tools




SKU	L	B	H	
603521	670	220	100	4800

**981K1/2R**

**Metal box**



- > empty tool box designed for storing and carrying of tools
- > material: premium PLUS sheet metal
- > coated with eco colour of Qualicoat quality standard
- > closing mechanism with integrated handle
- > box delivered without tool tray and tools




SKU	L	B	H	
621474	448	198	54	1489

## 981K3/8R

## Metal box



- > empty tool box designed for storing and carrying of tools
- > material: premium PLUS sheet metal
- > coated with eco colour of Qualicoat quality standard
- > closing mechanism with integrated handle
- > box delivered without tool tray and tools




SKU	L	B	H	
612694	321	198	54	798

## 982PB2

## Big plastic box for bits



SKU	B	H	A	
621426	85	40	145	92




## 981PB4

## Plastic box for socket wrenches



SKU	L	B	H	
619771	393	331	95	771




## 981PBS1

## Plastic box for socket wrenches



SKU	L	B	H	
621620	197	167	35	140




## 981PBS2

## Plastic box for socket wrenches




SKU	L	B	H	
621621	307	260	55	380




**981PBS5****Plastic box for socket wrenches**


SKU	L	B	H	
621618	244	207	44	225

**981PBM1****Plastic box for socket wrenches**


SKU	L	B	H	
619768	197	167	47	155

**981PBM2****Plastic box for socket wrenches**


SKU	L	B	H	
619769	307	260	74	420

**981PBM3****Plastic box for socket wrenches**

SKU	L	B	H	
619770	346	292	83	568

**981PBM5****Plastic box for socket wrenches**

SKU	L	B	H	
621619	244	207	59	240




949

## Tool cabinet



- > material: premium PLUS sheet metal
- > locking with keylock and folding key
- > lock with key included also foam keyring
- > drawers with ball-bearing slides
- > coated with eco colour of Qualicoat quality standard

SKU	L	B	H	
622671	695	660	2030	135000




949-BLACK

## Tool cabinet



- > material: premium PLUS sheet metal
- > locking with keylock and folding key
- > lock with key included also foam keyring
- > drawers with ball-bearing slides
- > coated with eco colour of Qualicoat quality standard

SKU	L	B	H	
628214	695	660	2030	143000




949.1

## Tool cabinet



- > material: premium PLUS sheet metal
- > locking with keylock and folding key
- > lock with key included also foam keyring
- > coated with eco colour of Qualicoat quality standard
- > is part of 949

SKU	L	B	H	
622672	695	660	1023	48800




**949.1-BLACK**

**Tool cabinet**



- > material: premium PLUS sheet metal
- > locking with keylock and folding key
- > lock with key included also foam keyring
- > coated with eco colour of Qualicoat quality standard
- > is part of 949

SKU	L	B	H	
628275	695	660	1023	48800




**949.2**

**Tool cabinet**



- > material: premium PLUS sheet metal
- > locking with keylock and folding key
- > lock with key included also foam keyring
- > 7 drawers L 560 x W 605 x H 115mm
- > drawers with ball-bearing slides
- > coated with eco colour of Qualicoat quality standard
- > is part of 949

SKU	L	B	H	
622673	695	660	1023	83400




**949.2-BLACK**

**Tool cabinet**



- > material: premium PLUS sheet metal
- > locking with keylock and folding key
- > lock with key included also foam keyring
- > 7 drawers L 560 x W 605 x H 115mm
- > drawers with ball-bearing slides
- > coated with eco colour of Qualicoat quality standard
- > is part of 949

SKU	L	B	H	
628276	695	660	1023	83400




## 950/2

## Wardrobe cabinet, 2 compartments



- › The wardrobes are powder painted to resist rusting. For additional protection the sheet steel is ecologically lacquered with cadmium and lead free colour. The wardrobe doors in bright colours fill each room with youthful atmosphere.
- › the body of the wardrobe is made of 0.8 mm thick high quality sheet steel
- › the doors are made of 1 mm thick sheet steel, reinforced against lateral torsion and bending. The doors come in six different colours (RAL 1021, RAL 3020, RAL 5010, RAL 6029, RAL 2004 and RAL 7035).

SKU	L	L1	B	B1	H	H1	
617115	350	300	500	20	1880	875	35000




## 950/6

## Wardrobe cabinet, 6 compartments



- › The wardrobes are powder painted to resist rusting. For additional protection the sheet steel is ecologically lacquered with cadmium and lead free colour. The wardrobe doors in bright colours fill each room with youthful atmosphere.
- › the body of the wardrobe is made of 0.8 mm thick high quality sheet steel
- › the doors are made of 1 mm thick sheet steel, reinforced against lateral torsion and bending. The doors come in six different colours (RAL 1021, RAL 3020, RAL 5010, RAL 6029, RAL 2004 and RAL 7035).

SKU	L	L1	B	B1	H	H1	
616652	1000	300	500	20	1880	875	75000




## 950/3V

## Wardrobe cabinet, 3 compartments



- › The wardrobes are powder painted to resist rusting. For additional protection the sheet steel is ecologically lacquered with cadmium and lead free colour. The wardrobe doors in bright colours fill each room with youthful atmosphere.
- › the body of the wardrobe is made of 0.8 mm thick high quality sheet steel
- › the doors are made of 1 mm thick sheet steel, reinforced against lateral torsion and bending. The doors come in six different colours (RAL 1021, RAL 3020, RAL 5010, RAL 6029, RAL 2004 and RAL 7035).

SKU	L	L1	B	B1	H	H1	
617175	1000	300	500	20	1880	1775	75000




**950/9**

**Wardrobe cabinet, 9 compartments**



- > The wardrobes are powder painted to resist rusting. For additional protection the sheet steel is ecologically lacquered with cadmium and lead free colour. The wardrobe doors in bright colours fill each room with youthful atmosphere.
- > the body of the wardrobe is made of 0.8 mm thick high quality sheet steel
- > the doors are made of 1 mm thick sheet steel, reinforced against lateral torsion and bending. The doors come in six different colours (RAL 1021, RAL 3020, RAL 5010, RAL 6029, RAL 2004 and RAL 7035).

SKU	L	L1	B	B1	H	H1	
617116	1000	300	500	20	1880	575	95000



**950.1**

**Frame for identification card**



SKU	
617188	24



**950.4**

**Waved plastic insert for 950/9,6,3,2,1**



SKU	
617187	150



**K950**

**Key with lock for wardrobe cabinet**



SKU	
617180	70



## 969L


## Tool case



- › mobile case with user-friendly telescopic handle
- › case shells made of dentproof ABS material
- › robust aluminium frame with protection for the sharp edges
- › two lockable clip locks
- › combination lock
- › variable bottom tray
- › interior dimension: L485 x B370 x H200 mm
- › volume: 36 l
- › payload: 30 kg

**Interior:**

- › document partition in the lid (A4 format)
- › Tool case includes 2 removable tool board (double-sided with 22 tool pockets and one-sided with 15 tool pockets)
- › Variable bottom tray with 2 dividers, 4 adaptor pieces and 2 middle caps for shorting dividers
- › Instruction manual to customize bottom tray with dividers are included.



SKU	L	B	H	
621633	515	445	260	6400

## 969S


## Tool case



- › case shells made of dentproof ABS material
- › robust aluminium frame with protection for the sharp edges
- › two lockable clip locks
- › combination lock
- › variable bottom tray
- › interior dimension: L460 x B355 x H180 mm
- › volume: 29 l
- › payload 25 kg

**Interior:**

- › document partition in the lid (A4 format)
- › Tool case includes 2 removable tool board (double-sided with 22 tool pockets and one-sided with 15 tool pockets)
- › Variable bottom tray with 2 dividers, 4 adaptor pieces and 2 middle caps for shorting dividers
- › Instruction manual to customize bottom tray with dividers are included.



SKU	L	B	H	
621631	500	420	200	4200


## 1112

## Tool bag




- › material: polyester fabric
- › zip closing
- › dimensions: L510 x W280 x H310 mm
- › volume 28l
- › 2 solid handles with stuffed grip, removable and adjustable shoulder strap with sliding rubber buffer
- › outer bottom protection with 6 rubber legs
- › 6 internal pockets for tools storing
- › large zip opening for easy access
- › 10 outer tool pockets for better organizing of tools
- › 2 outer tool pockets with Velcro fastening

SKU	L	B	H	
628162	510	280	310	1604





- > material: polyester fabric
- > zip closing
- > dimensions: L460 x W270 x H400 mm
- > volume 25l
- > mobile tool bag with user-friendly telescopic handle
- > 2 solid handles with stuffed grip
- > bag shells made of dentproof ABS material
- > large zip opening for easy access
- > removable double tool board with 40 tool pockets with velcro fastening
- > 4 internal pockets and elastic loop for tools storing
- > 8 outer tool pockets for better organizing of tools, 3 of them protect with zip closing
- > delivered without tools




SKU	L	B	H	H1	
628163	460	270	400	1050	4525




- > Material: artificial leather 650 g, pocket walls 450g
- > Lock, rings, rivets, buckle, protective knob made from metal, chrome plated
- > number of pocket: 28

SKU	B	H	A	
601939	140	320	420	2400



## 909/1

## Electrical bag




- > Material: artificial leather 650 g, pocket walls 450g
- > Lock, rings, rivets, buckle, protective knob made from metal, chrome plated
- > number of pocket: 11
- > .

SKU	L	B	H	
602552	350	110	300	1542

## 909PES

## Electrical bag




- > Material: polyester
- > Lock, rings, rivets, buckle, protective knob made from metal, chrome plated
- > number of pocket: 28

SKU	L	B	H	
624057	420	140	320	2035

## 976A

## Self-standing panel



- > Panel is intended mainly for small shops and workshops
- > Dimension 700 x 700 mm

SKU	A	B	C	H	
621912	612	290	170	707	5488


**977/1**

**Metal stand for open end wrenches**



› material: premium sheet metal  
› coated with eco colour of Qualicoat quality standard

SKU	DIM	L	B	H	
605160	6-32/12	180	50	330	420




**977/2**

**Metal stand for combination wrenches - long type**




› material: premium sheet metal  
› coated with eco colour of Qualicoat quality standard

SKU	DIM	L	B	H	
605161	6-22/17	215	55	420	590




**996A**

**Display panel**




› The backs are made of high-quality Premium Plus sheet materials, ensuring long-lasting use.  
› They include Euroloch perforations to which users can easily attach hooks and other holders.  
› The holders are fixed with M6 screws.  
› They are designed for hanging hand tools on hooks of different lengths.  
› designed for wall mounting



SKU	L	B	H	
629426	1000	20	500	3760

## 996B

## Display panel




- > The backs are made of high-quality Premium Plus sheet materials, ensuring long-lasting use.
- > They include Euroloch perforations to which users can easily attach hooks and other holders.
- > The holders are fixed with M6 screws.
- > They are designed for hanging hand tools on hooks of different lengths.

SKU	L	B	H	
629427	500	20	1000	3760

## 997.1

## Hook, 10 pcs set




- > for display boards, display panel and tool cabinets
- > it is possible to fix the hangers in a required position
- > chrome plated

SKU	L	
609478	35	100
609479	50	120
609480	80	134
609447	100	161
610559	150	296
610560	200	368

## 997.4

## Double hook, 10 pcs set



- > for display boards, display panel and tool cabinets
- > it is possible to fix the hangers in a required position
- > chrome plated

SKU	L	B	A	
623346	150	30	27	405
623347	200	30	27	485
623348	250	30	27	596
623349	300	30	27	695

## Unior 3D configurator

Unior 3D configurator is a perfect tool for setting up your workshop in 3D. It provides our partners and customers with easier and more transparent shopping experience. It is simple to use while providing you with all necessary designing tools.





# Pneumatic tools and accessories

Check products online.



- ✓ *free speed 8000 revolution per minutes*
- ✓ *max. torque 745 Nm*
- ✓ *composite motor housing*
- ✓ *handle exhaust (silencer)*
- ✓ *one hand forward / reverse*
- ✓ *compact and powerful*
- ✓ *jumbo hammer mechanism*



## PRODUCTS



*Pneumatic ratchets*



*Pneumatic impact wrenches*



*Pneumatic grinders*



*Pneumatic sanders*



*Pneumatic drills*



*Pneumatic dusters*



*Pneumatic hammer*



*Pneumatic accessories*




### ONE EXTRA YEAR OF ADDITIONAL WARRANTY

Register your Unior pneumatic or measuring tool and Electric repair stand **within 30 days of purchase and receive an additional year of warranty for free.** Our warranty covers all repairs and replacements for any defective tool or tool part that was damaged during correct use.

1522

Pneumatic reversible ratchet with composite housing



- > free speed 200 revolution per minutes
- > max. torque 41 Nm
- > recommended air pressure: 6,2 Bar
- > air consumption 113 l/min
- > air inlet 1/4"

- Advantages:**
- > thick wall ratchet head
  - > ball bearing
  - > cushioned grip
  - > new air regulator
  - > 360° swivel air exhaust
  - > rear exhaust
  - > low noise 79dB(A)
  - > small and compact tool

- > quality production
- > handy turn-on switch
- > fast and handy adjustment of the rotation direction


- Usage:**
- > car industry
  - > aircraft industry
  - > agricultural equipment
  - > heavy industry
  - > larger construction machinery
  - > shipbuilding industry
  - > individual mounting

- Important!**
- > The use of Unior IMPACT sockets is recommended.

SKU	■	L	B	A	Nm	📦
627565	1/4"	196	40,8	49	41	749

1531

Pneumatic reversible ratchet



- > free speed 250 revolution per minutes
- > max. torque 54 Nm
- > maximum air pressure: 6,2 Bar
- > air consumption 71 l/min
- > air inlet 1/4"
- > max bolt size M6

- Advantages:**
- > small and compact tool
  - > quality production
  - > handy turn-on switch
  - > fast and handy adjustment of the rotation direction
  - > sluice-gate enabling prevention of air inlet into the tool


- Usage:**
- > car industry
  - > aircraft industry
  - > agricultural equipment
  - > heavy industry
  - > larger construction machinery
  - > shipbuilding industry
  - > individual mounting

- Important!**
- > The use of Unior IMPACT sockets is recommended.

SKU	■	L	B	A	Nm	📦
615318	3/8"	165	41	37	54	520

1532

Pneumatic reversible ratchet with composite housing



- > free speed 200 revolution per minutes
- > max. torque 54 Nm
- > recommended air pressure: 6,2 Bar
- > air consumption 113 l/min
- > air inlet 1/4"
- > max bolt size M8

- Advantages:**
- > thick wall ratchet head
  - > ball bearing
  - > cushioned grip
  - > new air regulator
  - > 360° swivel air exhaust
  - > rear exhaust
  - > low noise 79dB(A)

- > small and compact tool
- > quality production
- > handy turn-on switch
- > fast and handy adjustment of the rotation direction

- Usage:**
- > car industry
  - > aircraft industry
  - > agricultural equipment
  - > heavy industry
  - > larger construction machinery
  - > shipbuilding industry
  - > individual mounting


- Important!**
- > The use of Unior IMPACT sockets is recommended.

SKU	■	L	B	A	Nm	📦
627566	3/8"	196	40,8	49	54	748



1551

Pneumatic reversible ratchet



- > free speed 160 revolution per minutes
- > max. torque 81 Nm
- > maximum air pressure: 6,2 Bar
- > air consumption 113 l/min
- > air inlet 1/4"
- > max bolt size M10

**Advantages:**

- > small and compact tool
- > quality production
- > handy turn-on switch
- > fast and handy adjustment of the rotation direction
- > sluice-gate enabling prevention of air inlet into the tool

**Usage:**

- > car industry
- > aircraft industry
- > agricultural equipment
- > heavy industry
- > larger construction machinery
- > shipbuilding industry
- > individual mounting

**Important!**

- > The use of Unior IMPACT sockets is recommended.

SKU	■	L	B	A	Nm	📦
615319	1/2"	254	41	45	81	1370

1552

Pneumatic reversible ratchet with composite housing



- > free speed 150 revolution per minutes
- > max. torque 90 Nm
- > recommended air pressure: 6,2 Bar
- > air consumption 113 l/min
- > air inlet 1/4"
- > max bolt size M10

**Advantages:**

- > thick wall ratchet head
- > ball bearing
- > cushioned grip
- > new air regulator
- > 360° swivel air exhaust
- > rear exhaust
- > low noise 79dB(A)

- > small and compact tool
- > quality production
- > handy turn-on switch
- > fast and handy adjustment of the rotation direction

**Usage:**

- > car industry
- > aircraft industry
- > agricultural equipment
- > heavy industry
- > larger construction machinery
- > shipbuilding industry
- > individual mounting


**Important!**

- > The use of Unior IMPACT sockets is recommended.

SKU	■	L	B	A	Nm	📦
627567	1/2"	256	47,8	56	90	1332

1541

Impact wrench



- > free speed 10000 revolution per minutes
- > max. torque 271 Nm
- > maximum air pressure: 6,2 Bar
- > air consumption 71 l/min
- > air inlet 1/4"
- > max bolt size M10

**Advantages:**

- > controlled torque
- > fast screwing
- > wide range of use

**Usage:**

- > car industry
- > aircraft industry
- > agricultural equipment
- > heavy industry
- > larger construction machinery
- > shipbuilding industry
- > individual mounting

**Important!**

- > Always use Unior IMPACT sockets.

SKU	■	L	B	A	Nm	📦
615320	3/8"	139	175	73,5	271	1350

1561


Impact wrench



- > free speed 8000 revolution per minutes
- > max. torque 814 Nm
- > maximum air pressure: 6,2 Bar
- > air consumption 113 l/min
- > air inlet 1/4"
- > max bolt size M16

- Advantages:**
- > controlled torque
  - > fast screwing
  - > wide range of use

- Usage:**
- > car industry
  - > aircraft industry
  - > agricultural equipment
  - > heavy industry
  - > larger construction machinery
  - > shipbuilding industry
  - > individual mounting
- Important!**
- > Always use Unior IMPACT sockets.



SKU	■	L	B	A	Nm	📦
615322	1/2"	188	190	70	814	2910

1562


Impact wrench



- > free speed 7000 revolution per minutes
- > max. torque 949 Nm
- > maximum air pressure : 6,2 Bar
- > air consumption 119 l/min
- > air inlet 1/4"
- > max bolt size M18

- Advantages:**
- > controlled torque
  - > fast screwing
  - > wide range of use

- Usage:**
- > car industry
  - > aircraft industry
  - > agricultural equipment
  - > heavy industry
  - > larger construction machinery
  - > shipbuilding industry
  - > individual mounting
- Important!**
- > Always use Unior IMPACT sockets.



SKU	■	L	B	A	Nm	📦
615321	1/2"	204	192	70	949	2800

1563


Stubby impact wrench



- > free speed 8000 revolution per minutes
- > max. torque 745 Nm
- > recommended air pressure: 6,2 Bar
- > air consumption 164 l/min
- > air inlet 1/4"
- > noise level 104dB(A)
- > max bolt size M20

- Advantages:**
- > composite motor housing
  - > handle exhaust (silencer)
  - > one hand forward / reverse
  - > compact and powerful

- > jumbo hammer mechanism
- Usage:**
- > car industry
  - > aircraft industry
  - > agricultural equipment
  - > heavy industry
  - > larger construction machinery
  - > shipbuilding industry
  - > individual mounting
- Important!**
- > Always use Unior IMPACT sockets.



SKU	■	L	B	A	Nm	📦
627568	1/2"	105,4	177	63	745	1329

1564

Angle impact wrench



- > free speed 8000 revolution per minutes
- > max. torque 343 Nm
- > recommended air pressure: 6,2 Bar
- > air consumption 113 l/min
- > air inlet 1/4"
- > noise level 92 dB(A)
- > max bolt size M16

**Advantages:**

- > aluminium motor housing
- > composite handle
- > handle exhaust (silencer)
- > one hand forward / reverse


- > compact and powerful
- > jumbo hammer mechanism

**Usage:**

- > car industry
- > aircraft industry
- > agricultural equipment
- > heavy industry
- > larger construction machinery
- > shipbuilding industry
- > individual mounting

**Important!**

- > Always use Unior IMPACT sockets.



SKU	■	L	B	A	Nm	📦
627569	1/2"	88	237	60	343	1332



1565

Impact wrench and socket set 1/2" in plastic box



- > Dimension of box: 346 x 292 x 83

SKU	👉
615516	17

🔧 1561 (1/2"/824 Nm), 📏 231.4/4 (1/2"x125, 1/2"x75), 🌐 231.8/4 (10 - 14, 15 - 32), 📦 231/4 6p (10, 13, 17, 19, 21, 22, 24, 27), 231/4L6p (17, 19, 21, 22, 24, 27)



1566

Impact wrench



- > free speed 8000 revolution per minutes
- > max. torque 1223 Nm
- > recommended air pressure: 6,2 Bar
- > air consumption 113 l/min
- > air inlet 1/4"
- > noise level 93 dB(A)
- > max bolt size M24

**Advantages:**

- > composite motor housing
- > twin hammer mechanism
- > one hand forward / reverse
- > compact and powerful

- > variable speed trigger

**Usage:**

- > car industry
- > aircraft industry
- > agricultural equipment
- > heavy industry
- > larger construction machinery
- > shipbuilding industry
- > individual mounting

**Important!**

- > Always use Unior IMPACT sockets.

SKU	■	L	B	A	Nm	📦
627570	1/2"	187	193	70	1223	2227




**1571**

**Impact wrench**



- › free speed 6500 revolution per minutes
  - › max. torque 1085 Nm
  - › maximum air pressure: 6,2 Bar
  - › air consumption 198 l/min
  - › air inlet 1/4"
  - › max bolt size M24
- Advantages:**
- › controlled torque
  - › fast screwing
  - › wide range of use
- Usage:**
- › car industry
  - › aircraft industry
  - › agricultural equipment
  - › heavy industry
  - › larger construction machinery
  - › shipbuilding industry
  - › individual mounting
- Important!**
- › Always use Unior IMPACT sockets.




SKU	■	L	B	A	Nm	📦
615324	3/4"	236	240	80	1085	4550

**1573**

**Impact wrench**



- › free speed 5500 revolution per minutes
  - › max. torque 2034 Nm
  - › recommended air pressure: 6,2 Bar
  - › air consumption 198 l/min
  - › air inlet 3/8"
  - › noise level 93 dB(A)
  - › max bolt size M30
- Advantages:**
- › composite motor housing
  - › twin hammer mechanism
  - › one hand forward / reverse
  - › compact and powerful
- Usage:**
- › variable speed trigger
  - › car industry
  - › aircraft industry
  - › agricultural equipment
  - › heavy industry
  - › larger construction machinery
  - › shipbuilding industry
  - › individual mounting
- Important!**
- › Always use Unior IMPACT sockets.



SKU	■	L	B	A	Nm	📦
627571	3/4"	220	217	88	2034	3764

**1575**

**Impact wrench and socket set 3/4" in plastic box**



- › Dimension of box: 393 x 331 x 95




SKU	📦
617161	7

🔧 1571 (3/4"/1085 Nm), 📦 232/4 6p (19, 24, 27, 32, 36, 41)

1591

Impact wrench



- > free speed 4000 revolution per minutes
- > max. torque 2439 Nm
- > maximum air pressure: 6,2 Bar
- > air consumption 340 l/min
- > air inlet 1/2"
- > max bolt size M36

- Advantages:**
- > controlled torque
  - > fast screwing
  - > wide range of use


- Usage:**
- > car industry
  - > aircraft industry
  - > agricultural equipment
  - > heavy industry
  - > larger construction machinery
  - > shipbuilding industry
  - > individual mounting

**Important!**  
> Always use Unior IMPACT sockets.

SKU	■	L	B	Nm	📦
615325	1"	495	650	2439	13000

1592

Impact wrench



- > free speed 4000 revolution per minutes
- > max. torque 2439 Nm
- > maximum air pressure: 6,2 Bar
- > air consumption 340 l/min
- > air inlet 1/2"
- > max bolt size M36

- Advantages:**
- > controlled torque
  - > fast screwing
  - > wide range of use


- Usage:**
- > car industry
  - > aircraft industry
  - > agricultural equipment
  - > heavy industry
  - > larger construction machinery
  - > shipbuilding industry
  - > individual mounting

**Important!**  
> Always use Unior IMPACT sockets.

SKU	■	L	B	A	Nm	📦
615326	1"	307	280	114	2439	12800

1510

Pneumatic sander



- > free speed 10000 revolution per minutes
- > maximum air pressure : 6,2 Bar
- > air consumption 212 l/min
- > air inlet 1/4"
- > Velcro sander pad

- Advantages:**
- > the ergonomic shape of the handle enables good grip and prevents gliding
  - > suitable for lefthanders as well as for right-handers
  - > silent and powerful drive
  - > handy on/off switch
  - > exhaustion of parts into a bag for a cleaner workplace
  - > flexible and robust pipe for cleaning dust

- > it does not leave edges on the working platform
- > better work conditions due to minimal vibrations
- > extreme power based on its weight (1.2 kg)

- Usage:**
- > vehicle workshops
  - > preparation of different working platforms for further process
  - > ideal for grinding construction steel, metals and wood
  - > The basis of sander is VELCRO™ system which is: quick, simple and safe to mount and unmount various sander pads. This system is being used for various occasions - the best known example is training shoes with VELCRO™ fastening.

SKU	Nº	L	A	D	📦
617733	2,5	220	105	150	1600
617713	5	220	105	150	1615



1596

Impact wrench




- > free speed 3000 revolution per minutes
- > max. torque 3388 Nm
- > maximum air pressure: 6,2 Bar
- > air consumption 410 l/min
- > air inlet 1/2"
- > max bolt size M45

- Usage:**
- > car industry
  - > aircraft industry
  - > agricultural equipment
  - > heavy industry
  - > larger construction machinery
  - > shipbuilding industry
  - > individual mounting

- Advantages:**
- > controlled torque
  - > fast screwing
  - > wide range of use

- Important!**
- > Always use Unior IMPACT sockets.



SKU	■	L	B	Nm	📦
617690	1.1/2"	450	550	3388	17800

1597

Impact wrench




- > free speed 3000 revolution per minutes
- > max. torque 4065 Nm
- > maximum air pressure: 6,2 Bar
- > air consumption 435 l/min
- > air inlet 1/2"
- > max bolt size M52

- Usage:**
- > car industry
  - > aircraft industry
  - > agricultural equipment
  - > heavy industry
  - > larger construction machinery
  - > shipbuilding industry
  - > individual mounting

- Advantages:**
- > controlled torque
  - > fast screwing
  - > wide range of use

- Important!**
- > Always use Unior IMPACT sockets.



SKU	■	L	B	Nm	📦
617691	1.1/2"	465	545	4065	18600


1514

Stroke pneumatic hammer



- > used for cutting sheet, bolts and removing welding slag, rivets, plaster and tiles
- > with spring, quick change retainer as spare parts
- > piston stroke length: 170 - 67mm, 225 - 92mm
- > bore diameter 9,1mm
- > stroke per minute: 170 - 3000, 225 - 2100
- > air consumption 250 l/min
- > air inlet 1/4"

- Advantages:**
- > light and compact tool, used also in small rooms
  - > wide range of use
  - > change retainer
- Usage:**
- > car industry
  - > cutting of sheet metal and screws
  - > removal of welds
  - > working on walls, concrete, stones, bricks, steel, light metals



SKU	L	B	D	📦
617714	170	150	19	1810
617715	225	150	19	2160

1514.1B

Spring for 1514



SKU	📦
617716	69

1514.2B




Quick change retainer for 1514

- > for fast and simple attachment/removing of the chisel
- > quick replacement with releasing the upper releasing ring
- > ribbed releasing ring for maximum grip when replacing

SKU	
617717	351

1514A1




Flat chisel

- Usage:**
- > Shaping and cleaning of welds, trimming of bolts and nails, production of slots, cleaning and evening of uneven surfaces.

SKU	L	B	D	
617718	182	18	19	181

1514A2




Pointed chisel

- Usage:**
- > removing pins and rivets, making holes

SKU	L	B	D	
617719	180	2	19	154

1514A3




Rivet and welding slag chisel

- Usage:**
- > removing rivets and welding slags

SKU	L	B	D	
617720	180	20	19	179

1514A4




Sheet cutting chisel

- Usage:**
- > cutting sheet metal

SKU	L	B	D	
617721	180	16.7	19	178

1514A5




V edge chisel

- Usage:**
- > cutting sheet metal

SKU	L	B	D	
617722	190	19.2	19	187

1514A6

Spade chisel



**Usage:**  
 › shaping and cleaning of welds, trimming of bolts and nails, production of slots, cleaning and evening of uneven surfaces

SKU	L	B	D	
617723	178	32.8	19	207

1515

Pneumatic drill



› reversible  
 › free speed 1800 revolution per minutes  
 › maximum air pressure: 6,2 Bar  
 › air consumption 113 l/min  
 › air inlet 1/4"  
 › chuck capacity 1,0 - 10mm  
 › spindle thread 3/8", 24 UNF  
 › internal hose size 10mm

**Advantages:**  
 › extreme power based on size  
 › lightweight, compact and easy-to-master tool  
 › handy turn-on switch  
 › ergonomically shaped handle for work without effort  
 › plastic cover for handle dampens vibrations  
 › reversible turning  
 › quick change retainer

SKU	L	B	
617726	190	150	1360



1515H

Pneumatic drill with handle



› reversible turning  
 › free speed 800 revolution per minutes  
 › maximum air pressure : 6,2 Bar  
 › air consumption 113 l/min  
 › air inlet 1/4"  
 › chuck capacity 1,5 - 13mm  
 › spindle thread 3/8", 24 UNF  
 › internal hose size 10mm


**Advantages:**  
 › extreme power based on size  
 › lightweight, compact and easy-to-master tool  
 › adjustable handle for better support  
 › handy turn-on switch  
 › ergonomically shaped handle for work without effort  
 › plastic cover for handle dampens vibrations  
 › reversible turning  
 › quick change retainer

SKU	L	B	
617727	220	150	1570



1516

Pneumatic die grinder



- > free speed 25000 revolution per minutes
- > maximum air pressure: 6,2 Bar
- > air consumption 113 l/min
- > air inlet 1/4"
- > collet capacity 6 mm
- > internal hose size 10mm

**Advantages:**

- > safety lever which prevents accidental turn-on
- > simple clamping of thin cut-off wheels (grinding/polishing pins) and other parts/ extensions
- > extreme power based on size
- > small and compact tool
- > continuously variable regulation of rpm


**Usage:**

- > precise grinding
- > full grinding
- > tool industry
- > car industry
- > aircraft industry
- > cleaning of welds
- > cleaning of concrete and wall surfaces
- > cleaning of wooden surfaces
- > removal of colours and varnish
- > removal of rust
- > grinding of bearings
- > grinding of motor valves
- > grinding of gears and coils
- > various other surfaces

SKU	L	A	
617731	155	60	390

1516A

Pneumatic angle die grinder



- > free speed 20000 revolution per minutes
- > maximum air pressure: 6,2 Bar
- > air consumption 113 l/min
- > air inlet 1/4"
- > collet capacity 6 mm
- > internal hose size 10mm

**Advantages:**

- > this angle edition enables access to difficult-to-reach places which normal grinders cannot reach
- > safety lever which prevents accidental turn-on
- > simple clamping of thin cut-off wheels (grinding/polishing pins) and other parts/ extensions
- > extreme power based on size
- > small and compact tool
- > continuously variable regulation of rpm


**Usage:**

- > precise grinding
- > full grinding
- > tool industry
- > car industry
- > aircraft industry
- > cleaning of welds
- > cleaning of concrete and wall surfaces
- > cleaning of wooden surfaces
- > removal of colours and varnish
- > removal of rust
- > grinding of bearings
- > grinding of motor valves
- > grinding of gears and coils
- > various other surfaces

SKU	L	A	
617732	162	76	740

1517S

Pneumatic angle sander



- > free speed 4500 revolution per minutes
- > maximum air pressure: 6,2 Bar
- > air consumption 340 l/min
- > air inlet 1/4"
- > spindle thread 5/8"

**Advantages:**

- > small and compact tool

- > suitable for lefthanders as well as for right-handers
- > removable handle
- > handy turn-on switch

**Usage:**

- > grinding of welds
- > grinding of sharp edges
- > reparation of small uneven surfaces

SKU	L	A	D	
617729	375	100	175	2610



1518

Pneumatic angle grinder



- > free speed 11000 revolution per minutes
- > maximum air pressure: 6,2 Bar
- > air consumption 170 l/min
- > air inlet 1/4"


**Advantages:**

- > removable handle
- > safety lever prevents unwanted turn-on

**Usage:**

- > protection from rotating parts

- > also usable in small rooms/places
- > tool industry
- > cleaning of welds
- > cleaning of concrete and wall surfaces
- > cleaning of wooden surfaces
- > removal of colours and varnish
- > removal of rust
- > cutting profile carriers and sheet metal
- > other home use



SKU	L	A	D	
617730	230	90	125	2175




1508A

Pneumatic duster



- > maximum air pressure: 10,9 Bar
- > air consumption 220 l/min




SKU	L	B	D	
617767	260	135	6	153

1508B

Long pneumatic duster



- > maximum air pressure: 10,9 Bar
- > air consumption 220 l/min




SKU	L	D	
617768	420	6	178

1500

Pneumatic filter regulator and lubricator 1/4"



- > air inlet 1/4"
- > maximum air pressure: 9,5 Bar
- > air consumption 600 l/min
- > working pressure 0,5 - 8,5 Bar
- > working temperature 5 - 60 °C
- > filtering grade 5µ
- > filter capacity 15ml
- > lubricator capacity 25ml




SKU	L	B	
617735	90	155	491

1501

Pneumatic filter regulator and lubricator 3/8"



- > air inlet 3/8"
- > maximum air pressure: 9,5 Bar
- > air consumption 1800 l/min
- > working pressure 0,5 - 8,5 Bar
- > working temperature 5 - 60 °C
- > filtering grade 5µ
- > filter capacity 60ml
- > lubricator capacity 90ml




SKU	L	B	
617736	150	270	1285

1502

Pneumatic filter regulator and lubricator 1/2"



- > air inlet 1/2"
- > maximum air pressure: 9,5 Bar
- > working pressure 0,5 - 8,5 Bar
- > working temperature 5 - 60 °C
- > filtering grade 5µ
- > air consumption 2300 l/min
- > filter capacity 60ml
- > lubricator capacity 90ml




SKU	L	B	
617737	150	220	1265

1503

Pneumatic filter regulator and lubricator 3/4"




- > air inlet 3/4"
- > maximum air pressure: 9,5 Bar
- > working pressure 0,5 - 8,5 Bar
- > working temperature 5 - 60 °C
- > filtering grade 5µ
- > air consumption 2500 l/min
- > filter capacity 60ml
- > lubricator capacity 90ml



SKU	L	B	
621473	190	240	1805

1505

Spiral pneumatic hose




SKU		L(M)	D	
617743	1/4"	9	6,5 x 10	850
617744	1/4"	9	8 x 12	894
617745	3/8"	9	11 x 16	1526
617746	1/4"	12	6,5 x 10	835
617747	1/4"	12	8 x 12	1076
617748	3/8"	12	11 x 16	1847

**1506KN7**

**Coupling, female part**



- > metal housing
- > inside thread




SKU		O mm	L	
617795	R1/4"	20	54.5	113
617796	R3/8"	20	55	105

**1506KZ7**

**Coupling, female part**



- > metal housing
- > outside thread




SKU		O mm	L	
617793	R1/4"	20	58	98
617794	R3/8"	20	54	101

**1506KZ10**

**Coupling, female part**



- > metal housing
- > outside thread




SKU		O mm	L	
621452	3/8"	24	62.5	149
621453	1/2"	24	65.0	156
621454	3/4"	27	67.1	191

**1507Z7**

**Coupling, male part**



- > inside hose diameter Ø7mm
- > outside thread
- > metal housing




SKU		O mm	L	
617797	R1/4"	14	34	24
617798	R3/8"	19	36.5	34
618483	R1/2"	22	39	40

**1507Z10**

**Coupling, male part**



- > outside thread
- > inside hose diameter Ø10mm
- > metal housing



SKU		O mm	L	
621455	3/8"	17	39.4	38
621456	1/2"	24	39.4	53
621457	3/4"	27	48.5	86

# Measuring tools

Check products online.



- ✓ **target torque warning**
- ✓ **unit selection: N-m, in-lb, ft-lb, kg-cm**
- ✓ **data memory size: 250 inputs**
- ✓ **battery life (continuous operation): 110**
- ✓ **battery life (standby): 1 year**
- ✓ **9 preset torque settings**
- ✓ **accuracy CW: +/-2%, CCW: +/-3%**
- ✓ **PC connectivity**



## PRODUCTS



**Torque wrenches**



**Measuring tapes**



**Spirit levels**



**Try squares**



**Screeding level**



**Callipers**



**Feeler gauges**



**Other measuring tools**



### **ONE EXTRA YEAR OF ADDITIONAL WARRANTY**

Register your Unior pneumatic or measuring tool and Electric repair stand **within 30 days of purchase and receive an additional year of warranty for free.** Our warranty covers all repairs and replacements for any defective tool or tool part that was damaged during correct use.

266

Electronic torque wrench



- > target torque warning: buzzer + 12 LED lights
- > operation mode: peak hold / track
- > unit selection: N-m, in-lb, ft-lb, kg-cm
- > head type: interchangeable head
- > gear teeth: 52
- > battery: AA x 2 pcs (not included)
- > battery life (continuous operation): 110 hrs.
- > battery life (standby): 1 year
- > data memory size: 250 inputs
- > 9 preset torque settings
- > operating temperature: -10°C ~ 60°C
- > storage temperature: -20°C ~ 70°C
- > humidity: up to 90 % non-condensing
- > drop test: 1 m
- > vibration test: 10G
- > electromagnetic compatibility certificate
- > accuracy CW: +/-2%, CCW: +/-3%
- > PC connectivity

Warranty


- > warranty: 10.000 cycle / one year

SKU	■	Nm	L	axb	📦
627575	1/4"	1,5 - 30	390	9 x 12	1395
627576	1/2"	6,8 - 135	410	9 x 12	1619
627577	1/2"	10 - 200	545	14 x 18	2268



266INS.1


Ratchet insert tool for 266



SKU	■	Nm	axb	📦
628099	1/4"	1,5 - 30	9 x 12	69
628100	3/8"	6,8 - 135	9 x 12	153
628101	1/2"	6,8 - 135	9 x 12	156
628102	1/2"	10 - 200	14 x 18	310

266INS.2


Adjustable wrench insert tool for 266



SKU	Ømm	Nm	axb	📦
628103	30	6,8 - 135	9 x 12	265
628104	30	10 - 200	14 x 18	302

**266INS.3**

**Open ring insert tool for 266**



SKU	Ømm	axb	■				
628105	10	9 x 12	53	628111	17	9 x 12	63
628106	11	9 x 12	55	628112	18	9 x 12	69
628107	12	9 x 12	55	628113	19	9 x 12	71
628108	13	9 x 12	55	628114	21	9 x 12	74
628109	14	9 x 12	59	628115	22	9 x 12	76
628110	16	9 x 12	61	628116	24	14 x 18	139

**263**

**Torque wrench**



- > Accuracy: +/-3%
- > micrometer scale for simple and error free settings
- > adjustment lock to set torque
- > QUICK ADJUSTMENT - Just eight turns to cover the entire scale
- > Torque application: both way, but always apply in direction specified on torque wrench handle
- > handle: Two component material
- > dual scale lbf.ft and Nm
- > Convenient hanger feature for wrench unlocking and adjustment.
- > 5° working angle


**Warranty**  
> 1 year warranty

- Important!**
- > Do not use torque wrench for untightening!
  - > Torque tightens only in the direction showed on the key sticker! Sticker shows the proper direction of tightening!
  - > The default calibration interval of the torque wrench is 12 months or 5.000 measurements from the date of end user purchase.
  - > ALWAYS set the measuring mechanism to starting point, at the end of work.
  - > When the requested torque is reached, please do not tight any more.
  - > Torque wrench can be damaged, if manual instructions are not considered.

SKU	■	Nm	lbf.in	L	■
626765	3/8"	12 - 60	10 - 45	328	700
626766	1/2"	40 - 200	30 - 150	459	1000
626767	1/2"	60 - 340	50 - 250	679	1550

**264**

**Click torque wrench**




- > reversible ratchet head
- > Torque application: one-way, but always apply in direction specified on torque wrench handle
- > ratchet operates in clockwise and anti-clockwise directions
- > for tightening on right hand threaded bolts and nuts
- > unmistakable signal when set torque is reached
- > Default value for the recalibration interval is 12 month of use, or approximately 5.000 cycles!
- > made according to standard ISO 6789
- > dual scaled, Nm and Kgm

- Important!**
- > Do not use torque wrench for untightening!
  - > Torque tightens only in the direction showed on the key sticker! Sticker shows the proper direction of tightening!
  - > The default calibration interval of the torque wrench is 12 months or 5.000 measurements from the date of end user purchase.
  - > ALWAYS set the measuring mechanism to starting point, at the end of work.
  - > When the requested torque is reached, please do not tight any more.
  - > Torque wrench can be damaged, if manual instructions are not considered.

SKU	■	Nm	L	■
615485	1/4"	2 - 24	270	686
615486	3/8"	5 - 110	360	1100
615487	1/2"	28 - 210	465	1680
615488	1/2"	35 - 350	640	2930
615489	3/4"	70 - 560	840	5600
615490	3/4"	140 - 700	1070	8200
615491	1"	140 - 980	1220	8800

265

Industrial torque wrench



3/4"

- > robust construction gives accurate results, to +/-4%, even in arduous working conditions.
- > every wrench supplied with a calibration certificate according to ISO 9000:2000
- > the large break angle improves accuracy by reducing the possibility of over torqueing
- > Cam control of the mechanism gives a controlled break which prevent overtightening of the screw.
- > Torque application: both way, but always apply in direction specified on torque wrench handle
- > for right and left threaded screws
- > dual scaled, N.m and lbf.ft
- > made according to standard ISO 6789

**Usage:**

- > agricultural equipment
- > building sector
- > heavy industry
- > larger construction machinery
- > shipbuilding industry
- > aircraft industry
- > Do not use torque wrench for untightening!

**Important!**

- > Do not use torque wrench for untightening!
- > Tool must be used with equal pulls and in accordance with the instructions in the manual.
- > Torque tightens only in the direction showed on the key sticker! Sticker shows the proper direction of tightening!
- > The default calibration interval of the torque wrench is 12 months or 5.000 measurements from the date of end user purchase.
- > ALWAYS set the measuring mechanism to starting point, at the end of work.
- > When the requested torque is reached, please do not tight any more.
- > Torque wrench can be damaged, if manual instructions are not considered.

SKU	■	Nm	lbf.in	L
616802	3/4"	200 - 800	150 - 600	1140
616803	3/4"	300 - 1000	200 - 750	1470

280

Torque multiplier



- > 5:1 torque multiplication, accuracy guaranteed better than +/-4%
- > supplied with two reaction bar styles for maximum versatility
- > Robust construction means minimal maintenance and long life
- > Supplied in a carrying case. Ideal for inclusion in the heavy vehicle tool kit

**Advantages:**

- > Exactly defined multiplication – no need of tabular conversions
- > Simple use does not require any additional knowledge

**Usage:**

- > building construction
- > agricultural equipment
- > heavy industry
- > larger construction machinery
- > shipbuilding industry
- > aircraft industry
- > train compositions
- > refineries


**Important!**

- > The use of Unior IMPACT sockets is recommended.
- > We shall never exceed the requested torque starting point of the multiplier.

SKU	⊙	■	Nm	lbf.in	⚙️	D	A	C	H
616804	1/2" (32mm)	3/4"	1300	960	5:1	108	126	210	180
616805	3/4" (36mm)	1"	2700	2000	5:1	108	128	210	186

2213/2BI

Angle gauge



- > this is used for screws on the heads of motors where car manufacturers prescribe that, as well as fastening the screws to the prescribed torque, fastening at a certain angle is also required
- > if your space is limited, you can also use an extension to obtain the required height
- > the scale is 360°, divided into 2° angles

**How to use the tool:**

- > hold the angle scale by its small handle to avoid rotation during screw joining, set the indicator to zero and then fasten the screw at the prescribed angle with another tool from the 1/2" product range (e.g. a hinge handle which is longer, because the forces are considerable)


SKU	L	B	A	C
622815	270	75	80	63

710P

Measuring tape



- > plastic double component casing
- > with stop and clip
- > preciseness to class II
- > metal measuring tape



CIICE


SKU	m	d	
612131	2m	16	108
612132	3m	16	131
612133	5m	19	224
612134	8m	25	450
612135	10m	25	473

710R

Measuring tape



- > plastic double component casing
- > with stop and clip
- > preciseness to class II
- > metal measuring tape



CIICE


SKU	m	ft	d	
612790	3m	0	16	108
612791	5m	0	19	187
612792	8m	0	25	348
612793	2m	6	16	89
612795	5m	16	19	182
612796	8m	26	25	358

710W

Folding rule



- > material: beech wood
- > mm - graduation printed in both sides
- > preciseness to class III



CIII

SKU	m	d	
609365	2m	16	125

Year of manufacture: 5C €6 M21 7 0071 8 II 9 HD 10 11 LNE-37088 12 13 14 20°C 15


Manufactured in accordance with harmonised standards      Notified body no.      Abbreviations for manufacturer      European type approval certificate      Working temperature condition

714

Long measuring tape



- › plastic double component casing
- › acrylic coated steel tape enables long life
- › 6 times speed of tape rewind against handle turns




SKU	m	d	
621525	50m	13	1100

1250

Alu - spirit level



- › quality aluminium profile, dimension 48x22mm
- › silver eloxated
- › fitted with shock-proof plexiglass vials
- › accurate to 0.5 mm/m
- › accurate electronically tested



SKU	L	
610716	300	220
610717	400	270
610718	500	340
610719	600	380
610720	800	510
610721	1000	600
610722	1200	680
610723	1500	900
610724	2000	1200

1252

Alu - spirit level with magnet



- › quality aluminium profile, dimension 48x22mm
- › silver eloxated
- › fitted with shock-proof plexiglass vials
- › accurate to 0.5 mm/m
- › accurate electronically tested
- › the measuring surface is equipped with two magnets




SKU	L	
610725	400	530
610726	500	580
610727	600	640
610728	800	820
610729	1000	1080

1260/7A

Try square with back



- › material: constructional steel
- › measuring faces are finely ground
- › accurate: 0,01425° = 0,25mm/m
- › back are screwed on the short leg




SKU	L1	L2	A	
610736	150	100	5	205
610738	250	165	5	500
610739	300	200	5	575

1262/5A

Mason's squares with back



- > material: constructional steel
- > surface finish: zinc plated
- > accurate: +/- 0,0285° = 0,5mm/m
- > back are screwed on the short leg




SKU	L1	L2	A	Weight
617154	125	85	5	140
617155	150	100	5	205
617156	200	130	5	385
617157	250	160	5	500
617158	300	175	5	470

1263

Try square



- > measuring blade made from hardened spring steel, 40x1,2mm, with mm – graduation
- > The support blade made of black anodized aluminium profile, I-form 40x14mm
- > Accuracy: 0,5mm/m




SKU	L1	L2	Weight
617693	250	135	205
617694	300	135	225
617695	350	190	300
617696	400	190	315
617697	500	210	370

1272

Aluminium screeding level



- > special aluminium profile
- > with two handle and two vials
- > used for working front, pavement, roughcast, first of all for easier and accurate work in construction




SKU	L	B	A	Weight
610752	1500	100	18	1350
610753	2000	100	18	1800
610754	2500	100	18	2300
610755	3000	100	18	2700
610756	4000	100	18	3600

270A

Digital calliper



- > accuracy: 0,02mm/0,001"
- > function: measurement of internal dimensions, of external dimensions, of depth, of steps
- > made according to standard DIN 862
- > dual scale in inch and mm




SKU	D	Resolution	B	L	Weight
619881	0-150	0-6	40	235	460

271

Calliper with vernier scale



- > accuracy: 0,02mm/0,001"
- > function: measurement of internal dimensions, of external dimensions, of depth, of steps
- > made according to standard DIN 862
- > dual scale in inch and mm



SKU	D	Resolution	B	L	Weight
612035	0-150	0-6	40	235	240

272

External micrometre



- > made of quality casting. Measuring surface made of hardened alloy
- > spindle 6,5mm dia., with locking lever and ratchet
- > according to DIN 863
- > measuring range 0 - 25mm, minimal reading 0,01mm
- > made according to standard DIN 863

SKU	D	
617698	0 - 25	300

701

Feeler gauges



- > certificate of conformity
- > stainless steels
- > made according to standard DIN 2275
- > code 601897 includes following dimensions: 0.05, 0.10, 0.15, 0.20, 0.25, 0.30, 0.40, 0.50, 0.60, 0.70, 0.80, 0.90, 1.00
- > code 601898 includes following dimensions: 0.05, 0.10, 0.15, 0.20, 0.25, 0.30, 0.35, 0.40, 0.45, 0.50, 0.55, 0.60, 0.65, 0.70, 0.75, 0.80, 0.85, 0.90, 0.95, 1.00

SKU	I↔I	☞	📦
601897	0.05 - 1	13	66
601898	0.05 - 1	20	99

701A

Thread pitch gauge




- > certificate of conformity
- > stainless steels
- > metric-thread: 0.25, 0.30, 0.35, 0.40, 0.45, 0.50, 0.60, 0.70, 0.75, 0.80, 0.90, 1.0, 1.25, 1.50, 1.75, 2.0, 2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5, 6.0 (24 gauges)
- > whitworth - thread: 4, 4.5, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 16, 18, 19, 20, 22, 24, 25, 26, 28, 30, 32, 36, 40, 48, 60, 62 (28 gauges)
- > This screw pitch gauge is used for finding out the outside and inside measurements of metric and whitworth threads.

SKU	☞	📦
616706	52	76

1279

Scriber




- > made from quality steel
- > equipped with pocket clip
- > with a point made of high-alloyed steel that assures long life of drawing on different hard grounds

SKU	L	📦
617692	150	34

1280

Flat rule




- > made of silver anodized aluminium profile cross section 60 x 5 mm with facet
- > with one side mm-graduation

SKU	L	📦
617704	500	321

1299

Carpenter`s pencil - set 10 pieces



- > made from quality wood
- > graphite hardness HB

SKU	L	📦
617724	180	127

# Other workshop tools

Check products online.



- ✓ *housing from grey iron casting*
- ✓ *drop forged jaws from tool carbon steel, hardened and tempered*
- ✓ *lacquered housing, jaws anticorrosive oiled, other parts zinc plated*
- ✓ *uniPRO slides ensure precise running of moving parts*
- ✓ *engineer's vice can be combined with swivel base*
- ✓ *quick moving system*

## PRODUCTS

-  Vices
-  Clamps
-  Saws
-  Files
-  Universal knives
-  Threading tools
-  Scrapers
-  Awls
-  Tweezers
-  Levers
-  Special tools
-  Plumbing tools
-  Automotive tools




**721/6**

**IRONGATOR engineer's vice**



- > housing from grey iron casting
- > drop forged jaws from tool carbon steel, hardened and tempered
- > lacquered housing, jaws anticorrosive oiled, other parts zinc plated
- > spindle protected against damage
- > uniPRO slides ensure precise running of moving parts
- > engineer's vice can be combined with swivel base



SKU	B	L <sup>MAX</sup>	L	D	H1	a	b	H	L1	B1	📦
621564	80	100	215	11 - 35	46	42	28	113	70.4	48	3500
621481	125	160	336	17 - 62	73	66	44	176	110	75	14400
621567	150	190	400	20 - 66	88	80	53	211	132	90	24200
621570	200	220	461	24 - 80	103	93	62	265	154	105	37800




**721Q/6**

**Quick IRONGATOR engineer's vice with quick moving system**



- > housing from grey iron casting
- > drop forged jaws from tool carbon steel, hardened and tempered
- > lacquered housing, jaws anticorrosive oiled, other parts zinc plated
- > uniPRO slides ensure precise running of moving parts
- > engineer's vice can be combined with swivel base
- > quick moving system



SKU	B	L <sup>MAX</sup>	L	D	H1	a	b	H	L1	B1	📦
621482	125	120	336	17 - 62	95	66	44	176	132	90	14500
621568	150	140	400	20 - 75	117	80	53	211	154	105	23500




**721.1/6**


**Swivel base for 721/6 and 721Q/6**



- > base plate from grey iron casting
- > material other parts: special tool steel
- > swivel base can be rotated for 360°



SKU	DIM	L	B	H	B1	L1	D	📦
621566	80	96	96	47	81	81	6.5	2570
621483	125	149.9	149.9	70	126	126	10.5	2590
621569	150	190	190	87.5	160	160	13	5190
621572	200	210	210	93.5	176	176	13	6600



## 722.1/7

## Spare jaw for 721/6 and 721Q/6




- › material: premium plus carbon steel
- › drop forged, entirely hardened and tempered
- › set 2 pieces

SKU	B	📦
623083	80	138
619020	125	378
619021	150	1030
619023	200	1365

## 722.1AL

## Spare aluminium jaws for 721/6 and 721Q/6




- › material: aluminium
- › set 2 pieces

SKU	B	📦
623084	80	60
619026	125	156
619027	150	400
619029	200	541

## 706

## Heavy duty clamp



- › material: premium flex plus carbon steel
- › entirely hardened and tempered
- › wooden handle, lacquered

**Advantages:**

- › integrated brake prevents uncontrolled sliding
- › maximum clamping force up to 6000N
- › sliding profile serrated
- › swiveling cup


**Usage:**

- › for use in carpentry, welding and assebling

SKU	DIM	D <sup>MAX</sup>	L	L <sup>MAX</sup>	A	C	B	📦
626283	200	200	323	465	181	136	34	1750
626284	300	300	423	565	181	136	34	1870
626285	400	400	523	665	181	136	34	2090
626286	500	500	623	765	181	136	34	2310
626287	600	600	723	865	181	136	34	2530
626288	1000	1000	1123	1265	181	136	34	3410

## 750B

## Hacksaw



- › light compact with ergonomically designed handle
- › frame chrome plated, handle lacquered
- › two blade position

SKU	L	L1	📦
621531	400	300	700

### 750.1B

### Spare blade for 750B, 2 pcs set




- > material: HSS, Bi-metal
- > 24 teeth/1"
- > length 300 mm

SKU	DIM		
621532	300	2	40

### 752

### Pruning saw



- > material: premium flex plus carbon steel
- > handle polystyrene

SKU	L1	L	
609424	330	497	270

### 753P

### Saw



- > plastic handle
- > replaceable blade

SKU	L1	L	
612164	150	260	192

### 753.1


### Spare blade for 753P and 753VDP, 2 pcs set



SKU	DIM	
617281	150	3

### 755

### Bow saw



- > material: blade from premium plus carbon steel
- > handle: sheet metal

SKU	L1	L1'	L	
612236	610	24"	700	580
609407	762	30"	850	750

### 755.1


### Spare blade for 755



SKU	L1	L1'	
612237	610	24"	50
609409	762	30"	78

757

## Hand saw




- > material: premium flex plus carbon steel
- > handle polystyrene

SKU	L1	L	
609423	400	493	408

358/6A

## Tube cutter



- > instant wheel change
- > ergonomic knob
- > extra reduced radius spin
- > steel threaded insert for longer life span

## Usage:

- > for cutting cooper, aluminium, inox and steel tube of maximum thickness till 2mm

SKU	$\varnothing$ mm	$\varnothing$ "	B	D	H	L <sub>MAX</sub>	
626181	3-16	1/8" - 5/8"	27	19.8	34.4	62.5	104

358.1/7A

## Cutting wheel




- > for articles 358/6A, 360/6A and 360/6B

SKU	DIM	
626191	19,8x6,2	6

360/6A

## Tube cutter



- > Designed to be an easy to use and effective way of cutting tubes. Simply place the cutter and engage the cutting wheel at your desired position, rotate tool around the tube while adjusting the cutting wheel using the ergonomic knob.

- > instant wheel change
- > ergonomic knob
- > 4 rollers for a better fastening of the tube and smooth operation
- > spare cutting wheel in handle
- > possible individual use of burr NOGA removal tool
- > steel threaded insert for longer life span

## Usage:

- > for cutting cooper, aluminium, inox and steel tube of maximum thickness till 2mm

SKU	$\varnothing$ mm	$\varnothing$ "	B	D	H	L	
626187	3-35	1/8" - 1.3/8"	41.4	19.8	65.8	160.6	340

### 360/6B


#### Tube cutter



- > instant wheel change
- > ergonomic knob
- > 4 rollers for a better fastening of the tube and smooth operation
- > spare cutting wheel in handle
- > possible individual use of burr NOGA removal tool
- > quick-release system

**Usage:**

> for cutting cooper, aluminium, inox and steel tube of maximum thickness till 2mm



SKU	∅mm	∅"	B	D	H	L <sub>MIN</sub>	L <sub>MAX</sub>	📦
626188	6-76	1/4" - 3"	41.4	19.8	1018	245	334	890

### 361/6A


#### Tube cutter



- > body drop forged
- > instant wheel change

**Usage:**

> for cutting cooper, aluminium, inox and steel tube of maximum thickness till 2mm




SKU	∅mm	∅"	B	D	H	L <sub>MIN</sub>	L <sub>MAX</sub>	📦
626190	10 - 60	1/8" - 2"	48.3	30.8	102.8	388	456	2187

### 361.1/7A

#### Cutting wheel



SKU	DIM	📦
626193	30,8x19	26




### 363A

#### Internal - external reamer



- > Create a professional and burr free finish on cut tubes. After cutting, simply place the reamer over the tube end and twist until burrs are removed.
- > removes burrs on interior and exterior tube edges
- > plastic housing with ribbed surface for grip
- > cutting blades from special tool steel, oil hardened

SKU	∅ <sub>max</sub>	D	H	📦
626249	3-42	50	49.5	35



## 352/6PB

## Tube bending set



› Dimension of box: 393 x 331 x 95

**Set includes:**

- › 1x bending pliers (article 352.1/6)
- › 8x bending adaptor (article 352.2) dim. 10, 12, 14, 15, 16, 18, 20, 22
- › 2x bending back (article 352.3) dim. 10, 12 - 22

**Usage:**

- › for bending copper, brass, aluminium and thin walled steel tubes up to 90°

SKU	
621533	11
352.1/6 (1),  352.2 (10, 12, 14, 15, 16, 18, 20, 22),  352.3 (10, 12 - 22)	

## 352.1/6

## Bending pliers



- › housing from special alloy
- › step bending mechanism
- › quick release system

SKU	
621534	1140

## 352.2

## Bending adaptor



SKU	
621536	97
621538	134
621541	219
621542	272

## 352.3


## Bending back



SKU	DIM	
621548	12 - 22	450

### 760HB

#### Flat file with handle, bastard




- > material: premium hard plus carbon steel
- > all files have second cut
- > hanging hole

SKU	DIM	L	axb	📦
612992	200	325	5 x 20	245
612993	250	375	6,5 x 25	355
612994	300	425	6,5 x 30	500

### 760H1/2S

#### Flat file with handle, half smooth




- > material: premium hard plus carbon steel
- > all files have second cut
- > hanging hole

SKU	DIM	L	axb	📦
619296	150	270	4 x 16	104
612995	200	325	5 x 20	245
612996	250	375	6 x 25	355
612997	300	425	6,5 x 30	545

### 760HS

#### Flat file with handle, smooth




- > material: premium hard plus carbon steel
- > all files have second cut
- > hanging hole

SKU	DIM	L	axb	📦
612998	200	325	5 x 20	245
612999	250	375	6,5 x 25	355

### 761HB

#### Half-round file with handle, bastard




- > material: premium hard plus carbon steel
- > all files have second cut
- > hanging hole

SKU	DIM	L	axb	📦
619304	150	270	4,5 x 16	140
613002	200	325	5,5 x 20	203
613003	250	375	7 x 25	324
613004	300	425	8,5 x 30	490

### 761H1/2S

#### Half-round file with handle, half smooth



- > material: premium hard plus carbon steel
- > all files have second cut
- > hanging hole

SKU	DIM	L	axb	📦
619308	150	270	4,5 x 16	140
613005	200	325	5,5 x 20	203
613006	250	375	7 x 25	324
613007	300	425	8,5 x 30	490

### 761HS



### Half-round file with handle, smooth

- > material: premium hard plus carbon steel
- > all files have second cut
- > hanging hole

SKU	DIM	L	axb	
619312	150	270	4,5 x 16	140
613008	200	325	5,5 x 20	203
613009	250	375	7 x 25	324

### 762/5 1/2S



### Set of files, half smooth in carton box

SKU	ΣDIM	
619468	<b>760H1/2S</b> (150), <b>761H1/2S</b> (150), <b>763H1/2S</b> (150), <b>764H1/2S</b> (150), <b>765H1/2S</b> (150)	5
612931	<b>760H1/2S</b> (200), <b>761H1/2S</b> (200), <b>763H1/2S</b> (200), <b>764H1/2S</b> (200), <b>765H1/2S</b> (200)	5
612932	<b>760H1/2S</b> (250), <b>761H1/2S</b> (250), <b>763H1/2S</b> (250), <b>764H1/2S</b> (250), <b>765H1/2S</b> (250)	5

### 762/5B



### Set of files, bastard in carton box

SKU	ΣDIM	
612929	<b>760HB</b> (200), <b>761HB</b> (200), <b>763HB</b> (200), <b>764HB</b> (200), <b>765HB</b> (200)	5
612930	<b>760HB</b> (250), <b>761HB</b> (250), <b>763HB</b> (250), <b>764HB</b> (250), <b>765HB</b> (250)	5


### 762/5S



### Set of files, smooth in carton box

SKU	ΣDIM	
619469	<b>760HS</b> (150), <b>761HS</b> (150), <b>763HS</b> (150), <b>764HS</b> (150), <b>765HS</b> (150)	5
612933	<b>760HS</b> (200), <b>761HS</b> (200), <b>763HS</b> (200), <b>764HS</b> (200), <b>765HS</b> (200)	5
612934	<b>760HS</b> (250), <b>761HS</b> (250), <b>763HS</b> (250), <b>764HS</b> (250), <b>765HS</b> (250)	5

### 763HB




### Round file with handle, bastard

- > material: premium hard plus carbon steel
- > all files have second cut
- > hanging hole

SKU	DIM	L	D	
619316	150	270	6	105
613011	200	325	7,5	157
613012	250	375	8,5	209

### 763H1/2S

### Round file with handle, half smooth




- > material: premium hard plus carbon steel
- > all files have second cut
- > hanging hole

SKU	DIM	L	D	
619320	150	270	6	105
613014	200	325	7,5	157
613015	250	375	9,5	209

### 763HS

### Round file with handle, smooth




- > material: premium hard plus carbon steel
- > all files have second cut
- > hanging hole

SKU	DIM	L	D	
613017	200	325	7,5	157
613018	250	375	9,5	209

### 764HB

### Three-square file with handle, bastard




- > material: premium hard plus carbon steel
- > all files have second cut
- > hanging hole

SKU	DIM	L	B	
613020	200	320	14,5	200
613021	250	370	17	332

### 764H1/2S

### Three-square file with handle, half smooth




- > material: premium hard plus carbon steel
- > all files have second cut
- > hanging hole

SKU	DIM	L	B	
619332	150	270	10,5	133
613023	200	320	14,5	200
613024	250	370	17	332

### 764HS

### Three-square file with handle, smooth



- > material: premium hard plus carbon steel
- > all files have second cut
- > hanging hole

SKU	DIM	L	B	
613026	200	320	14,5	200

**765HB****Square file with handle, bastard**

- > material: premium hard plus carbon steel
- > all files have second cut
- > hanging hole

SKU	DIM	L	A	
613029	200	325	8	158
613030	250	370	10	252

**765H1/2S****Square file with handle, half smooth**

- > material: premium hard plus carbon steel
- > all files have second cut
- > hanging hole

SKU	DIM	L	A	
619344	150	270	5,5	106
613032	200	320	8	158

**768H1/2S****Half-round rasp with handle, half smooth**


- > material: premium hard plus carbon steel

SKU	DIM	L	axb	
613042	250	375	6,5 x 23	280

**777/6A****Flat scraper**

- > material: premium plus carbon steel
- > blade ground, shank blue lacquered
- > wooden handle

SKU	DIM	L	axb	
612228	200	325	5 x 20	233


**777/6C****Triangular spoon scraper**

- > material: premium hard plus carbon steel
- > blade ground, shank blue lacquered
- > wooden handle

SKU	DIM	A	L	
612233	150	8	255	113
612234	200	8	325	213
612235	250	8	370	370

**778/4APB**

**Double-edged screw extractors set**



SKU	DIM	
616830	1-5	5



**778/4PB**

1	D	■	L	⌀	mm
1	1.75	3.6	50	M3 - M6	2.0-3.5
2	2.2	5.0	57	M6 - M8	3.0-4.5
3	3.3	6.5	64	M8 - M11	4.0-6.0
4	4.75	8.8	71	M11 - M14	6.0-8.5
5	6.35	11.0	78	M14 - M18	7.0-11.0
6	9.50	15.0	85	M18 - M24	11.0-14.5
7	12.70	19.0	92	M24 - M33	14.5-19.0
8	17.50	24.0	100	M33 - M45	20.0-23.5

**778/4PB**


**Screw extractors set**



SKU	ΣDIM	
616820	1xM3 - M6, 2xM6 - M8, 3xM8 - M11, 4xM11 - M14, 5xM14 - M18	5
616821	1xM3 - M6, 2xM6 - M8, 3xM8 - M11, 4xM11 - M14, 5xM14 - M18, 6xM18 - M24	6
616822	1xM3 - M6, 2xM6 - M8, 3xM8 - M11, 4xM11 - M14, 5xM14 - M18, 6xM18 - M24, 7xM24 - M33, 8xM33 - M45	8

**1210**


**Flat cutting-off wheels, for steel**



- > Side reinforced flat cut-off wheels in resin bond for manual cutting on stationary machines with operating speed 80m/s, furnished with one metal hole insert.
- > Thin cut-off wheel meets requirements of european standard pr EN 12413 and their production is approved by Safety Certificates DSA 1819 (side grinding is not allowed)
- > Thin cut-off wheels are manufactured in specifications for universal steel cast iron and non-ferrous metals.
- > characteristic of material: A46SBF

SKU	D	T	H	⊞
610521	125	1.6	22	50

### 300/2




#### Tyre lever

- > material: premium chrome vanadium steel
- > drop forged, entirely hardened and tempered
- > surface finish: trivalent chrome plated according to ISO 1456:2009

SKU	L	📦
601755	300	253
601756	400	452
601757	500	648

### 300/2A




#### Tyre lever

- > material: premium chrome vanadium steel
- > drop forged, entirely hardened and tempered
- > surface finish: trivalent chrome plated according to ISO 1456:2009

SKU	L	📦
601758	537	992

### 300/2C



#### Tyre lever with handle

- > material: premium chrome vanadium steel
- > surface finish: trivalent chrome plated according to ISO 1456:2009
- > ergonomic heavy duty double component handle

SKU	L	axb	📦
613103	320	1.1 x 13	252
613104	410	1.5 x 15	499
613105	610	1.5 x 21	837

### 300CCB




#### Set of tyre levers with handle

SKU	ΣDIM	📦
613106	320, 410, 610	3

 300/2C (320, 410, 610)

### 300/6B




#### Carpenter's lever

- > material: premium flex plus carbon steel
- > lacquered

SKU	L	L1	📦	📦
608815	500	120	18	1180
608816	600	120	18	1385
608817	800	120	18	2190
608821	1000	120	20	2715

## 556A

### Utility knife




- > double component handle
- > 3 exchangeable snap-off blades inside the handle for 627548 and 616853
- > blade from high alloy steel
- > blade can only be moved with cutting block forward
- > when the blade is blunt, it can be snapped off
- > when the last blade has been used, the remnant of the blade can be removed by pushing cutting block forward

SKU	L	B	
627548	130	9	39
616853	160	18	99
627549	190	25	113

## 556B

### Utility knife




- > double component handle
- > 8 automatic exchangeable snap-off blades inside the handle
- > blade with 13 snap-off blades
- > blade from high alloy steel
- > blade can only be moved with cutting block forward
- > when the blade is blunt, it can be snapped off
- > when the last blade has been used, the remnant of the blade can be removed by pushing cutting block forward

SKU	L	B	
612136	160	18	167

## 556.1A

### Set of 10 spare blades for utility knife 556A




- > blade can only be moved with cutting block forward
- > when the blade is blunt, it can be snapped off
- > when the last blade has been used, the remnant of the blade can be removed by pushing cutting block forward
- > new blade can be inserted with by pushing cutting block backwards

SKU	L	B	
627550	80	9	24
627551	126	25	177

## 556.1B

### Set of 10 spare blades for utility knife 556A and 556B




- > blade can only be moved with cutting block forward
- > when the blade is blunt, it can be snapped off
- > when the last blade has been used, the remnant of the blade can be removed by pushing cutting block forward
- > new blade can be inserted with by pushing cutting block backwards

SKU	L	B	
612137	100	18	75

## 1300/6

### Hand riveter



- > The usability of the Uniortools 1300/6 Hand Riveter is its standout feature. Whether you're working on automotive repairs, metal fabrication, or projects at home, this tool provides the necessary leverage and control to securely fasten rivets with precision. Its ergonomic design reduces hand fatigue, allowing for extended working sessions without discomfort. The tool's simple mechanism enables quick rivet installation, enhancing efficiency and productivity in any workshop or job site environment. The Uniortools 1300/6 Hand Riveter is aimed at professionals in the fields of engineering, construction, and manufacturing, as well as hobbyists who require a reliable tool for occasional use.
- > material: frame from aluminium alloy, lever handle from special composition steel
- > handle: ergonomic shape
- > spring for reopening
- > completed with 4 nose pieces for setting blind rivets up to 4,8 mm or 3/16"
- > with wrench for the change of nose-pieces

SKU	L	D1	D2	D3	D4	
615454	270	2.4 (3/32")	3.2 (1/8")	4.0 (5/32")	4.8 (3/16")	610

## 1301/6



## Hand riveter set

- › light and durable construction
- › 5 nose pieces for installing rivets, 3.2 mm – 6.4 mm (1/8" – 1/4")
- › 5 nosepieces for installing blind-rivet nuts, from M4 to M10 (R5/32" – R3/8")
- › the tool comes with the SOS tool tray which can be used with Unior tool carriages
- › lacquered handles with heavy duty handles

SKU	L	
619880	495	2200


## 1301.1/4



## Nosepiece for blind-rivet nuts for 1301/6

SKU	DIM	
621437	M4	47
621438	M5	49
621439	M6	49
621440	M8	71
621441	M10	78

## 1342




## Flat tweezers

- › material: stainless steel

SKU	L	A	
619280	160	2	25

## 1343




## Bent flat tweezers

- › material: stainless steel

SKU	L	A	
619281	155	2	26

## 1344




## Flat tweezers

- › material: stainless steel

SKU	L	A	
619282	140	1.5	18

## 1345




## Pointed tweezers

- › material: stainless steel

SKU	L	A	
619283	115	1.5	11

## 1346




## Bent pointed tweezers

- › material: stainless steel

SKU	L	A	
619284	165	2	28

**1347**

**Cross pointed tweezers**




> material: stainless steel

SKU	L	A	
619285	115	1.2	15

**1348**

**Spade pointed tweezers**




> material: stainless steel

SKU	L	A	
619286	120	1	12

**639A**


**Awl with round straight blade**



SKU	L	
617773	165	31

**639B**


**Awl with round, 90° bent blade**



SKU	L	
617774	165	31

**639C**


**Awl with round, double bent blade**



SKU	L	
617775	165	31

**639D**

**Awl with round, double bent small blade**



SKU	L	
617776	165	31

**639PB**

**Awl set**




SKU	Hand icon
617777	4

639A (165), 639B (165), 639C (165), 639D (165)

**431/2**

**Brake spring pliers**



- > material: premium chrome vanadium steel
- > drop forged, entirely hardened and tempered
- > loose oil hardened head, phosphated surface finish: chrome plated

SKU	L	A	D	Weight icon
601554	325	53	25	423

**1375/6**

**Oil can with flexible spout**



SKU	V	Weight icon
619935	0.51	210

**1376/6**

**Grease gun**



- > material of head, body and grease pipe: steel
- > possibility of direct filling of bulk or using the cartridge
- > capacity for bulk grease: 500 cm<sup>3</sup>
- > capacity for cartridge: 400 cm<sup>3</sup>
- > working pressure: 4000 - 4500 psi (280-310 bars)
- > high pressure flexible grease pipe, length 290mm, outside thread R1/8", hexagonal attachment 13mm
- > fixed grease pipe, length 130mm, outside thread R1/8"
- > head of grease gun type American, inside thread for pipes R1/8"

SKU	V	Weight icon
619936	0.51	1300

**1863**

**Universal kneeling and sitting pad**




- > material: low density polyethylene foam

SKU	L	B	H	Weight icon
621982	500	219	30	95

**1940/2BI**

**Trim pin remover**



- > material: premium flex plus carbon steel
- > ergonomic heavy duty double component handle
- > for removing trim pin till 8mm
- > This tool is used for extracting fastening pins, removing trim and on various upholstery.

**Advantages:**

- > tip angled ground
- > It's ergonomic design allows easy and safe working in various positions and in difficult to reach places without damage to the items being extracted or removed.

SKU	L	B1	B2	A	
619267	230	8.5	28	2.5	130

**1944/6**

**Double suction lifter**



- > durable plastic body
- > for the transport and positioning of windscreens during fitting and removing operations

**Advantages:**

- > loading capacity: 75kg
- > two strong suction pads for maximum safety
- > suction pads can be set to suit flat and curved surfaces


**How to use the tool:**

- > This lifter is useful when replacing and carrying windscreens . The lifter is operated by placing the two suction pads on the windscreen and creating vacuum in them by using the handles. The suction pads then securely grip the windscreen that is to be removed or installed.
- > 1. Position it on the windscreen.
- > 2. Move the handles to create vacuum between the lifter and the windscreen.
- > 3. The windscreen can be safely removed or installed using the lifter.

SKU	
619740	925

**1945**

**Multi-function scraper with blade guard**



- > plastic material
- > blade from high alloy steel
- > with blade guard
- > This tool is designed for scraping off dirt stuck to various surfaces. Due to its large working surface, the tool scrapes uniformly across the entire surface. It is suitable for removing silicon putty from motor heads, baked-on seals, vignette, etc.

SKU	L	B	axb	
620240	165	70	60.8 x 18.9	37

**1945.1**


**Set of 5 blades for 1945**



SKU	
621042	33

1976/2

## Adjustable oil-filter wrench



- › material gripping arms: carbon tool steel
- › for assembling or disassembling oil filters
- › removes all type of oil filters from 60 to 120 mm diameter

**Advantages:**

- › arms are ribbed, for better gripping oil filters

**How to use the tool:**

- › As car repair shops usually need to replace various types of oil filters, we have developed a tool that can be used on the majority of standard ones. When used, the tool conforms to the filter as tightening it makes it grip the filter. The tool can be used on all filters with diameters ranging from 60 to 120 mm. Because of the limited space during changing, the tool is sized and adjusted to require as little space as possible. The hooks are ribbed to make them suitable for filters without an edge to allow gripping and which would be difficult to replace with conventional methods. The tool works in both directions and thus allows both the tightening and loosening of oil filters, as it adjusts and utilises the effort invested optimally in both cases.

**Important!**

- › used with ratchet 3/8" and proper extension bar

SKU	D <sup>MIN</sup>	D <sup>MAX</sup>	Ø	H	📦
619257	60	120	3/8"	60	635

2035

## Brush for cleaning disk brake shoes




- › for cleaning brake disc shoes prior to installing new brake linings and other metal engine parts
- › extremely narrow design for those hard-to-reach spaces
- › Braking causes wear on the brake pads and brake lining material to accumulate in the brake disc shoe - this has to be cleaned when replacing brake pads. The narrow design of this tool allows it to be used to clean brake disc shoes and anything else that might require such cleaning.

SKU	📦
619739	73

2042/2

## Tool for tyres valvelets



- › material: premium plus carbon steel
- › surface finish: trivalent chrome plated according to ISO 1456:2009
- › for assembling and disassembling Schrader valvelets mechanism
- › one end is designed for assembling and disassembling of mechanism, other end for releasing the air


**Advantages:**

- › the handle of the tools is serrated for a better grip

SKU	L	D1	D2	D3	📦
621998	115	11	4,5	2	65

2051/4

## Suspension compressor for shock absorber springs



- › This Unior professional tool, under article number 2051, is intended for the removal of car shock absorbers and is mainly used to compress the springs in MacPherson struts. Since the number of versions of the MacPherson strut is always increasing, the tool set contains three different pairs of grippers that almost completely cover the range of different MacPherson struts. The tool set also includes a spacer bar for conical springs, which increases the usefulness of the Shock Absorber Remover. Development of this tool took safety into account as the large forces involved in removing shock absorbers may present a risk of injury to the user. For this reason, all grippers in the set feature enlarged grip edges to firmly grip the spring in the tool thus prevent any possibility of slipping, which could injure the tool user. The recommended load for the tool is 9000 N. The maximum load for the tool is up to 37000 N. The tool is supplied in a durable PVC case that enables easier and safer transportation.
- › in set 2 cups 80 - 115, 2 cups 110 - 150 in 2 cups 140 - 195

**How to use the tool:**


1. Select the appropriate cup for your spring.
2. Place the remover on the spring.
3. START compressing the shock absorber spring.

SKU	L <sup>MAX</sup>	Ø <sup>mm</sup>	D	📦
619279	300	21	80-195	14600



**2083**

**Telescopic magnetic pick-up tool with light**



- › for lifting nuts, bolts, screws
- Advantages:**
  - › batteries protected against humidity
  - › included in the set: 3 LR41 batteries
  - › with light, for dark places between the machine parts

**How to use the tool:**  
 › This tool is intended for picking up small metal objects. It has a special light that activates automatically upon being extended from its housing. It is useful for partly unlit spaces such as the inside of engines. When no longer needed, simply fold back the tool and the light will immediately deactivate. The tool has a fastener.


SKU	L	L1		
619741	170	660	0.5	42

**2084**

**Professional auto inspection set**




- › with long life LED light
- › available in durable plastic bag
- › the magnet's lifting capacity: 3.5 kg
- › included in the set: 1 round mirror O60, 1 angular mirror (65 x 42 mm), 2 bits attachments, 3 L1154F batteries, 1 bag with the SOS tool tray
- › In addition to the LED light, this set includes additional mirrors to facilitate viewing of difficult-to-reach areas inside the car, making this a very useful set. The tools are also intended for lifting small metal objects such as screws, nuts, etc. The set comes in an attractive and durable bag. Individual tools have been placed in the SOS tool tray to make them easier to find.



SKU	A	B	H	L1		
619742	240	110	45	650	3.5	360

**2085**

**Claw pick-up tool**



- Advantages:**
  - › This adjustable tool is easy to navigate through difficult-to-reach areas. To enable quick and reliable gripping of objects, it has three claws that extend or return to their original position upon pressing or releasing the button, respectively.
- How to use the tool:**
  - › for lifting small especially non-metallic parts like bolts, nuts, screws

SKU	L	D <sup>MAX</sup>	
619883	510	15	150


**2086**

**Magnetic tray**



- › Material: stainless steel, corrosion resistant
- › keeps parts and tools right where you need them
- › holds any small nuts, bolts and steel parts
- Advantages:**
  - › powerful permanent magnet covers with protective rubber foot
  - › can be used in any position


**How to use the tool:**  
 › With its powerful rubber-protected magnet, this magnetic tray is suitable for practically all industrial applications ranging from car repair shops to everywhere where it can be attached to a metal surface. It can be used in all positions - the magnet is so powerful that the tray can even be fitted upside-down. The tray is intended for protecting screws, nuts and the like against being misplaced, and for storing them in a central location to minimise the time needed to find a specific item.  
 › for usage in garage, engine, household work



SKU	D	H		
619728	150	40	3	387

2087

## Flexible pick up tool with magnet



The flexible magnetic pickup is designed to collect metal objects from hard to reach spots.


**Advantages:**

- > It features a flexible stem with a strongly magnetic tip.
- > The magnet is capable of lifting metal objects of up to 1 kg.
- > The tool is fitted with an ergonomically designed handle, ensuring easy and efficient operation.

SKU	L	D	kg	
619929	500	15	1	127

2091

## LED light

**Advantages:**

- > with 7 LED lamps (6 in front and 1 on top)
- > working time of 6 front LED lamps is approximately 3 hours, 1 LED on top 7 hours
- > luminous flux of top LED light: 80 lm
- > luminous flux of front LED light: 350 lm
- > IP class: IP20
- > with two adjustable hangers
- > with three magnets
- > simple light angle adjustment from 0 to 180°
- > made from user friendly plastic material
- > with two adaptors (12/24V in 100-240 V)
- > magnet in bottom carries complete weight of LED light
- > Li-Ion battery

SKU	L	A	
620237	250	55	512

2091A

## LED light



- > L: 170mm; Ø: 22 mm; 100 - 130 lm
- > LED light: front 7 pcs x 1.5 W + top 1 pc x 1 W
- > on/off switch on the top
- > magnetic clip
- > durable housing
- > Li-ion battery, 800 mAh
- > LED charge indicator
- > more than 5 hours running time
- > USB charge port with AC/DC adaptor: input: 100V - 240 V, 50 - 60Hz; output: 5V DC 1000 mA

SKU	L	D	
627201	170	22	115

**2203/2BI**

**Tool for rotating camshaft pulley**




- > material: premium chrome vanadium steel
- > material: pin from premium plus carbon steel
- > for holding pulleys on camshafts, injection pumps
- > for timing pulleys, span from 24 to 160 mm
- > available pin dimensions: Ø5.7, Ø7.7, Ø9.7, Ø11.7, Ø18
- > heavy duty double - component handles
- > jet stamp UNIOR
- > Used to hold the camshaft pulley in place so that the centre screw can be unscrewed prior to removing the camshaft pulley. This easy-to-use tool is intended for all types of camshaft pulleys.

SKU	L	
619723	525	1435

**2209**

**Alternator combination socket**




- > This two-part tool for the alternator allows the easy dismounting and mounting of the alternator pulley for the purposes of pulley replacement or alternator repair. The alternator is blocked by means of a 10 mm XZN multispline insert; simultaneously, the pulley retaining screw on the shaft is released/tightened. The tool is available as a 1/2" socket key with a XZN - M10 bit and as a 1/2" socket key with a TX50 bit.

SKU	DIM	D	L1	L2	
620225	M 10	23.8	113	75	178
620948	TX 50	23.8	113	75	176

**3050/2BI**

**Clutch and gear wheel holding tools**



- > material: premium plus carbon steel
- > surface finish: trivalent chrome plated to standard ISO 1456:2009
- > ergonomic heavy duty double component handle


- Advantages:**
- > Its wedge-shaped gripping shanks provide grip between teeth while preventing them from being damaged.
  - > The tool also includes a screw, which enables the tool to be fixed in a certain position and, consequently, a firm grip.

- Usage:**
- > The tool is designed for holding the clutch, gears and the cam shaft when tightening gears in the range up to 130mm during assembly and disassembly.
  - > all types of motorbikes

SKU	D <sup>MIN</sup>	D <sup>MAX</sup>	C	B	A	L	
620261	40	130	35	6	53	390	637

**3054/4**

**Flywheel puller with internal thread**



- > material: premium plus carbon steel
- > surface finish: blacken to standard DIN 50938


- Advantages:**
- > allows flywheel removal on the motorcycle
  - > On the puller, there is an attachment for an open-end wrench, which should hold the magnet

- Usage:**
- > for removal of flywheels with external thread

SKU	DIM	D	H <sup>MAX</sup>	
620271	M26 x 1	34	80	353
620272	M28 x 1	36	80	385
620276	M38 x 1,5	48	105	880

## 3200/2BI

## Chain breaker, press and riveting tool for motorbike



- › material: premium flex plus carbon steel
- › surface finish: trivalent chrome plated to standard ISO 1456:2009
- › ergonomic heavy duty double component handle
- › Dimension of box: 321 x 198 x 54

**Usage:**

- › for DID chains with graduation 520, 525, 530 and 532
- › for Regina chains with graduation 520, 525, 530
- › for RK chains with graduation 520, 525, 530 and 532
- › compatible with most motorcycle drive chains

**Disassembling the chain:**

- › a robust set for disassembling a chain without any prior grinding of the pin
- › select the appropriate pin (diameter Ø3, Ø3,5 or Ø5 mm) and lower guide (Ø4 Ø5 or Ø6 mm) corresponding to the pin diameter on the chain
- › insert the pin into the tool, then position the tool on the chain link and rotate the tool until the chain pin falls out


**Assembling the chain:**

- › assemble the chain according to the manufacturer's instructions
- › select an appropriate set of pressing adaptors depending on the size of the plates (guide widths to 13.5 mm or 16 mm)
- › position the set into the tool. Place the tool on the connecting chain link and press the link by rotating the riveting tool using the handle until the plates and the chain are tightly connected
- › after the chain link and the plates have been successfully aligned, install the chain pin
- › You can choose from 3 types of riveting pins (type A, B or C)
- › place the riveting set into the tool and rotate the handle to cause a deformation of the head of the pin, so the diameter is between 5.5 to 5.8 mm as recommend the chain manufacturer's instructions

SKU	B	H	L	
623220	40	115	270	2490

## 3302/6

## Stand for motorcycle wheel alignment



- › material: premium plus carbon steel
- › lacquered housing, other parts zinc plated
- › the stand is intended mainly for use in motorbike repair services and for home users

**Advantages:**

- › the stand has a spirit level for setting in a horizontal position
- › it enables radial control of the rim position with a sensor
- › The geometry of the callipers enables a simultaneous axial control for accurate truing of the rim.
- › The stand enables fixing of cones to the axis that enable the centring of the wheel on its own bearings, thus preventing the possibility of centring errors.
- › it has two positions for setting columns regarding the width of the hub
- › the rotation of the axis on external bearings enables centring on the standard method


**Usage:**

- › Wheels with dimensions to max 32 inches can be centered.
- › for axis dimensions of 12 to 36 mm

SKU	D	d <sub>min</sub>	d <sub>max</sub>	A	B	H	
620297	32"	12	36	500	280	525	9600

## 3303/2

## Disc spreader for motorcycle



- › material: premium plus carbon steel
- › surface finish: trivalent chrome plated to standard ISO 1456:2009

**Usage:**

- › The tool is used for compressing brake pistons when replacing brake pads. The tool is useful for compressing single, double and triple brake pistons. The tool enables quick and easy pressing of brake pistons back into the housing without additional damage to the piston or the housing.

**Important!**

- › For compressing double or triple brake pistons, we leave the used brake pads in the brake housing. This will prevent one of the pistons being pushed from the housing.
- › after compressing replace the worn out brake pads with the new one

SKU	L	A	B	C <sup>MIN</sup>	C <sup>MAX</sup>	
620298	120	100	35	4	45	507

## 3700MX PROKIT

## MX Pro Kit tool set



- › MX Pro Kit tool case is real world designed and tested by the professional's on the toughest off-road trails around the world.
- › Well thought out, extremely durable tool pallets organize and hold your tools in place. Pockets are designed with the size of our tools in mind. It also features extra space on the bottom leaving you room to personalize your kit.
- › After designing the tool case for Pro Kit, we sat down with team mechanics and carefully selected a set of tools that demanding MX mechanic will appreciate. We picked 107 pieces of our tools that are a perfect fit for a portable set, shop or home.
- › The set contains a wide range of tools for servicing MX motorcycles in the field.
- › The toolbox is designed especially use in the field; it's made of heavy duty plastic and is waterproof and dustproof.
- › Flaps in the lid can be closed tightly with the Velcro straps; when closed, they also secure the tools in place. The biggest pockets can take our combinations and socket T-handle wrenches. A special small pockets can securely hold the screwdrivers and other tools, so nothing ever gets lost.
- › basic dimensions of case L 555 x W 428 x H 211mm
- › inner dimensions of case L 500 x W 350 x H 194mm
- › total volume of case: 33,95 litres
- › Additional SOS foam tray for tools storage (dimensions 470 mm x 170 mm) at the bottom of the case.

### Advantages:

- › All together 35 pockets
- › The pockets are sewed together with durable nylon thread
- › Waterproof and dustproof in accordance with IP67 certificate
- › Watertight seal around lid
- › Automatic pressure release valve
- › Easy to open/close double throw latches
- › Load tested soft grip handle
- › Robust case from heavy-duty composite
- › Corrosion free nylon pins
- › Option to lock the case with a padlock (not included)
- › Aluminum divider at the bottom of the tool case to keep your tools organized
- › Flaps neatly close into the lid of the tool case

SKU	107
125/1 (6, 8, 10, 12, 13, 14, 16, 17, 19, 21, 22, 27, 30, 32), 186.4/2A (14), 188.1/1ABI (1/4"), 188.3/2 (1/4"), 188.4/2 (1/4"x55, 1/4"x150), 188.6/2 (1/4"), 188/2 6p (4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 13, 12, 14), 190.1/1ABI (1/2"), 190.3/1 (1/2"), 190.4/1 (1/2"x125, 1/2"x250), 190.6/2 (1/2"), 190.7/2 (1/2"x3/8"), 190/1 6p (10, 11, 12, 13, 14, 15, 17, 19, 22, 24, 27, 30, 32), 192/2HX (6, 7, 8, 10, 12, 14, 17), 193N (6, 8, 10), 193TX (TX 15, TX 20, TX 25, TX 30), 192/2TXL (TX 45), 220/3SLPH (1.5, 2, 2.5, 3, 4, 5, 6, 8, 10), 220/7TXPH (TR8 - TR40x9), 300/2 (500), 461/1BI (140), 449/1PYTHON (240), 506/1BI (140), 516/4 (213), 556A (160x18), 605TBI (0.5 x 3.0x80, 0.8 x 4.0x100, 1.0 x 5.5x125, 1.2 x 6.5x100, 1.2 x 8.0x175), 615TBI (PH 1x80, PH 2x100), 710R (2 m), 820A (22), 2042/2 (115), 3301/2 (5x6x6, 3x7, 5, 4x5, 6x6, 5x6, 8), 3202/1P (1), 3600/2BI (4, 2), 970MX PROKIT (555x428x211)	

## 3700LIGHT KIT

## Light adventure kit




- › Light adventure kit a simple but very effective solution of carefully selected hand tools that is designed from the ground up for technical problems that appear on motorcycle rides. With its portable design, it's perfect for endless adventures or just for joyful short rides in your local area or region. It is made as a small wrap, so it's easy to store and carry around, and just big enough to contain all the essential high-quality Unior tools that every motorcycle owner needs.
- › Small, light and portable formfactor.
- › It includes all the essential hand tools for maintaining and fixing motorbikes on the go.
- › Hand tools and wrap are made out of high quality materials, which provide high durability and sustainability.
- › It includes 26 different hand tools.

SKU	26
110/1 (8 x 10, 12 x 13, 14 x 17), 125/1 (8, 10), 187/2HX (4, 5, 6), 187/2TX (TX 20, TX 30, TX 40), 187/2SL (0.8 x 4, 1.0 x 5, 5), 187/2PH (PH 1, PH 2), 188/2 6p (6, 8, 10, 12, 13, 14), 188.3/2 (1/4"), 188.4/2 (1/4"x100), 188.8 (1/4"), 447/4PHPP (240), 531/4P (190)	

## 3800

## Tool box




- › For all you motorbike enthusiasts who strive for a tidy working environment and like to repair your moto bikes at the comfort of your home, the portable toolbox is the right choice for you. Whether you're in the field, at the racetrack or at home, your tool kits will always be neatly stowed and organised. All with the aim of a comprehensively organised working environment.
- › material: premium PLUS sheet metal
- › central locking system for drawer and lid with a lock
- › coated with eco colour of Qualicoat quality standard
- › drawers have ball bearing slides with soft closing
- › gas struts assisted opening
- › 100% pull-out drawers enable a good overview and easy access to tools.
- › 3 drawers ( L 563 x W 270 x H 75mm)
- › storage space under the lid sized 560 x 267mm
- › ergonomic handle for tool box carrying and drawer opening
- › possibility to extend the functionality of the tool box with T-wrench and screwdriver holders (left and right)

SKU	L	B	H	
629487	694	336	400	21400

## h.3002.SCR

## Holder for screwdrivers




- › For faster and better quality repairs on your engines, the screwdriver holder is the right choice for you. Quickly accessible, up-to-date and clearly arranged, this holder will allow you to have a faster and more organised working environment. Its easy mounting on the toolbox also gives you portability no matter where you are.
- › usable with tool box 3800
- › easy hanging on the tool box (left and right)
- › 6 screwdrivers storage places
- › quick and easy access to screwdrivers

SKU	
629513	340


## h.3002.T.WRE

## Holder for T-handle wrenches



- › In addition to an easy installation on portable toolbox, the T-handle holder offers you a clear way to sort the T-handles. It can be positioned either to the left or right of the toolbox, so you not only have your T-handles set stacked according to size, but also always close to your hands when you need them.
- › usable with tool box 3800
- › easy hanging on the tool box (left and right)
- › 8 T-wrench storage places
- › quick and easy access to T-wrenches

SKU	
629485	193



# Safe tools at heights

Check products online.



- ✓ *non-removable riveted metal ring*
- ✓ *tool weight is marked on each tool*
- ✓ *the rings on the tools are large enough to accept 2 carabiners*
- ✓ *toothed jaw is designed to ensure optimum grip of an object*
- ✓ *extreme grip strength*
- ✓ *the jaws enable one-handed work in difficult-to-reach places*
- ✓ *handles are designed to fully adjust to the user's hand*

## PRODUCTS



*Wrenches at heights*



*Pliers at heights*



*Other safe tools at heights*



# MADE FOR WORK.


## HIGHLY EFFICIENT SOLUTIONS

Working at heights involves high levels of risk, so nothing can be left to chance. Unior – a synonym for high-quality hand tools, presents a line of tools specially adapted for working at heights in order to avoid dangerous falls..



## 120/1-H

## Combination wrench, long type, for safe work at heights



- › material: premium chrome vanadium steel
- › drop forged, entirely hardened and tempered
- › surface finish: trivalent chrome plated according to ISO 1456:2009
- › polished head
- › ring part with LIFE profile
- › made according to standard ISO 7738 (metric dimensions only)

### Advantages:


- › non-removable riveted metal ring
- › tool weight is marked on each tool
- › the rings on the tools are large enough to accept 2 carabiners
- › Unior's tools for working at heights have been designed to preserve the tools' basic functions, ergonomics and utility, or to reduce them to the smallest possible extent.
- › sliding metal ring does not obstruct use of tool on either end

SKU	Ø <sub>mm</sub>	L	B1	B2	A1	A2	⚖
626076	6	119	14,5	10,4	3,5	5	18
626077	7	129	16,5	11,5	3,9	5,8	22
626078	8	141	18,5	13,2	3,9	6,9	28
626079	9	152	32,1	14,	4	7,3	36
626080	10	163	23	15,9	4,2	7,5	43
626081	11	176	24,5	17,8	4,5	8	54
626082	12	186	26,5	19,4	4,7	8,5	64
626083	13	199	29,5	20,4	5,2	8,5	72
626084	14	210	31,5	22	5,2	9	86
626085	15	222	33,5	23,5	5,7	9,5	101
626086	16	234	36	24,8	6,2	10,5	136
626087	17	245	38	16,1	6,7	10,5	155
626088	18	257	40	27,7	7,2	11	173
626089	19	268	42	29,3	7,2	12	198
626090	20	280	44	31	7,7	12,5	224
626091	21	291	45,5	32,6	8,2	13	255
626092	22	303	46,5	34,1	8,2	13	273
626093	23	314	50,5	35,7	8,2	13	316
626094	24	330	52,5	37,3	8,5	14	361
626095	25	337	54,5	39	8,5	14,5	384
626096	26	349	56	40,1	8,5	15	424
626097	27	360	57,5	41,6	9	15	481
626098	28	373	59,5	43,2	9	15,1	542
626099	29	383	61,5	44,9	9,5	16	573
626100	30	395	63,5	46,5	10	16	627
626101	32	416	68	49	10,5	16,5	744

SKU	Ø <sub>mm</sub>	L	B1	B2	A1	A2	⚖
626176	35	500	78,8	53,5	13,6	20	1540
626117	36	500	78,8	53,5	13,6	20	1485
626174	38	515	82,8	58	14,1	20,5	1458
626118	41	540	86,8	62	14,6	21	2113
626295	1/4"	119	14,5	10,4	3,5	5	18
626296	5/16"	142	18,5	13,2	3,9	6,9	28
626297	3/8"	153	21	14,3	4	7,3	33
626298	7/16"	176	24,5	17,8	4,5	8	53
626299	1/2"	199	29,5	20,4	5,2	8,5	74
626300	9/16"	211	31,5	22	5,2	9	83
626301	5/8"	234	36	24,8	6,2	10,5	135
626302	11/16"	245	38	26,1	6,7	10,5	153
626303	3/4"	268	42	29,3	7,2	12	200
626304	13/16"	291	45,5	32,6	8,2	13	258
626305	7/8"	303	46,5	34,1	8,2	13	274
626306	15/16"	330	52,5	37,3	8,5	14	358
626307	1"	337	54,4	39	8,5	14,5	389
626308	1.1/16"	360	57,5	41,6	9	15	477
626309	1.1/8"	372	59,5	43,2	9	15,5	535
626310	1.1/4"	417	68	49	10,5	16,5	748
626311	1.5/16"	417	68	49	10,5	16,5	740
626312	1.3/8"	500	78,8	53,5	13,6	20	1529
626313	1.7/16"	500	78,8	53,5	13,6	20	1489
626314	1.1/2"	500	78,8	53,5	13,6	20	1473
626315	1.5/8"	540	86,8	62	14,6	21	2132
626316	1.11/16"	540	86,8	62	14,6	21	2096

## 250/1-H

## Adjustable wrench, for safe work at heights




- › material: premium chrome vanadium steel
- › drop forged, entirely hardened and tempered
- › surface finish: trivalent chrome plated according to ISO 1456:2009
- › polished head
- › with scale
- › made according to standard ISO 6787

### Advantages:

- › tool weight is marked on each tool

SKU	DIM	DIM <sup>4</sup>	L	A	Ø <sub>mm</sub>	⚖
626106	200	8"	205	14,4	24	272
626107	250	10"	254	16,9	27	458
626108	300	12"	303,5	19,1	34	709
626109	380	16"	375	23,8	41	1309
626162	450	18"	458,5	26,3	48	1725

## 160/2-H



## Ratchet combination wrench, for safe work at heights


- › material: premium chrome vanadium steel
- › drop forged, entirely hardened and tempered

**Advantages:**

- › ratchet: works both way, screw direction can be changed with button
- › Stop ring on the ring part of the wrench prevents unexpected slip of the wrench from the nut and positioning back on the nut.
- › It enables quick and easy tightening of the nut without causing damage to the user and quick, save and precise positioning of the wrench on the nut.
- › non-removable riveted metal ring
- › tool weight is marked on each tool
- › the rings on the tools are large enough to accept 2 carabiners
- › Unior's tools for working at heights have been designed to preserve the tools' basic functions, ergonomics and utility, or to reduce them to the smallest possible extent.
- › sliding metal ring does not obstruct use of tool on either end

SKU	Ømm	L	B1	B2	A1	A2	📦	▼
626389	8	134	16,7	17,1	4,7	8,4	41	626397
626390	9	158	21	21	5,5	8,4	68	626398
626391	10	158	21	21	5,5	8,4	66	626399
626392	11	164	23	22,6	6	9,7	77	626400
626393	12	167	25	23,8	6,2	9,7	87	626401
626394	13	177	27,5	24,9	6	9,7	101	626402
626395	14	189	29	27	7	10,1	120	626403
626396	15	198	31,5	28,1	7,2	11,7	148	

## 179/2-H



## Scaffolding wrench, for safe work at heights


- › material: premium chrome vanadium steel
- › drop forged, entirely hardened and tempered
- › surface finish: trivalent chrome plated according to ISO 1456:2009
- › to assemble scaffolding

**Advantages:**

- › non-removable riveted metal ring
- › tool weight is marked on each tool
- › the rings on the tools are large enough to accept 2 carabiners
- › Unior's tools for working at heights have been designed to preserve the tools' basic functions, ergonomics and utility, or to reduce them to the smallest possible extent.
- › sliding metal ring does not obstruct use of tool on either end

SKU	Ømm	L	B	B2	A	A2	📦
626161	21 x 22	316	35	34	17	17	605

## 184/7-H



## Slogging ring wrench, for safe work at heights

- › material: premium chrome vanadium steel
- › drop forged, entirely hardened and tempered
- › surface finish: anticorrosive oiled
- › made according to standard DIN 7444 (metric dimension only)


**Advantages:**

- › non-removable riveted metal ring
- › tool weight is marked on each tool
- › the rings on the tools are large enough to accept 2 carabiners
- › Unior's tools for working at heights have been designed to preserve the tools' basic functions, ergonomics and utility, or to reduce them to the smallest possible extent.

SKU	Ømm	L	B	A	📦	▼
626344	24	180	48,6	16	579	626348
626345	27	180	48,6	16	555	626349
626346	30	180	48,6	16	532	626350
626347	32	190	58,4	18	762	626351

190/1 12p-H

Socket 1/2", 12 point, for safe work at heights



- › material: premium flex chrome vanadium steel
- › drop forged, entirely hardened and tempered
- › surface finish: trivalent chrome plated according to ISO 1456:2009
- › polished

**Advantages:**

- › tool weight is marked on each tool
- › made in accordance to the ISO 3315-B (accessories) and ISO 2725-1B (sockets) standards
- › switching sockets and accessories requires use of specific tool (Art. 1111)
- › sockets and accessories with side holes


**Caution!**

- › switching sockets and accessories must be carried out in a previously secured or safe area

SKU	Ø mm	L	D1	D2	T <sup>MIN</sup>	■
626143	10	38	15	22,9	12	53
626144	11	38	16,3	22,9	12	55
626145	12	38	17,9	22,9	12	55
626146	13	38	18,8	22,9	12	56
626147	14	38	19,7	22,9	12	59
626148	15	38	20,4	22,9	12	61
626149	16	38	22,9	21,5	12	57
626150	17	38	24,3	22	12	58
626151	18	38	25,5	23	12	67
626152	19	38	26,8	24	14	72
626153	20	38	28,1	24	14	76
626154	21	38	29,3	25	14	84
626155	22	38	30,4	25	14	86
626156	23	40	31,7	26	14	99
626157	24	42	33,1	28	16	120
626158	27	43	37	30	18	143
626159	30	46	40,7	34	22	204
626160	32	46	43,2	36	22	225
626388	36	46	48	42	22	268
626203	3/8"	38	15	22,9	12	46
626204	7/16"	38	16,3	22,9	12	46
626205	1/2"	38	18,8	22,9	12	50
626206	9/16"	38	20,4	22,9	12	50
626207	19/32"	38	20,4	20,7	12	49
626208	5/8"	38	22,9	21,5	12	55
626209	11/16"	38	25,5	23	12	56
626210	3/4"	38	26,8	24	14	59
626211	25/32"	38	27,9	24	14	76
626212	13/16"	38	29,3	25	14	72
626213	7/8"	40	31,7	26	14	89
626214	15/16"	42	33,1	28	16	108
626215	1"	42	35,3	30	16	121
626216	1.1/16"	43	37	30	18	131
626217	1.1/8"	43	39	32	20	160
626218	1.3/16"	46	40,7	34	22	185
626219	1.1/4"	46	43,2	36	22	207

190.1/1ABI-H

Reversible ratchet 1/2", for safe work at heights



- › material: premium flex chrome vanadium steel
- › body drop forged
- › entirely hardened and tempered
- › surface finish: trivalent chrome plated to standard ISO 1456:2009

**Advantages:**

- › non-removable riveted metal ring
- › tool weight is marked on each tool
- › made in accordance to the ISO 3315-B (accessories) and ISO 2725-1B (sockets) standards
- › switching sockets and accessories requires use of specific tool (Art. 1111)
- › sockets and accessories with side holes


**Caution!**

- › switching sockets and accessories must be carried out in a previously secured or safe area

SKU	■	L	A	B	■
626245	1/2"	260	36	45	456

190.4/1-H

Extension bar 1/2", for safe work at heights



- › material: premium flex chrome vanadium steel
- › drop forged, entirely hardened and tempered
- › surface finish: trivalent chrome plated according to ISO 1456:2009
- › polished head
- › made in accordance to the ISO 3315-B (accessories) and ISO 2725-1B (sockets) standards

**Advantages:**


- › tool weight is marked on each tool
- › switching sockets and accessories requires use of specific tool (Art. 1111)
- › sockets and accessories with side holes

**Caution!**

- › switching sockets and accessories must be carried out in a previously secured or safe area

SKU	■	L	D1	D2	■
626103	1/2"	125	16,8	24	183
626104	1/2"	250	16,8	24	331

### 193HX-H



### T-handle hex wrench, for safe work at heights


- › material: blade from premium chrome vanadium steel
- › handle - polypropylene
- › blade chrome plated, black anodised tip

**Advantages:**

- › Rotating metal ring is ergonomically designed and prevents twisting of the lanyard.
- › tool weight is marked on each tool
- › the rings on the tools are large enough to accept 2 carabiners
- › Unior's tools for working at heights have been designed to preserve the tools' basic functions, ergonomics and utility, or to reduce them to the smallest possible extent.

SKU	●	L1	L2	C1	C2	⚖	▼
626177	2,5	132	61	100	15	13	626183
626178	3	132	61	100	15	16	626184
626180	4	155	61	125	15	24	626185
626182	5	188	88	150	20	56	626186
							626183
							626184
							626185
							626186

### 405/1BI-H



### Combination pliers, for safe work at heights


- › material: premium plus carbon steel
- › drop forged, entirely hardened and tempered
- › cutting edges induction hardened
- › head polished
- › surface finish: trivalent chrome plated according to ISO 1456:2009
- › heavy duty double - component handles
- › made according to standard ISO 5746

**Advantages:**

- › In order to ensure the highest level of safety, the riveted metal ring is not mounted only through the plastic handles but is attached through the metal part of the tool handle.
- › non-removable riveted metal ring
- › tool weight is marked on each tool
- › the rings on the tools are large enough to accept 2 carabiners
- › Unior's tools for working at heights have been designed to preserve the tools' basic functions, ergonomics and utility, or to reduce them to the smallest possible extent.

SKU	L	B	C	A	⚖
626958	160	24	35	9,5	223
626959	180	27	38	10	274
SKU	L	MAX 1560 N/MM <sup>2</sup> Ø	MAX 750 N/MM <sup>2</sup> Ø		
626958	160	1,6	2,0		
626959	180	1,8	2,5		

### 406/1VDP-H



### Combination pliers, for safe work at heights

- › material: premium plus carbon steel
- › drop forged, entirely hardened and tempered
- › cutting edges induction hardened
- › head polished
- › surface finish: trivalent chrome plated according to ISO 1456:2009
- › made according to standard ISO 5746 and EN IEC 60900

**Advantages:**

- › handles are insulated with double layered - double coloured insulation for additional safety
- › Unior's tools for working at heights have been designed to preserve the tools' basic functions, ergonomics and utility, or to reduce them to the smallest possible extent.
- › tool weight is marked on each tool


**Important!**

- › if second layer is visible, replace your insulated tool with a new one.
- › Insulated tool is not designed for use with carabiners, but with a lanyard with a cord.

SKU	DIM	L	B	C	A	⚖
626963	180	215	27	38	10	276
SKU	L	MAX 1560 N/MM <sup>2</sup> Ø	MAX 750 N/MM <sup>2</sup> Ø			
626963	180	1,8	2,5			

## 425/4B-H

## Crimping pliers, for safe work at heights



Premium+

- › material: premium plus carbon steel
- › entirely hardened and tempered
- › heavy duty plastic handles

**Usage:**

- › for insulated and closed non-insulated terminals (1,5-6mm<sup>2</sup>), for cutting cables, screws and stripping insulation


**Advantages:**

- › In order to ensure the highest level of safety, the riveted metal ring is not mounted only through the plastic handles but is attached through the metal part of the tool handle.
- › non-removable riveted metal ring
- › tool weight is marked on each tool
- › the rings on the tools are large enough to accept 2 carabiners
- › Unior's tools for working at heights have been designed to preserve the tools' basic functions, ergonomics and utility, or to reduce them to the smallest possible extent.

SKU	mm <sup>2</sup>	L	
626110	1,5 - 6	240	312

## 429/3-H

## Universal lock - grip pliers, for safe work at heights



Premium+

- › jaws drop forged from premium plus carbon steel, entirely hardened and tempered
- › handles made from sheet metal
- › surface finish: nickel plated
- › screw phosphated
- › symmetric jaws


**Advantages:**

- › non-removable riveted metal ring
- › tool weight is marked on each tool
- › the rings on the tools are large enough to accept 2 carabiners
- › Unior's tools for working at heights have been designed to preserve the tools' basic functions, ergonomics and utility, or to reduce them to the smallest possible extent.

SKU	L	A	mm <sup>max</sup>	
626163	250	12	35	587
626263	300	14	40	1017

## 442/1HYPO-H

## Variable joint „HYPO“ pliers, for safe work at heights






Premium

- › material: premium chrome vanadium steel
- › working surfaces induction hardened
- › heavy duty double - component handles
- › drop forged, entirely hardened and tempered

**Advantages:**


- › In order to ensure the highest level of safety, the riveted metal ring is not mounted only through the plastic handles but is attached through the metal part of the tool handle.
- › non-removable riveted metal ring
- › tool weight is marked on each tool
- › the rings on the tools are large enough to accept 2 carabiners
- › Unior's tools for working at heights have been designed to preserve the tools' basic functions, ergonomics and utility, or to reduce them to the smallest possible extent.
- › The Hypo pliers are self-adjusting for which it is not necessary to preset the width of the jaws.
- › one hand self-adjusting operation
- › The pliers adapt perfectly to the work piece.
- › maximum jaw aperture up to Ø40 mm.
- › The locking mechanism enables easier storage when the pliers are not in use.

SKU	L	A	mm <sup>max</sup>	
626244	240	9	40	405



## 447/1HPP-H

## Waterpump pliers, for safe work at heights



Premium

- › material: premium chrome vanadium steel
- › drop forged, entirely hardened and tempered
- › working surfaces induction hardened
- › surface finish: trivalent chrome plated according to ISO 1456:2009
- › heavy duty double - component handles


**Advantages:**

- › In order to ensure the highest level of safety, the riveted metal ring is not mounted only through the plastic handles but is attached through the metal part of the tool handle.
- › non-removable riveted metal ring
- › tool weight is marked on each tool
- › the rings on the tools are large enough to accept 2 carabiners
- › Unior's tools for working at heights have been designed to preserve the tools' basic functions, ergonomics and utility, or to reduce them to the smallest possible extent.
- › Toothed jaw is designed to ensure optimum grip of an object.
- › Jaw aperture adjustable in 10 positions.
- › Extreme grip strength: The design and shape of the pliers' jaws enable, despite the slim construction, better grip strength of the work piece, which results in stability, work safety, and greater effectiveness.
- › Work: due to the slim construction, the jaws enable one-handed work in difficult-to-reach places
- › Ergonomics: handles are designed to fully adjust to the user's hand and so enable greater handling and work safety

SKU	L	A	$\bar{O}_{max}$	
626343	240	8,5	40	406

## 466/1BI-H

## Heavy duty diagonal cutter, for safe work at heights



Premium Flex+

- › material: premium plus carbon steel
- › drop forged, entirely hardened and tempered
- › cutting edges induction hardened
- › head polished
- › surface finish: trivalent chrome plated according to ISO 1456:2009
- › heavy duty double - component handles
- › made according to standard ISO 5749

**Advantages:**

- › In order to ensure the highest level of safety, the riveted metal ring is not mounted only through the plastic handles but is attached through the metal part of the tool handle.
- › non-removable riveted metal ring
- › tool weight is marked on each tool
- › the rings on the tools are large enough to accept 2 carabiners
- › Unior's tools for working at heights have been designed to preserve the tools' basic functions, ergonomics and utility, or to reduce them to the smallest possible extent.


SKU	L	B	A	C	
626960	160	23,5	10	20,5	230
626961	180	28	11	20	323

SKU	L	MAX 2150 N/MM <sup>2</sup> Ø	MAX 750 N/MM <sup>2</sup> Ø
626960	160	1,6	2,5
626961	180	1,8	3,0

## 466/1VDP-H

## Heavy duty diagonal cutter, for safe work at heights



- › material: premium plus carbon steel
- › drop forged, entirely hardened and tempered
- › cutting edges induction hardened
- › surface finish: trivalent chrome plated according to ISO 1456:2009
- › made according to standard ISO 5749 and EN IEC 60900

**Advantages:**

- › handles are insulated with double layered - double coloured insulation for additional safety
- › Unior's tools for working at heights have been designed to preserve the tools' basic functions, ergonomics and utility, or to reduce them to the smallest possible extent.
- › tool weight is marked on each tool

**Important!**


- › if second layer is visible, replace your insulated tool with a new one.
- › Insulated tool is not designed for use with carabiners, but with a lanyard with a cord.

SKU	DIM	L	B	A	C	
626964	180	215	28	11	21	351

SKU	L	MAX 2150 N/MM <sup>2</sup> Ø	MAX 750 N/MM <sup>2</sup> Ø
626964	180	1,8	3,0

## 481/6-H

## Pipe wrench 45°, Swedish pattern, for safe work at heights



- › material: premium chrome vanadium steel
- › drop forged, entirely hardened and tempered
- › made according to standard DIN 5234 form B

**Advantages:**

- › non-removable riveted metal ring
- › tool weight is marked on each tool
- › the rings on the tools are large enough to accept 2 carabiners
- › Unior's tools for working at heights have been designed to preserve the tools' basic functions, ergonomics and utility, or to reduce them to the smallest possible extent.


**Usage:**

- › grip, rotation or bolting of round or multi-edged pipes, nuts, and flanges

SKU	Ø"	Ø <sub>max</sub>	L	
626111	2"	70	555	2402

## 492/6-H

## Heavy duty pipe wrench, for safe work at heights



- › material: premium chrome vanadium steel
- › jaws entirely hardened and tempered, teeth additionally induction hardened
- › replaceable jaws, phosphated
- › adjustable upper jaw
- › handle lacquered

**Usage:**


- › grip, rotation or bolting of round or multi-edged pipes, nuts, and flanges

**Advantages:**

- › non-removable riveted metal ring
- › tool weight is marked on each tool
- › the rings on the tools are large enough to accept 2 carabiners
- › Unior's tools for working at heights have been designed to preserve the tools' basic functions, ergonomics and utility, or to reduce them to the smallest possible extent.

SKU	Ø"	Ø <sub>max</sub>	L	L"	
626113	1.1/2"	49	250	10"	760

## 492AL-H



## Heavy duty pipe wrench AL, for safe work at heights

- › material: premium plus carbon steel
- › jaws entirely hardened and tempered, teeth additionally induction hardened
- › adjustable upper jaw

**Usage:**


- › grip, rotation or bolting of round or multi-edged pipes, nuts, and flanges

**Advantages:**

- › non-removable riveted metal ring
- › tool weight is marked on each tool
- › the rings on the tools are large enough to accept 2 carabiners
- › Unior's tools for working at heights have been designed to preserve the tools' basic functions, ergonomics and utility, or to reduce them to the smallest possible extent.

SKU	∅"	∅ <sub>max</sub>	L	L"	⚖
626119	2"	60	330	14"	999
626120	2.1/2"	76	410	18"	1640

## 508/1BI-H



## Long nose pliers with side cutter and pipe grip, straight, for safe work at heights

- › material: premium plus carbon steel
- › drop forged, entirely hardened and tempered
- › cutting edges induction hardened
- › head polished
- › surface finish: trivalent chrome plated according to ISO 1456:2009
- › heavy duty double - component handles
- › made according to standard ISO 5745


**Advantages:**

- › In order to ensure the highest level of safety, the riveted metal ring is not mounted only through the plastic handles but is attached through the metal part of the tool handle.
- › non-removable riveted metal ring
- › tool weight is marked on each tool
- › the rings on the tools are large enough to accept 2 carabiners
- › Unior's tools for working at heights have been designed to preserve the tools' basic functions, ergonomics and utility, or to reduce them to the smallest possible extent.

SKU	L	A	B	C	D	⚖
626189	200	9	17	77	2,5	205

SKU	L	MAX 1560 N/MM <sup>2</sup> ∅	MAX 750 N/MM <sup>2</sup> ∅
626189	200	1,8	2,5

## 512/1BI-H



## Long nose pliers with side cutter and pipe grip, bent, for safe work at heights

- › material: premium plus carbon steel
- › drop forged, entirely hardened and tempered
- › cutting edges induction hardened
- › head polished
- › surface finish: trivalent chrome plated according to ISO 1456:2009
- › heavy duty double - component handles
- › made according to standard ISO 5745

**Advantages:**


- › In order to ensure the highest level of safety, the riveted metal ring is not mounted only through the plastic handles but is attached through the metal part of the tool handle.
- › non-removable riveted metal ring
- › tool weight is marked on each tool
- › the rings on the tools are large enough to accept 2 carabiners
- › Unior's tools for working at heights have been designed to preserve the tools' basic functions, ergonomics and utility, or to reduce them to the smallest possible extent.
- › jaws bent to an angle of 45°
- › the long bent jaws enable simple and precise clenching of nuts and screws
- › the strong jaws enable good grip

SKU	L	A	B	C	D	⚖
626962	170	9	17	61	2,5	156
626192	200	9	17	77	2,5	205

SKU	L	MAX 1560 N/MM <sup>2</sup> ∅	MAX 750 N/MM <sup>2</sup> ∅
626962	170	1,6	2,0
626192	200	1,8	2,5

## 514/1BI-H

## Multifunctional electrician's pliers, for safe work at heights



- › material: premium plus carbon steel
- › drop forged, entirely hardened and tempered
- › cutting edges induction hardened
- › head polished
- › surface finish: trivalent chrome plated according to ISO 1456:2009
- › heavy duty double - component handles

**Advantages:**

- › In order to ensure the highest level of safety, the riveted metal ring is not mounted only through the plastic handles but is attached through the metal part of the tool handle.
- › non-removable riveted metal ring
- › tool weight is marked on each tool
- › the rings on the tools are large enough to accept 2 carabiners
- › Unior's tools for working at heights have been designed to preserve the tools' basic functions, ergonomics and utility, or to reduce them to the smallest possible extent.
- › 6 different functions
- › multi-toothed jaw
- › ergonomically shaped handle
- › Extra strong grip - the design and shape of the handles give the hand more leverage during use, enabling more stability and safer transmission of force.
- › high durability
- › Multi-toothed jaw prevents slipping and enables a better grip of cables, wires etc.


**Usage:**

- › The ground part of the jaw is intended for gripping objects with sensitive surfaces.
- › The pliers can be used for crimping insulated spade terminals.
- › Stripping off insulations from  $\varnothing$  2.2 mm to  $\varnothing$  3.0 mm (cable 1,5mm<sup>2</sup>).
- › Stripping off insulations from  $\varnothing$  3.5 mm to  $\varnothing$  4.0 mm (cable 2,5mm<sup>2</sup>).
- › Cutting wires from  $\varnothing$  2.2 mm to  $\varnothing$  4.0 mm.
- › Crimping cable terminals up to  $\varnothing$  4.0 mm.

SKU	L	A	B	C	D	
626259	160	9	16	49	2,5	148
SKU	L	MAX 1560 N/MM <sup>2</sup> $\varnothing$		MAX 750 N/MM <sup>2</sup> $\varnothing$		
626259	160	1,6		2,0		

## 532/1P-H

## External lock rings pliers, straight, for safe work at heights



- › In order to ensure the highest level of safety, the riveted metal ring is not mounted only through the plastic handles but is attached through the metal part of the tool handle.
- › non-removable riveted metal ring
- › material: premium plus carbon steel
- › drop forged, entirely hardened and tempered
- › head polished
- › surface finish: trivalent chrome plated according to ISO 1456:2009
- › tips black finish
- › handles plastic dipped
- › made according to standard DIN 5254 form A

**Advantages:**


- › tool weight is marked on each tool
- › the rings on the tools are large enough to accept 2 carabiners
- › Unior's tools for working at heights have been designed to preserve the tools' basic functions, ergonomics and utility, or to reduce them to the smallest possible extent.
- › 30% higher endurance in comparison to convenient lock rings pliers
- › with inserted tips
- › for diameter 3 to 100mm

**Usage:**

- › for fitting circlips on shafts

SKU	L		D	C	
626386	180	19 - 60	1,8	52	205

536/1P-H



Internal lock rings pliers, straight, for safe work at heights

- › material: premium plus carbon steel
- › drop forged, entirely hardened and tempered
- › head polished
- › surface finish: trivalent chrome plated according to ISO 1456:2009
- › tips black finish
- › double plastic dipped handles
- › made according to standard DIN 5256 form C

**Advantages:**

- › In order to ensure the highest level of safety, the riveted metal ring is not mounted only through the plastic handles but is attached through the metal part of the tool handle.
- › non-removable riveted metal ring
- › tool weight is marked on each tool
- › the rings on the tools are large enough to accept 2 carabiners
- › Unior's tools for working at heights have been designed to preserve the tools' basic functions, ergonomics and utility, or to reduce them to the smallest possible extent.
- › 30% higher endurance in comparison to convenient lock rings pliers
- › with inserted tips
- › for diameter 8 to 100mm

**Usage:**

- › for fitting circlips on shafts

SKU	L	⚙️	D	C	📦
626387	180	19 - 60	1,8	52	189

556A-H



Utility knife, for safe work at heights


- › double component handle
- › 3 exchangeable snap-off blades inside the handle for 627548 and 616853
- › blade with 13 snap-off blades
- › blade from high alloy steel

**Advantages:**

- › non-removable riveted metal ring
- › tool weight is marked on each tool
- › the rings on the tools are large enough to accept 2 carabiners
- › Unior's tools for working at heights have been designed to preserve the tools' basic functions, ergonomics and utility, or to reduce them to the smallest possible extent.

SKU	L	B	📦
626289	160	18	99

580/1BI-H



Cable shears, for safe work at heights

- › material: premium plus carbon steel
- › drop forged, entirely hardened and tempered
- › surface finish: trivalent chrome plated according to ISO 1456:2009
- › head polished
- › heavy duty double - component handles

**Advantages:**


- › In order to ensure the highest level of safety, the riveted metal ring is not mounted only through the plastic handles but is attached through the metal part of the tool handle.
- › non-removable riveted metal ring
- › tool weight is marked on each tool
- › the rings on the tools are large enough to accept 2 carabiners
- › Unior's tools for working at heights have been designed to preserve the tools' basic functions, ergonomics and utility, or to reduce them to the smallest possible extent.



SKU	L	A	D <sup>MAX</sup>	📦
626202	230	22	17	458

**605TBI-H**

**Flat screwdriver TBI, for safe work at heights**



**Premium Hard**

- › blade: premium hard chrome vanadium steel, entirely hardened and tempered
- › blade chrome plated, black anodised tip
- › handle: ergonomic shape
- › three component material
- › hanging hole
- › made according to standard DIN ISO 2380-1:2006 and DIN ISO 2380-2:2006


**Advantages:**

- › Rotating metal ring is ergonomically designed and prevents twisting of the lanyard.
- › tool weight is marked on each tool
- › the rings on the tools are large enough to accept 2 carabiners
- › Unior's tools for working at heights have been designed to preserve the tools' basic functions, ergonomics and utility, or to reduce them to the smallest possible extent.

SKU	axb	C	L	D	📦						
626233	0,4 x 2,5	75	160	2,5	34	626237	1,2 x 6,5	150	260	6	103
626234	0,5 x 3,0	80	165	3	40	626238	1,2 x 8,0	175	295	7	164
626235	0,8 x 4,0	100	185	4	41	626239	1,6 x 10,0	200	320	8	195
626236	1,0 x 5,5	125	225	5,5	79						

**615TBI-H**

**Crosstip (PH) screwdriver TBI, for safe work at heights**



**+ Premium Hard**

- › blade: premium hard chrome vanadium steel, entirely hardened and tempered
- › blade chrome plated, blackened tip
- › handle: ergonomic shape
- › three component material
- › hanging hole
- › made according to standard ISO 8764-1,2


**Advantages:**

- › Rotating metal ring is ergonomically designed and prevents twisting of the lanyard.
- › tool weight is marked on each tool
- › the rings on the tools are large enough to accept 2 carabiners
- › Unior's tools for working at heights have been designed to preserve the tools' basic functions, ergonomics and utility, or to reduce them to the smallest possible extent.

SKU	+	C	L	D	📦
626241	PH 1	80	180	4	65
626242	PH 2	100	210	6	94
626243	PH 3	150	270	8	176

**641/6HS-H**

**Pin punch with handle, for safe work at heights**



- › material: premium chrome vanadium steel
- › entirely hardened and tempered
- › tip induction hardened
- › surface finish: lacquered
- › ergonomic heavy duty double component handle
- › made according to standard DIN 6450


**Advantages:**

- › Rotating metal ring is ergonomically designed and prevents twisting of the lanyard.
- › tool weight is marked on each tool
- › the rings on the tools are large enough to accept 2 carabiners
- › Unior's tools for working at heights have been designed to preserve the tools' basic functions, ergonomics and utility, or to reduce them to the smallest possible extent.

SKU	D	L	●	📦
626327	2	150	10	81
626328	3	150	10	76
626329	4	150	10	79
626330	5	150	10	83
626331	6	150	10	86
626332	8	150	12	99

## 642/6HS-H

## Centre punch with handle, for safe work at heights



- › material: premium chrome vanadium steel
- › entirely hardened and tempered
- › tip induction hardened
- › surface finish: lacquered
- › ergonomic heavy duty double component handle
- › made according to standard DIN 7250


**Advantages:**

- › non-removable riveted metal ring
- › tool weight is marked on each tool
- › the rings on the tools are large enough to accept 2 carabiners
- › Unior's tools for working at heights have been designed to preserve the tools' basic functions, ergonomics and utility, or to reduce them to the smallest possible extent.

SKU	D	L		
626342	5	120	12	83

## 660/6HS-H

## Flat chisel with guard, for safe work at heights



- › material: premium chrome vanadium steel
- › drop forged
- › entirely hardened and tempered
- › tip induction hardened
- › surface finish: lacquered
- › made according to standard DIN 6453


**Advantages:**

- › non-removable riveted metal ring
- › tool weight is marked on each tool
- › the rings on the tools are large enough to accept 2 carabiners
- › Unior's tools for working at heights have been designed to preserve the tools' basic functions, ergonomics and utility, or to reduce them to the smallest possible extent.

SKU	L	axb	B	
626195	250	4 x 26	24	615

## 666/6AHS-H

## Slitting chisel with guard, for safe work at heights



- › material: premium chrome vanadium steel
- › drop forged
- › entirely hardened and tempered
- › tip induction hardened
- › surface finish: lacquered


**Advantages:**

- › non-removable riveted metal ring
- › tool weight is marked on each tool
- › the rings on the tools are large enough to accept 2 carabiners
- › Unior's tools for working at heights have been designed to preserve the tools' basic functions, ergonomics and utility, or to reduce them to the smallest possible extent.

SKU	L	axb	B	
626196	240	3 x 28	28	459

## 760HB-H

## Flat file with handle, bastard, for safe work at heights



- › material: premium hard plus carbon steel
- › all files have second cut


**Advantages:**

- › non-removable riveted metal ring
- › tool weight is marked on each tool
- › the rings on the tools are large enough to accept 2 carabiners
- › Unior's tools for working at heights have been designed to preserve the tools' basic functions, ergonomics and utility, or to reduce them to the smallest possible extent.

SKU	DIM	L	axb	
626260	300	425	6,5 x 30	546

## 805A-H

## Carpenters' hammer with magnet, for safe work at heights



- › material: premium flex plus carbon steel
- › drop forged
- › striking face and nose induction hardened
- › surface finish: lacquered
- › chrome plated metal tubular handle with plastic grip
- › made according to standard DIN 7239


**Advantages:**

- › with magnet
- › non-removable riveted metal ring
- › tool weight is marked on each tool
- › the rings on the tools are large enough to accept 2 carabiners
- › Unior's tools for working at heights have been designed to preserve the tools' basic functions, ergonomics and utility, or to reduce them to the smallest possible extent.

SKU	gf	A	L	B	
626164	550	27	320	168	822

## 812-H

## Locksmiths' hammer, for safe work at heights



- › material: premium flex plus carbon steel
- › drop forged
- › striking face and nose induction hardened


**Advantages:**

- › Reinforced handle with 2 spring steel bars running all the way through the handle.
- › Special bonding process ensures that the head never comes loose from the handle.
- › non-removable riveted metal ring
- › tool weight is marked on each tool
- › the rings on the tools are large enough to accept 2 carabiners
- › Unior's tools for working at heights have been designed to preserve the tools' basic functions, ergonomics and utility, or to reduce them to the smallest possible extent.
- › Ergonomic rubber grip handle absorbs shock & vibration.

SKU	gf	A	L	B	
627543	500	28	330	118	950

## 817-H

## Club hammer, for safe work at heights



- › material: premium flex plus carbon steel
- › drop forged
- › striking faces induction hardened

**Advantages:**

- › non-removable riveted metal ring
- › tool weight is marked on each tool
- › the rings on the tools are large enough to accept 2 carabiners
- › Unior's tools for working at heights have been designed to preserve the tools' basic functions, ergonomics and utility, or to reduce them to the smallest possible extent.
- › Ergonomic rubber grip handle absorbs shock & vibration.
- › Special bonding process ensures that the head never comes loose from the handle.
- › Reinforced handle with 4 spring steel bars running all the way through the handle. Bars locked into the hammer head ensure that the head never becomes dislodged.

SKU	gf	A	L	
627542	1800	40	300	2356

## 1111

## Socket remover



- › The tool is used for releasing socket from accessories for safe work at height.

SKU	
627339	14

# Tool sets

Check products online.



- ✓ **tool carriage is equipped with 8 drawer**
- ✓ **possibility to add accessories**
- ✓ **maximum capacity of each drawer: 45kg**
- ✓ **oil and acid resistant casters**
- ✓ **central locking system**
- ✓ **safety lock system**
- ✓ **full extension drawers with top quality ball-bearing slides**



## PRODUCTS



**Complete service solutions**



**Tool tray sets**



**Tool sets**

### SOS TOOL TRAYS

The tool trays are made from foamed polyethylene, which is resistant to grease, petrol, oil, nitro diluents, adhesives and motor oil – all of which can easily be removed without leaving any visible residue (stains). Adhesives and motor oil need to be removed immediately by cleaning with petrol in order to avoid permanent staining.

These tool trays of polyethylene foam are used for clearer and better organised tool storage in tool boxes, tool cases, the drawers of tool carriages and tool cabinets. These tool trays can be used in a wide range of temperatures, do not absorb dampness and, with normal use, have a long lifespan. They protect the tools by holding them in their own specifically designed place, thus preventing them from moving uncontrollably around in the storage area. As the positions in the tray are precisely defined and designed for each specific tool, it is also easy to establish which tools are missing.

1011KEM1

Tool set with tool carriage 940EM1



- > The tool set in trays with the Euromotion tool carriage offers a mobile workshop for every craftsman in the workshop or industrial facility. It includes basic tools for various tasks. The carriage features a soft-closing drawer system, providing a unique user experience. To make the carriage perfectly suited to your needs, you can personalize the front panel in the configurator.

**Unior 940EM1 Tool carriage Features:**

- > basic dimensions with handle and casters L 780 x W 440 x H 923mm
- > 7 drawers (5x L 563 x W 365 x H 70mm, 2x L 563 x W 365 x H 150mm)
- > total volume of drawers: 133 litres
- > maximum capacity of each drawer: 45kg
- > oil and acid resistant casters of a diameter of 125mm, one with brake, which blocks spinning and swiveling of the caster
- > Secure Storage: Central locking system ensures that your tools are safe and secure when not in use.
- > drawer fronts can be customized with graphic design as separate order



SKU	
629979	104
940EM1, 964/59SOS, 964/60SOS, 964/61SOS	

1011AEV6

Tool set with tool carriage 940EV6



- > Tool carriage is equipped with 8 drawers; 7 of them are filled with custom foam tool trays that keep tools secure and easily accessible, while the 8th drawer is designed for storage of larger tools.
- > 7 tool trays with 325 essential hand tools for various applications, fit perfectly into tool carriage drawers.

**Unior 940EV6 Tool carriage Features:**

- > basic dimensions with handle and casters L 780 x W 440 x H 923mm
- > 8 drawers (7x L 563 x W 365 x H 70mm, 1x L 563 x W 383 x H 150mm)
- > total volume of drawers: 135 litres
- > maximum capacity of each drawer: 45kg
- > opening and closing of drawers is very simple due to the uniform solution - drawer handle on the upper side enables users a synchronic grip and opening of a carriage drawer.
- > full extension drawers with top quality ball-bearing slides
- > oil and acid resistant casters of a diameter of 125mm, one with brake, which blocks spinning and swiveling of the caster
- > Secure Storage: Central locking system ensures that your tools are safe and secure when not in use.
- > blind nuts for fixing accessories are mounted on the carriage.



SKU	
621756	325
940EV6, 964/28SOS, 964/29ASOS, 964/30SOS, 964/31SOS, 964/32ASOS, 964/33SOS, 964/34SOS	

1011BEV4

Tool set with tool carriage 940EV4



- > Streamline your workspace with this 192-piece tool set, expertly organized in a sleek four-drawer carriage. Crafted by Unior for efficiency and durability, it's the perfect solution for professionals seeking top-quality tools in a compact tool carriage.
- > Tool carriage is equipped with 7 drawers; 4 of them are filled with custom foam tool trays that keep tools secure and easily accessible, while the lower two drawers are designed for storage of larger tools.
- > 4 tool trays with 192 essential hand tools for various applications, fit perfectly into tool carriage drawers.

**Unior 940EV4 Tool carriage Features:**

- > basic dimensions with handle and casters L 780 x W 440 x H 923mm
- > 7 drawers (5x L 563 x W 365 x H 70mm, 2x L 563 x W 383 x H 150mm)
- > total volume of drawers: 140 litres
- > maximum capacity of each drawer: 45kg
- > opening and closing of drawers is very simple due to the uniform solution - drawer handle on the upper side enables users a synchronic grip and opening of a carriage drawer.
- > full extension drawers with top quality ball-bearing slides
- > oil and acid resistant casters of a diameter of 125mm, one with brake, which blocks spinning and swiveling of the caster
- > Secure Storage: Central locking system ensures that your tools are safe and secure when not in use.
- > blind nuts for fixing accessories are mounted on the carriage.



SKU	
621757	192
940EV4, 964/32ASOS, 964/35SOS, 964/36SOS, 964/37SOS	

## 1011CEV4



## Tool set with tool carriage 940EV4

- › Tool carriage is equipped with 7 drawers; 4 of them are filled with custom foam tool trays that keep tools secure and easily accessible, while the lower two drawers are designed for storage of larger tools.
- › 4 tool trays with 192 essential hand tools for various applications, fit perfectly into tool carriage drawers.

**Unior 940EV4 Tool carriage Features:**

- › basic dimensions with handle and casters L 780 x W 440 x H 923mm
- › 7 drawers (5x L 563 x W 365 x H 70mm, 2x L 563 x W 383 x H 150mm)
- › total volume of drawers: 140 litres
- › maximum capacity of each drawer: 45kg
- › opening and closing of drawers is very simple due to the uniform solution - drawer handle on the upper side enables users a synchronic grip and opening of a carriage drawer.
- › full extension drawers with top quality ball-bearing slides
- › oil and acid resistant casters of a diameter of 125mm, one with brake, which blocks spinning and swiveling of the caster
- › Secure Storage: Central locking system ensures that your tools are safe and secure when not in use.
- › blind nuts for fixing accessories are mounted on the carriage.

## SKU

624137



127

940EV4, 964/46SOS, 964/47SOS, 964/48SOS, 964/49SOS

## 1011DEV6



## Tool set with tool carriage 940EV6

- › Engineered for practicality, the 1011DEV6 - 624138 Tool Set with Tool Carriage 940EV6 is tailored to streamline tasks across mechanical, automotive, and industrial applications. The included tools are meticulously chosen to cover a wide range of needs, from precision instruments for delicate adjustments to heavy-duty implements for rigorous tasks. The tool carriage itself is designed for mobility and ease of access, allowing for seamless transportation and efficient tool retrieval during operations.
- › Tool set offers all the necessary tool for maintenance of the agricultural machines.
- › Tool carriage is equipped with 8 drawers; 6 of them are filled with custom foam tool trays that keep tools secure and easily accessible, while the lower drawer is designed for storage of larger tools.
- › 6 tool trays with 238 essential hand tools for various applications, fit perfectly into tool carriage drawers.

**Unior 940EV6 Tool carriage Features:**

- › basic dimensions with handle and casters L 780 x W 440 x H 923mm
- › 8 drawers (7x L 563 x W 365 x H 70mm, 1x L 563 x W 383 x H 150mm)
- › total volume of drawers: 135 litres
- › maximum capacity of each drawer: 45kg
- › opening and closing of drawers is very simple due to the uniform solution - drawer handle on the upper side enables users a synchronic grip and opening of a carriage drawer.
- › full extension drawers with top quality ball-bearing slides
- › oil and acid resistant casters of a diameter of 125mm, one with brake, which blocks spinning and swiveling of the caster
- › Secure Storage: Central locking system ensures that your tools are safe and secure when not in use.
- › blind nuts for fixing accessories are mounted on the carriage.

## SKU

624138



238

940EV6, 964/28SOS, 964/29ASOS, 964/30SOS, 964/33SOS, 964/48SOS, 964/49SOS

## 1011FPLUS3



## Tool set with tool carriage 940PLUS3

**Unior 940PLUS3 Tool carriage Features:**

- › basic dimensions with handle and casters L 801 x W 524 x H 931mm
- › 7 drawers (5x L 563 x W 365 x H 70mm, 2x L 563 x W 365 x H 150mm)
- › total volume of drawers: 133 litres
- › maximum capacity of each drawer: 45kg
- › opening and closing of drawers is very simple due to the uniform solution - drawer handle on the upper side enables users a synchronic grip and opening of a carriage drawer.
- › full extension drawers with soft closing mechanism
- › corners protected with anti-shock rubber
- › oil and acid resistant casters of a diameter of 125mm, one with brake, which blocks spinning and swiveling of the caster
- › Secure Storage: Central locking system ensures that your tools are safe and secure when not in use.
- › drawer fronts can be customized with graphic design as separate order

## SKU

625594



296

940PLUS3, 964/28SOS, 964/30SOS, 964/31SOS, 964/32ASOS, 964/33SOS, 964/34SOS

1011GECO

Tool set with tool carriage 940ECO



SKU	
625595	92
940ECO, 964ECO2A, 964ECO6, 964ECO9, 964ECO19	

1012A

Set of tools for servicing heavy machinery and vehicles



- › Tool set offers all the necessary tool for maintenance of the agricultural machines.
- › Tool carriage is equipped with 8 drawers; 6 of them are filled with custom foam tool trays that keep tools secure and easily accessible, while the lower drawer is designed for storage of larger tools.
- › 6 tool trays with 184 essential hand tools for various applications, fit perfectly into tool carriage drawers.

**Unior 940EV6 Tool carriage Features:**

- › basic dimensions with handle and casters L 780 x W 440 x H 923mm
- › 8 drawers (7x L 563 x W 365 x H 70mm, 1x L 563 x W 383 x H 150mm)
- › total volume of drawers: 135 litres
- › maximum capacity of each drawer: 45kg
- › opening and closing of drawers is very simple due to the uniform solution - drawer handle on the upper side enables users a synchronic grip and opening of a carriage drawer.
- › full extension drawers with top quality ball-bearing slides
- › oil and acid resistant casters of a diameter of 125mm, one with brake, which blocks spinning and swiveling of the caster
- › Secure Storage: Central locking system ensures that your tools are safe and secure when not in use.
- › blind nuts for fixing accessories are mounted on the carriage.

SKU	
623942	184
940EV6, 964/28SOS, 964/33SOS, 964/50SOS, 964/51SOS, 964/52SOS, 964/53SOS	

1018A

Set of VDE tools, premium



- › It is made for the most demanding high voltage work. The set is safely stored in a folder with handles, and larger pieces can be stored either in the side pouches or inside of a large ultra durable wheeled bag. The sturdy bag handle provides all the mobility you need.

SKU	
628819	42
1113 (460x270x400), 110/2VDEDP (10, 13, 14, 17, 19, 22), 180/2VDEDP (10, 13, 14, 17, 19, 22), 190.1AVDEDP (1/2"), 190.4/2VDEDP (1/2"x125, 1/2"x250), 190.5/2VDEDP (250), 190/2LVDEDP (10, 11, 12, 13, 14, 17, 19, 22, 24), 385AVDEDP (180), 385H (4 - 28), 406/1VDEBI (180), 447/1VDEBI (240), 466/1VDEBI (180), 467SHARK/4P (250), 478/1VDEBI (160), 514/1BI (160), 580/1VDEBI (230), 603VDEBTBI (0.4 x 2.5x75, 0.8 x 4.0x100, 1.0 x 5.5x125, 1.2 x 6.5x150), 613VDEBTBI (PH1x80, PH2x100), 630VDE (0.6 x 3.5x180)	

930

Tool set with tool box 912/5



SKU	
601996	80
<p><b>110/1CB</b> (6 x 7, 8 x 9, 10 x 11, 12 x 13, 14 x 15, 16 x 17, 18 x 19, 20 x 22, 21 x 23, 24 x 26, 25 x 28, 27 x 32), <b>180/1CB</b> (6 x 7, 8 x 9, 10 x 11, 12 x 13, 14 x 15, 16 x 17, 18 x 19, 20 x 22, 21 x 23, 24 x 26, 25 x 28, 27 x 32), <b>212/2</b> (19), <b>220/3PB</b> (3, 4, 5, 6, 8, 10, 12, 14, 17, 19), <b>186.4/2</b> (21), <b>238.1/1FBI</b> (3/8"), <b>238.4/2</b> (3/8"x45, 3/8"x75), <b>190.1/1ABI</b> (1/2"), <b>190.2/1BI</b> (1/2"x380), <b>190.3/1</b> (1/2"), <b>190.4/1</b> (1/2"x125, 1/2"x250), <b>190.6/2</b> (1/2"), <b>190/1 6p</b> (10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32), <b>300/2</b> (400), <b>405/1BI</b> (180), <b>430/3</b> (175), <b>447/1HPP</b> (240), <b>461/1BI</b> (160), <b>506/1BI</b> (140), <b>514/1BI</b> (160), <b>563R/7PR</b> (280), <b>605TBI</b> (0.8 x 4.0x100, 1.0 x 5.5x125, 1.2 x 6.5x150, 1.2 x 8.0x175), <b>615TBI</b> (PH 2x100, PH 3x150), <b>631</b> (6 - 12), <b>812</b> (500), <b>912/5</b> (560x210x225)</p>	

931

Tool set with tool box 912/5



SKU	
601995	111
<p><b>110/1CB</b> (6 x 7, 8 x 9, 10 x 11, 12 x 13, 14 x 15, 16 x 17, 18 x 19, 20 x 22, 21 x 23, 24 x 26, 25 x 28, 27 x 32), <b>125/1CB</b> (6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22), <b>180/1CB</b> (6 x 7, 8 x 9, 10 x 11, 12 x 13, 14 x 15, 16 x 17, 18 x 19, 20 x 22, 21 x 23, 24 x 26, 25 x 28, 27 x 32), <b>200/2CB</b> (11 x 13, 13 x 17, 14 x 17, 15 x 16, 19 x 22), <b>220/3PB</b> (3, 4, 5, 6, 8, 10, 12, 14, 17, 19), <b>186.4/2</b> (21), <b>238.1/1FBI</b> (3/8"), <b>238.4/2</b> (3/8"x45, 3/8"x75), <b>190.1/1ABI</b> (1/2"), <b>190.2/1BI</b> (1/2"x380), <b>190.3/1</b> (1/2"), <b>190.4/1</b> (1/2"x125, 1/2"x250), <b>190.6/2</b> (1/2"), <b>190/1 6p</b> (10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32), <b>300/2</b> (400), <b>406/1BI</b> (180), <b>425/4A</b> (1.5 - 6x240), <b>430/3</b> (175), <b>445/1BI</b> (240), <b>447/1HPP</b> (240), <b>461/1BI</b> (160), <b>514/1BI</b> (160), <b>563R/7PR</b> (280), <b>605TBI</b> (0.8 x 4.0x100, 1.0 x 5.5x125, 1.2 x 6.5x150, 1.2 x 8.0x175), <b>615TBI</b> (PH 1x80, PH 2x100, PH 3x150), <b>626TBI</b> (PH 2x25), <b>627TBI</b> (0.8 x 4.0x25), <b>631</b> (6 - 12), <b>640/6</b> (3, 4), <b>642/6</b> (3), <b>660/6</b> (150, 200), <b>670/6</b> (150), <b>812</b> (500), <b>912/5</b> (560x210x225)</p>	

932

Tool set with tool box 912/5



SKU	
601994	135
<p><b>912/5</b> (560x210x225), <b>110/1CB</b> (6 x 7, 8 x 9, 10 x 11, 12 x 13, 14 x 15, 16 x 17, 18 x 19, 20 x 22, 21 x 23, 24 x 26, 25 x 28, 27 x 32), <b>125/1CB</b> (6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22), <b>180/1CB</b> (6 x 7, 8 x 9, 10 x 11, 12 x 13, 14 x 15, 16 x 17, 18 x 19, 20 x 22, 21 x 23, 24 x 26, 25 x 28, 27 x 32), <b>186.4/2</b> (21), <b>188.1/1ABI</b> (1/4"), <b>188.2/2BI</b> (1/4"), <b>188.3/2</b> (1/4"), <b>188.4/2</b> (1/4"x55, 1/4"x150), <b>188/2 6p</b> (4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 13), <b>190.1/1ABI</b> (1/2"), <b>190.2/1BI</b> (1/2"x380), <b>190.3/1</b> (1/2"), <b>190.4/1</b> (1/2"x125, 1/2"x250), <b>190.6/2</b> (1/2"), <b>190/1 6p</b> (10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32), <b>200/2CB</b> (11 x 13, 13 x 17, 14 x 17, 15 x 16, 19 x 22), <b>205/2</b> (60 - 140), <b>212/2</b> (24), <b>220/3PB</b> (3, 4, 5, 6, 8, 10, 12, 14, 17, 19), <b>238.1/1FBI</b> (3/8"), <b>238.4/2</b> (3/8"x45, 3/8"x75), <b>300/2</b> (400), <b>405/1BI</b> (180), <b>425/4A</b> (1.5 - 6x240), <b>430/3</b> (175), <b>431/2</b> (325), <b>445/1BI</b> (240), <b>455/4G</b> (160), <b>472/1BI</b> (140), <b>476/1BI</b> (140), <b>563R/7PR</b> (280), <b>605TBI</b> (0.5 x 3.0x80, 0.8 x 4.0x100, 1.0 x 5.5x125, 1.2 x 6.5x150, 1.2 x 8.0x175, 1.6 x 10.0x200), <b>615TBI</b> (PH 1x80, PH 2x100, PH 3x150), <b>626TBI</b> (PH 2x25), <b>627TBI</b> (0.8 x 4.0x25), <b>631</b> (6 - 12), <b>640/6</b> (3, 4, 5), <b>642/6</b> (5), <b>660/6</b> (150, 250), <b>670/6</b> (150), <b>812</b> (300, 500)</p>	

964/1SOS

Set of open end wrenches in SOS tool tray



940E  
940EV  
920PLUS  
1/3  
188 x 364 x 30

SKU	
621049	12
<p><b>110/1</b> (6 x 7, 8 x 9, 10 x 11, 12 x 13, 14 x 15, 16 x 17, 18 x 19, 20 x 22, 21 x 23, 24 x 26, 25 x 28, 27 x 32), <b>v964/1SOS</b> (188x364x30)</p>	

- > Tool tray dimension: 188 x 364 x 30 mm
  - > Compatible with drawers of Eurostyle, Eurovision, Euromotion, Europlus and Hercules (front drawers) line
- Set includes:**
- > 12x open end wrench (article 110/1) dim. 6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22, 21x23, 24x26, 25x28, 27x32

## 964/1ASOS

## Set of open end wrenches in SOS tool tray



- › Tool tray dimension: 188 x 364 x 30 mm
- › Compatible with drawers of Eurostyle, Eurovision, Euromotion, Europlus and Hercules (front drawers) line

**Set includes:**

- › 12x open end wrench (article 110/1) dim. 6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22, 21x23, 24x27, 25x28, 30x32

SKU	
621050	12
<b>110/1</b> (6 x 7, 8 x 9, 10 x 11, 12 x 13, 14 x 15, 16 x 17, 18 x 19, 20 x 22, 21 x 23, 24 x 27, 25 x 28, 30 x 32), <b>vI964/1ASOS</b> (188x364x30)	

## 964/2SOS

## Set of combinations wrenches in SOS tool tray



- › Tool tray dimension: 188 x 364 x 30 mm
- › Compatible with drawers of Eurostyle, Eurovision, Euromotion, Europlus and Hercules (front drawers) line

**Set includes:**

- › 12x short combination wrench (article 125/1) dim. 8, 9, 10, 12, 13, 14, 17, 19, 20, 21, 22, 24

SKU	
621051	12
<b>125/1</b> (8, 9, 10, 12, 13, 14, 17, 19, 20, 21, 22, 24), <b>vI964/2SOS</b> (188x364x30)	



## 964/2ASOS

## Set of combinations wrenches, long in SOS tool tray



- › Tool tray dimension: 188 x 364 x 30 mm
- › Compatible with drawers of Eurostyle, Eurovision, Euromotion, Europlus and Hercules (front drawers) line

**Set includes:**

- › 12x long combination wrench (article 120/1) dim. 8, 9, 10, 12, 13, 14, 17, 19, 20, 21, 22, 24

SKU	
621052	12
<b>120/1</b> (8, 9, 10, 12, 13, 14, 17, 19, 20, 21, 22, 24), <b>vI964/2ASOS</b> (188x364x30)	



## 964/2CSOS

## Set of combinations wrenches, long in SOS tool tray



- › Tool tray dimension: 374 x 364 x 30 mm
- › Compatible with drawers of Eurostyle, Eurovision, Euromotion, Europlus and Hercules (front drawers) line

**Set includes:**

- › 26x long combination wrench (article 120/1) dim. 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 32

SKU	
621054	26
<b>120/1</b> (6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 32), <b>vI964/2CSOS</b> (374x364x40)	



### 964/2DSOS

### Set of combination and hexagon wrenches, long in SOS tool tray



940E  
940EV  
920PLUS  
2/3  
374 x 364 x 30



- › Tool tray dimension: 374 x 364 x 30 mm
- › Compatible with drawers of Eurostyle, Eurovision, Euromotion, Europlus and Hercules (front drawers) line

**Set includes:**

- › 18x long combination wrench (article 120/1) dim. 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24
- › 9x hex wrench, long type (article 220/3L) dim. 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 on plastic clip

SKU	
621563	27
<b>120/1</b> (6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24), <b>220/3LPH</b> (1.5, 2, 2.5, 3, 4, 5, 6, 8, 10), <b>vI964/2DSOS</b> (374x364x30)	

### 964/3SOS

### Set of offset ring wrenches in SOS tool tray



940E  
940EV  
920PLUS  
1/3  
188 x 364 x 30

### 964/5SOS

### Set of 1/4" socket wrenches with accessories in SOS tool tray



940E  
940EV  
920PLUS  
1/3  
188 x 364 x 30



- › Tool tray dimension: 188 x 364 x 30 mm
- › Compatible with drawers of Eurostyle, Eurovision, Euromotion, Europlus and Hercules (front drawers) line

**Set includes:**

- › 8x ring wrench (article 180/1) dim. 6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22

SKU	
621055	8
<b>180/1</b> (6 x 7, 8 x 9, 10 x 11, 12 x 13, 14 x 15, 16 x 17, 18 x 19, 20 x 22), <b>vI964/3SOS</b> (188x364x30)	

- › Tool tray dimension: 188 x 364 x 30 mm
- › Compatible with drawers of Eurostyle, Eurovision, Euromotion, Europlus and Hercules (front drawers) line

**Set includes:**

- › 11x socket 1/4", 6 point (article 188/2 6P) dim. 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 13
- › 7x socket 1/4" with internal TX profile (article 189/2) dim. E4, E5, E6, E7, E8, E10, E11
- › 19x screwdriver socket 1/4"; hex (article 187/2HX dim. 3, 4, 5, 6, 7), TX profile (article 187/2TX dim. TX8, TX10, TX15, TX20, TX25, TX27, TX30, TX40), crosstip (article 187/2PH dim. PH 1, PH 2, PH 3), flat (article 187/2SL dim. 0.8x4, 1.0x5.5, 1.2x7)
- › 1x Reversible ratchet 1/4"
- › accessories 1/4"; 1x swivel handle, 1x sliding T - handle, 2x extension bar (55, 150mm), 1x universal joint, 1x adaptor (1/4"-3/8")
- › 1x spinner handle 1/4"

SKU	
621057	45
<b>187/2HX</b> (3, 4, 5, 6, 7), <b>187/2PH</b> (PH 1, PH 2, PH 3), <b>187/2SL</b> (0.8 x 4, 1.0 x 5.5, 1.2 x 7), <b>187/2TX</b> (TX 8, TX 10, TX 15, TX 20, TX 25, TX 27, TX 30, TX 40), <b>188/2 6p</b> (4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 13), <b>188.1/1AB1</b> (1/4"), <b>188.2/2BI</b> (1/4"), <b>188.3/2</b> (1/4"), <b>188.4/2</b> (1/4"x150, 1/4"x55), <b>188.6/2</b> (1/4"), <b>188.7/2</b> (1/4" - 3/8"), <b>188.8</b> (1/4"), <b>189/2</b> (E 4, E 5, E 6, E 7, E 8, E 10, E 11), <b>vI964/5SOS</b> (188x364x30)	

### 964/6SOS

### Set of BI pliers in SOS tool tray



940E  
940EV  
920PLUS  
1/3  
188 x 364 x 30

- › Tool tray dimension: 188 x 364 x 30 mm
- › Compatible with drawers of Eurostyle, Eurovision, Euromotion, Europlus and Hercules (front drawers) line

**Set includes:**

- › 1x combination pliers (article 406/1BI) dim. 180
- › 1x diagonal cutting nippers (article 461/1BI) dim. 160
- › 1x straight long nose pliers with side cutter and pipe grip (article 508/1BI) dim. 170

SKU	
621058	3
<b>406/1BI</b> (180), <b>461/1BI</b> (160), <b>508/1BI</b> (170), <b>vI964/6SOS</b> (188x364x30)	

### 964/7SOS

### Set of BI and grip pliers in SOS tool tray



- › Tool tray dimension: 188 x 364 x 30 mm
- › Compatible with drawers of Eurostyle, Eurovision, Euromotion, Europlus and Hercules (front drawers) line

**Set includes:**


- › 1x double groove joint pliers (article 445/1BI) dim. 240
- › 1x grip pliers (article 430/3) dim. 250



SKU	
621059	2
430/3 (250),  445/1BI (240), <b>vI964/7SOS</b> (188x364x30)	

### 964/8ASOS

### Set of lock ring pliers in SOS tool tray



- › Tool tray dimension: 188 x 364 x 30 mm
- › Compatible with drawers of Eurostyle, Eurovision, Euromotion, Europlus and Hercules (front drawers) line

**Set includes:**

- › 2x external lock rings pliers, straight and bent, dim. 180
- › 2x internal lock rings pliers, straight and bent, dim. 180



SKU	
621061	4
532/1P (180x19 - 60),  534/1P (180x19 - 60),  536/1P (180x19 - 60),  538/1P (180x19 - 60), <b>vI964/8ASOS</b> (188x364x30)	

### 964/9SOS

### Set of TBI screwdrivers in SOS tool tray



- › Tool tray dimension: 188 x 364 x 30 mm
- › Compatible with drawers of Eurostyle, Eurovision, Euromotion, Europlus and Hercules (front drawers) line

**Set includes:**

- › 4x TBI flat screwdriver (article 605TBI) dim. 0.5x3.0x80, 0.8x4.0x100, 1.0x5.5x125, 1.2x6.5x150
- › 3x TBI crosstip (PH) screwdriver (article 615TBI) dim. PH 0x60, PH 1x80, PH 2x100
- › 1x TBI double-crosstip (PZ) screwdriver (article 625TBI) dim. PZ 2x100



SKU	
621062	8
605TBI (0.5 x 3.0x80, 0.8 x 4.0x100, 1.0 x 5.5x125, 1.2 x 6.5x150),  615TBI (PH 0x60, PH 1x80, PH 2x100),  625TBI (PZ 2x100), <b>vI964/9SOS</b> (188x364x30)	

### 964/9BSOS

### Set of socket wrenches with TBI handle in SOS tool tray



- › Tool tray dimension: 188 x 364 x 30 mm
- › Compatible with drawers of Eurostyle, Eurovision, Euromotion, Europlus and Hercules (front drawers) line

**Set includes:**

- › 6x socket wrench with TBI handle (article 629TBI) dim. 5.5, 6, 8, 10, 12, 13



SKU	
621063	6
629TBI (5.5, 6, 8, 10, 12, 13), <b>vI964/9BSOS</b> (188x364x30)	



## 964/10SOS



### Set of hammers and punches in SOS tool tray

- › Tool tray dimension: 188 x 364 x 30 mm
- › Compatible with drawers of Eurostyle, Eurovision, Euromotion, Europlus and Hercules (front drawers) line

**Set includes:**

- › 1x drift punch (article 640/6) in dim. 5
- › 1x centre punch (article 642/6) in dim. 5
- › 1x flat chisel (article 660/6) in dim. 150
- › 1x locksmiths' hammer (article 812) in dim. 300
- › 1x plastic hammer (article 820) dim. 32

SKU	
621064	 5
	

## 964/13SOS




### Set of ball-end hexagonal screwdrivers with T handle in SOS tool tray


- › Tool tray dimension: 188 x 364 x 30 mm
- › Compatible with drawers of Eurostyle, Eurovision, Euromotion, Europlus and Hercules (front drawers) line

**Set includes:**

- › 6x T-handle ball-end hex wrench (article 193HXS) dim. 3, 4, 5, 6, 8, 10

SKU	
621067	 6
	

## 964/13ASOS



### Set of hexagonal screwdrivers with T handle in SOS tool tray


- › Tool tray dimension: 188 x 364 x 30 mm
- › Compatible with drawers of Eurostyle, Eurovision, Euromotion, Europlus and Hercules (front drawers) line

**Set includes:**

- › 6x T-handle hex wrench (article 193HX) dim. 3, 4, 5, 6, 8, 10

SKU	
621068	 6
	

## 964/14SOS




### Set of screwdriver with TX profile and T handle in SOS tool tray

- › Tool tray dimension: 188 x 364 x 30 mm
- › Compatible with drawers of Eurostyle, Eurovision, Euromotion, Europlus and Hercules (front drawers) line

**Set includes:**

- › 6x TX profile screwdriver with T-handle (article 193TX) dim. TX 15, TX 20, TX 25, TX 27, TX 30, TX 40

SKU	
621069	 6
	

964/15SOS

Set of VDE BI tools in SOS tool tray



940E  
940EV  
920PLUS  
1/3  
188 x 364 x 30



- > Tool tray dimension: 188 x 364 x 30 mm
- > Compatible with drawers of Eurostyle, Eurovision, Euromotion, Europlus and Hercules (front drawers) line

Set includes:

- > 1x combination pliers (article 406/1VDEBI) dim. 180
- > 1x diagonal cutting nippers (article 461/1VDEBI) dim. 160
- > 1x wire stripping pliers (article 478/1VDEBI) dim. 160
- > 3x VDETI electrician's screwdriver with insulated blade (article 603VDETI) dim. 0.4x2.5x75, 0.6x3.5x100, 1.0x5.5x125
- > 2x VDETI crosstip (PH) screwdriver with insulated blade (article 613VDETI) dim. PH 1x80, PH 2x100
- > 1x phase tester 220 - 250 V (article 630VDE) dim. 0.5x3.0x140

SKU	
621070	9

964/19SOS

Set of sockets 1/2" in SOS tool tray



940E  
940EV  
920PLUS  
2/3  
374 x 364 x 30



- > Tool tray dimension: 374 x 364 x 30 mm
- > Compatible with drawers of Eurostyle, Eurovision, Euromotion, Europlus and Hercules (front drawers) line

Set includes:

- > 18x socket 1/2", 6 point (article 190/1 6P) dim. 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32
- > 5x hex socket 1/2" (article 192/2HX) dim. 5, 6, 8, 10, 12
- > 1x Reversible ratchet 1/2"
- > accessories 1/2": 1x swivel handle, 1x sliding T - handle, 2x extension bar (125, 250mm), 1x universal joint

SKU	
621075	29

964/22SOS

Tool set in SOS tool tray



940E  
940EV  
920PLUS  
3/3  
564 x 364 x 30



- > Tool tray dimension: 564 x 364 x 30 mm
- > Compatible with drawers of Eurostyle, Eurovision, Euromotion, Europlus and Hercules (front drawers) line

Set includes:

- > 18x socket 1/2", 6 point (article 190/1 6P) dim. 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32
- > 9x hex socket 1/2" (article 192/2HX) dim. 5, 6, 7, 8, 9, 10, 12, 14, 17
- > 9x screwdriver socket 1/2", with TX profile (article 192/2TX) dim. TX20, TX25, TX27, TX30, TX40, TX45, TX50, TX55, TX60
- > 1x Reversible ratchet 1/2"
- > accessories 1/2": 1x swivel handle, 1x sliding T - handle, 2x extension bar (125, 250mm), 1x universal joint
- > 7x punch; pin punch (article 641/6 dim. 2, 3, 4, 5, 6, 8), centre punch (article 642/6 dim. 4)
- > 2x chisel dim. 150; flat (artikel 660/6), cross (artikel 670/6)
- > 9x hex wrench (article 220/3) dim. 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 on plastic clip

SKU	
621077	60

### 964/25SOS

### Set of sockets 3/8" in SOS tool tray



- > Tool tray dimension: 188 x 364 x 30 mm
- > Compatible with drawers of Eurostyle, Eurovision, Euromotion, Europlus and Hercules (front drawers) line

**Set includes:**

- > 17x socket 3/8", 6 point (article 238/1 6P) dim. 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22
- > 1x reversible ratchet 3/8"
- > accessories 3/8"; 1x swivel handle, 1x sliding T - handle, 2x extension bar (125, 250mm), 1x universal joint, 1x adaptor (3/8 - 1/2")

SKU	Hand icon
621080	23
238/1 6p (6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22), 238.1/1AB1 (3/8"), 238.3/1 (3/8"), 238.4/1 (3/8"x250, 3/8"x125), 238.6/1 (3/8"), 238.7/1 (3/8" - 1/2"), v1964/25SOS (188x364x30)	

### 964/26 1/2SSOS

### Set of half smooth files in SOS tool tray



- > Tool tray dimension: 188 x 364 x 30 mm
- > Compatible with drawers of Eurostyle, Eurovision, Euromotion, Europlus and Hercules (front drawers) line

**Set includes:**

- > file with handle, half smooth, dim. 200 mm; 1x flat, 1x half-round, 1x three-square, 1x square, 1x round

SKU	Hand icon
621082	5
760H1/2S (200), 761H1/2S (200), 763H1/2S (200), 764H1/2S (200), 765H1/2S (200), v1964/26 1/2SSOS (188x364x30)	

### 964/26BSOS

### Set of bastard files in SOS tool tray



- > Tool tray dimension: 188 x 364 x 30 mm
- > Compatible with drawers of Eurostyle, Eurovision, Euromotion, Europlus and Hercules (front drawers) line

**Set includes:**

- > file with handle, bastard, dim. 200 mm; 1x flat, 1x half-round, 1x three-square, 1x square, 1x round

SKU	Hand icon
621081	5
760HB (200), 761HB (200), 763HB (200), 764HB (200), 765HB (200), v1964/26BSOS (188x364x30)	

### 964/26SSOS

### Set of smooth files in SOS tool tray



- > Tool tray dimension: 188 x 364 x 30 mm
- > Compatible with drawers of Eurostyle, Eurovision, Euromotion, Europlus and Hercules (front drawers) line

**Set includes:**

- > file with handle, smooth, dim. 200 mm; 1x flat, 1x half-round, 1x three-square, 1x round

SKU	Hand icon
621083	4
760HS (200), 761HS (200), 763HS (200), 764HS (200), v1964/26SSOS (188x364x30)	

## 964/27SOS

## Set of ratchet combination wrenches in SOS tool tray



940E  
940EV  
920PLUS  
1/3  
188 x 364 x 30

- › Tool tray dimension: 188 x 364 x 30 mm
- › Compatible with drawers of Eurostyle, Eurovision, Euromotion, Europlus and Hercules (front drawers) line

**Set includes:**

- › 10x ratchet combination wrench (article 160/2) dim. 8, 9, 10, 12, 13, 14, 16, 17, 18, 19

**SKU**

621084



10

**160/6** (8, 9, 10, 12, 13, 14, 16, 17, 18, 19), **v1964/27SOS** (188x364x30)

## 964/28SOS

## Set of wrenches in SOS tool tray



940E  
940EV  
920PLUS  
3/3  
564 x 364 x 30

- › The usability of the 964/28SOS - 621387 set is underscored by its thoughtful design and practical layout within the SOS tool tray. Each wrench is securely placed in its designated spot, allowing for easy identification and quick access during tasks. This organization minimizes the time spent searching for tools, enhancing efficiency in workshop environments. The wrenches themselves feature ergonomic form and precise machining, offering users a comfortable grip and reliable performance under demanding conditions. This product is primarily aimed at professional mechanics, automotive technicians, and hobbyists who require a dependable set of wrenches for daily use.

- › Tool tray dimension: 564 x 364 x 30 mm

- › Compatible with drawers of Eurostyle, Eurovision, Euromotion, Europlus and Hercules (front drawers) line

**Set includes:**

- › 12x open end wrench (article 110/1) dim. 6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22, 21x23, 24x27, 25x28, 30x32
- › 18x long combination wrench (article 120/1) dim. 6, 7, 8, 9, 10, 11, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24, 27
- › 12x ring wrench (article 180/1) dim. 6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22, 21x23, 24x27, 25x28, 30x32
- › 9x ball-end hex wrench (article 220/3S) dim. 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 on plastic clip
- › 9x wrench with TX profile and hole (article 220/7TX) dim. TR 8, TR 9, TR 10, TR 15, TR 20, TR 25, TR 27, TR 30, TR 40 on plastic clip

**SKU**

621387



60

**110/1** (6 x 7, 8 x 9, 10 x 11, 12 x 13, 14 x 15, 16 x 17, 18 x 19, 20 x 22, 21 x 23, 24 x 27, 25 x 28, 30 x 32), **120/1** (6, 7, 8, 9, 10, 11, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24, 27), **180/1** (6 x 7, 8 x 9, 10 x 11, 12 x 13, 14 x 15, 16 x 17, 18 x 19, 20 x 22, 21 x 23, 24 x 26, 25 x 28, 27 x 32), **220/3SPH** (1.5, 2, 2.5, 3, 4, 5, 6, 8, 10), **220/7TXPH** (TR8 - TR40x9), **v1964/28SOS** (564x364x30)

## 964/29ASOS

## Set of wrenches in SOS tool tray



940E  
940EV  
920PLUS  
3/3  
564 x 364 x 30

- › Tool tray dimension: 564 x 364 x 30 mm
- › Compatible with drawers of Eurostyle, Eurovision, Euromotion, Europlus and Hercules (front drawers) line

**Set includes:**

- › 6x tubular box wrench (article 215/2) dim. 6x7, 8x10, 13x17, 19x22, 24x27, 30x32
- › Rod (article 215.1/2) 1x dim. 230 (for tubular box wrench 6-17mm) and 1x dim. 330 (for tubular box wrench 18-32mm)
- › 6x double swivel end socket wrench (article 202/1) dim. 8x9, 10x11, 12x13, 14x15, 16x17, 18x19
- › 10x offset open ring wrench (article 183/2) dim. 8x10, 10x11, 11x13, 12x14, 16x18, 17x19, 19x22, 22x24, 24x27, 30x3

**SKU**

623932



28

**215/2** (6 x 7, 8 x 10, 13 x 17, 19 x 22, 24 x 27, 30 x 32), **215.1/2** (6 - 17, 18 - 32), **183/2** (8 x 10, 10 x 11, 11 x 13, 12 x 14, 16 x 18, 17 x 19, 19 x 22, 22 x 24, 24 x 27, 30 x 32), **160/6** (10, 11, 12, 13, 14, 15, 16, 17, 18, 19), **VL964/29ASOS** (564x364x30)

964/30SOS

Set of socket wrenches with accessories in SOS tool tray



940E  
940EV  
920PLUS  
3/3  
564 x 364 x 30



- > Ideal for automotive maintenance, machinery repair, and general mechanical tasks, the 964/30SOS - 621389 Set of Socket Wrenches offers versatility and reliability. The sockets come in various sizes to accommodate different bolt heads, while the included accessories such as extensions and adapters enhance the set's functionality. The SOS tool tray ensures that each tool is securely held in place, preventing loss or disorganization during transport or use. This set is tailored for professionals who demand precision and durability in their tools.
- > Tool tray dimension: 564 x 364 x 30 mm
- > Compatible with drawers of Eurostyle, Eurovision, Euromotion, Europlus and Hercules (front drawers) line

Set includes:

- > 12x socket 1/4", 6 point (article 188/2 6P) dim. 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13
- > 7x socket 1/4" with internal TX profile (article 189/2) dim. E4, E5, E6, E7, E8, E10, E11
- > 19x screwdriver socket 1/4"; hex (article 187/2HX dim. 3, 4, 5, 6, 7), TX profile (article 187/2TX dim. TX8, TX10, TX15, TX20, TX25, TX27, TX30, TX40), crosstip (article 187/2PH dim. PH 1, PH 2, PH 3), flat (article 187/2SL dim. 0.8x4, 1,0x5,5, 1,2x7)
- > 1x Reversible ratchet 1/4"
- > accessories 1/4"; 1x swivel handle, 1x sliding T - handle, 2x extension bar (55, 150mm), 1x universal joint, 1x adaptor (1/4"-3/8")
- > 1x spinner handle 1/4"
- > 17x socket 3/8", 6 point (article 238/1 6P) dim. 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22
- > 1x reversible ratchet 3/8"
- > accessories 3/8"; 1x swivel handle, 1x sliding T - handle, 2x extension bar (125, 250mm), 1x universal joint, 1x adaptor (3/8 - 1/2")
- > 18x socket 1/2", 6 point (article 190/1 6P) dim. 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32
- > 1x Reversible ratchet 1/2"
- > accessories 1/2"; 1x swivel handle, 1x sliding T - handle, 2x extension bar (125, 250mm), 1x universal joint

SKU	
621389	96
<p>  188/2 6p (4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13),  189/2 (E4, E5, E6, E7, E8, E10, E11),  187/2HX (3, 4, 5, 6, 7),  187/2TX (TX 8, TX 10, TX 15, TX 20, TX 25, TX 27, TX 30, TX 40),  187/2SL (0.8 x 4, 1,0 x 5,5, 1,2 x 7),  187/2PH (PH 1, PH 2, PH 3),  188.1/1ABI (1/4"),  188.2/2BI (1/4"),  188.3/2 (1/4"),  188.4/2 (1/4"x55, 1/4"x150),  188.6/2 (1/4"),  188.7/2 (1/4" - 3/8"),  188.8 (1/4"),  238/1 6p (6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22),  238.1/1FBI (3/8"),  238.2/1BI (3/8"),  238.3/1 (3/8"),  238.4/2 (3/8"x45, 3/8"x75),  238.4/1 (3/8"x125, 3/8"x250),  238.6/1 (3/8"),  238.7/1 (3/8" - 1/2"),  190/1 6p (10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32),  190.1/1ABI (1/2"),  190.2/1BI (1/2"x380),  190.3/1 (1/2"),  190.4/1 (1/2"x250, 1/2"x125),  190.6/2 (1/2"), <b>v1964/30SOS</b> (564x364x30)                 </p>	

964/31SOS

Set of hand tools in SOS tool tray



940E  
940EV  
920PLUS  
3/3  
564 x 364 x 30



- > Tool tray dimension: 564 x 364 x 30 mm
- > Compatible with drawers of Eurostyle, Eurovision, Euromotion, Europlus and Hercules (front drawers) line

Set includes:

- > 1x torque wrench (article 263) dim. 1/2"/40-200 Nm
- > 9x screwdriver socket 1/2", with TX profile (article 192/2TX) dim. TX20, TX25, TX27, TX30, TX40, TX45, TX50, TX55, TX60
- > 9x long screwdriver socket 1/2", with TX profile (article 192/2TXL) dim. TX20, TX25, TX27, TX30, TX40, TX45, TX50, TX55, TX60
- > 9x socket 1/2" with internal TX profile (article 191/1) dim. E10, E11, E12, E14, E16, E18, E20, E22, E24
- > 6x screwdriver socket 1/2", with ZX profile (article 192/2ZX) dim. M5, M6, M8, M10, M12, M14
- > 5x long screwdriver socket 1/2", with ZX profile (article 192/2ZXL) dim. M6, M8, M10, M12, M14
- > 8x hex socket 1/2" (article 192/2HX) dim. 5, 6, 7, 8, 9, 10, 12, 14
- > 6x hex socket 1/2", long type (article 192/2HXL) dim. 5x100, 6x100, 7x100, 8x100, 10x100, 12x100
- > 3x spark plug socket 3/8" (article 186.4/2) dim. 21, 19, 16
- > 6x pin punch (article 641/6) dim. 2, 3, 4, 5, 6, 8

SKU	
621390	79
<p>  192/2TX (TX 20, TX 25, TX 27, TX 30, TX 40, TX 45, TX 50, TX 55, TX 60),  192/2TXL (TX 20, TX 25, TX 27, TX 30, TX 40, TX 45, TX 50, TX 55, TX 60),  191/1 (E10, E11, E12, E14, E16, E18, E20, E22, E24),  192/2ZX (M5, M6, M8, M10, M12, M14),  192/2ZXL (M6, M8, M10, M12, M14),  192/2HX (5, 6, 7, 8, 9, 10, 12, 14),  192/2HXL (5x64, 6x64, 7x64, 8x64, 10x64, 12x64),  190/1 12p (10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24, 27, 30, 32),  186.4/2 (21, 19, 16),  641/6 (2, 3, 4, 5, 6, 8), <b>263</b> (1/2"/40-200 Nm), <b>v1964/31SOS</b> (564x364x30)                 </p>	

964/32SOS

Set of BI pliers and hammer in SOS tool tray



940E  
940EV  
920PLUS  
3/3  
564 x 364 x 30

- › Tool tray dimension: 564 x 364 x 30 mm
- › Compatible with drawers of Eurostyle, Eurovision, Euromotion, Europlus and Hercules (front drawers) line

**Set includes:**

- › 1x combination pliers (article 406/1BI) dim. 180
- › 1x grip pliers (article 430/3) dim. 250
- › 1x waterpump pliers (article 447/1HPP) dim. 240
- › 1x Heavy duty diagonal cutting nippers (article 466/1BI) dim. 180
- › 1x multifunctional electrician's pliers (article 514/1BI) dim. 160
- › 1x long nose pliers with side cutter and pipe grip, bent (article 512/1BI) dim. 200
- › 2x external lock rings pliers, straight and bent, dim. 180
- › 2x internal lock rings pliers, straight and bent, dim. 180
- › 1x centre punch (article 642/6) in dim. 5
- › 1x flat chisel (article 660/6) in dim. 200
- › 1x locksmiths' hammer (article 812) dim. 400
- › 1x bumping hammer (article 819A) v dim. 45

SKU	
621391	14

964/32ASOS

Set of BI pliers and hammer in SOS tool tray



940E  
940EV  
920PLUS  
3/3  
564 x 364 x 30

- › Tool tray dimension: 564 x 364 x 30 mm
- › Compatible with drawers of Eurostyle, Eurovision, Euromotion, Europlus and Hercules (front drawers) line

**Set includes:**

- › 1x combination pliers (article 406/1BI) dim. 180
- › 1x grip pliers (article 430/3) dim. 250
- › 1x waterpump pliers (article 447/1HPP) dim. 240
- › 1x Heavy duty diagonal cutting nippers (article 466/1BI) dim. 180
- › 1x straight long nose pliers with side cutter and pipe grip (article 508/1BI) dim. 200
- › 1x long nose pliers with side cutter and pipe grip, bent (article 512/1BI) dim. 200
- › 2x external lock rings pliers, straight and bent, dim. 180
- › 2x internal lock rings pliers, straight and bent, dim. 180
- › 1x centre punch (article 642/6) in dim. 5
- › 1x flat chisel (article 660/6) in dim. 200
- › 1x locksmiths' hammer (article 812) dim. 400
- › 1x plastic hammer (article 820) in dim. 40

SKU	
623936	14

964/33SOS

Set of screwdrivers in SOS tool tray



940E  
940EV  
920PLUS  
3/3  
564 x 364 x 30

- › Tool tray dimension: 564 x 364 x 30 mm
- › Compatible with drawers of Eurostyle, Eurovision, Euromotion, Europlus and Hercules (front drawers) line

**Set includes:**

- › 5x flat screwdriver TBI (article 605TBI) dim. 0.5x3.0x80, 0.8x4.0x100, 1.0x5.5x125, 1.2x6.5x150, 1.6x8.0x175
- › 4x crosstip (PH) screwdriver TBI (article 615TBI) dim. PH 0x60, PH 1x80, PH 2x100, PH 3x150
- › 2x stubby flat screwdriver TBI (article 627TBI) dim. 1.0x5.5x25, 1.2x6.5x25
- › 2x stubby crosstip (PH) screwdriver TBI (article 626TBI) dim. PH 1x25, PH 2x25
- › 9x TBI screwdriver with TX profile (article 621TBI) dim. TX 6, TX 8, TX 10, TX 15, TX 20, TX 25, TX 27, TX 30, TX 40
- › 8x socket wrench with TBI handle (article 629TBI) dim. 6, 7, 8, 9, 10, 11, 12, 13

SKU	
621392	30

964/34SOS

Set of screwdrivers with T handle in SOS tool tray



940E  
940EV  
920PLUS  
3/3  
564 x 364 x 30

- › Tool tray dimension: 564 x 364 x 30 mm
- › Compatible with drawers of Eurostyle, Eurovision, Euromotion, Europlus and Hercules (front drawers) line

Set includes:

- › 7x T-handle ball-end hex wrench (article 193HXS) dim. 2.5, 3, 4, 5, 6, 8, 10
- › 8x TX profile screwdriver with T-handle (article 193TX) dim. TX 10, TX 15, TX 20, TX 25, TX 27, TX 30, TX 40, TX 45
- › 1x utility knife (article 556B) dim. 160x18
- › file with handle, half smooth, dim. 200 mm; 1x flat, 1x three-square

SKU	
621393	18

964/35SOS

Set of wrenches in SOS tool tray



940E  
940EV  
920PLUS  
3/3  
564 x 364 x 30

- › Tool tray dimension: 564 x 364 x 30 mm
- › Compatible with drawers of Eurostyle, Eurovision, Euromotion, Europlus and Hercules (front drawers) line

Set includes:

- › 12x open end wrench (article 110/1) dim. 6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22, 21x23, 24x27, 25x28, 30x32
- › 18x long combination wrench (article 120/1) dim. 6, 7, 8, 9, 10, 11, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24, 27
- › 8x ring wrench (article 180/1) dim. 6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22
- › 6x offset open ring wrench (article 183/2) dim. 8x10, 10x11, 11x13, 12x14, 17x19, 19x22
- › 9x ball-end hex wrench (article 220/3S) dim. 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 on plastic clip
- › 9x wrench with TX profile and hole (article 220/7TX) dim. TR 8, TR 9, TR 10, TR 15, TR 20, TR 25, TR 27, TR 30, TR 40 on plastic clip

SKU	
621394	54

964/36SOS

Set of socket wrenches with accessories in SOS tool tray



940E  
940EV  
920PLUS  
3/3  
564 x 364 x 30



- › Tool tray dimension: 564 x 364 x 30 mm
- › Compatible with drawers of Eurostyle, Eurovision, Euromotion, Europlus and Hercules (front drawers) line

Set includes:

- › 12x socket 1/4", 6 point (article 188/2 6P) dim. 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13
- › 7x socket 1/4" with internal TX profile (article 189/2) dim. E4, E5, E6, E7, E8, E10, E11
- › 19x screwdriver socket 1/4"; hex (article 187/2HX dim. 3, 4, 5, 6, 7), TX profile (article 187/2TX dim. TX8, TX10, TX15, TX20, TX25, TX27, TX30, TX40), crosstip (article 187/2PH dim. PH 1, PH 2, PH 3), flat (article 187/2SL dim. 0.8x4, 1,0x5,5, 1,2x7)
- › 1x Reversible ratchet 1/4"
- › accessories 1/4"; 1x swivel handle, 1x sliding T - handle, 2x extension bar (55, 150mm), 1x universal joint, 1x adaptor (1/4"-3/8")
- › 1x spinner handle 1/4"
- › 18x socket 1/2", 6 point (article 190/1 6P) dim. 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32
- › 4x screwdriver socket 1/2", with TX profile (article 192/2TX) dim. TX30, TX40, TX45, TX50
- › 4x socket 1/2" with internal TX profile (article 191/1) dim. E10, E11, E12, E14
- › 6x hex socket 1/2" (article 192/2HX) dim. 6, 7, 8, 9, 10, 12
- › 4x long screwdriver socket 1/2", with ZX profile (article 192/2ZXL) dim. M6, M8, M10, M12
- › 1x Reversible ratchet 1/2"
- › accessories 1/2"; 1x swivel handle, 1x sliding T - handle, 2x extension bar (125, 250mm), 1x universal joint

SKU	
621395	88

964/37SOS

Set of screwdrivers in SOS tool tray



940E  
940EV  
920PLUS  
3/3  
564 x 364 x 30

- > Tool tray dimension: 564 x 364 x 30 mm
- > Compatible with drawers of Eurostyle, Eurovision, Euromotion, Europlus and Hercules (front drawers) line

Set includes:

- > 5x flat screwdriver TBI (article 605TBI) dim. 0.5x3.0x80, 0.8x4.0x100, 1.0x5.5x125, 1.2x6.5x150, 1.6x8.0x175
- > 4x crosstip (PH) screwdriver TBI (article 615TBI) dim. PH 0x60, PH 1x80, PH 2x100, PH 3x150
- > 2x stubby flat screwdriver TBI (article 627TBI) dim. 1.0x5.5x25, 1.2x6.5x25
- > 2x stubby crosstip (PH) screwdriver TBI (article 626TBI) dim. PH 1x25, PH 2x25
- > 9x TBI screwdriver with TX profile (article 621TBI) dim. TX 6, TX 8, TX 10, TX 15, TX 20, TX 25, TX 27, TX 30, TX 40
- > 6x T-handle ball-end hex wrench (article 193HX5) dim. 3, 4, 5, 6, 8, 10

SKU	
621396	28

964/46SOS

Set of wrenches and screwdrivers in SOS tool tray



940E  
940EV  
920PLUS  
3/3  
564 x 364 x 30

- > Tool tray dimension: 564 x 364 x 30 mm
- > Compatible with drawers of Eurostyle, Eurovision, Euromotion, Europlus and Hercules (front drawers) line

Set includes:

- > 17x long combination wrench (article 120/1) dim. 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24
- > 9x hex wrench (article 220/3) dim. 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 on plastic clip
- > 6x flat screwdriver TBI (article 605TBI) dim. 0.4x2.5x75, 0.5x3.0x80, 0.6x3.5x100, 0.8x4.0x100, 1.2x6.5x150, 1.2x8.0x175
- > 2x crosstip (PH) screwdriver TBI (article 615TBI) dim. PH 1x80, PH 2x100
- > 1x stubby flat screwdriver TBI (article 627TBI) dim. 1.0x5.5x25
- > 1x stubby crosstip (PH) screwdriver TBI (article 626TBI) dim. PH 2x25

SKU	
623987	36

964/47SOS

Set of socket wrenches in SOS tool tray



940E  
940EV  
920PLUS  
3/3  
564 x 364 x 30

- > Tool tray dimension: 564 x 364 x 30 mm
- > Compatible with drawers of Eurostyle, Eurovision, Euromotion, Europlus and Hercules (front drawers) line

Set includes:

- > 11x socket 1/4", 12 point (article 188/2 12P) dim. 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14
- > 18x screwdriver socket 1/4"; hex (article 187/2HX dim. 3, 4, 5, 6, 7), TX profile (article 187/2TX dim. TX8, TX10, TX15, TX20, TX25, TX27, TX30, TX40), crosstip (article 187/2PH dim. PH 1, PH 2), flat (article 187/2SL dim. 0.8x4, 1.0x5.5, 1.2x7)
- > 1x Reversible ratchet 1/4"
- > accessories 1/4"; 1x sliding T - handle, 2x extension bar (55, 150mm), 1x universal joint
- > 1x spinner handle 1/4"
- > 20x socket 1/2", 6 point (article 190/1 6P) dim. 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 26, 27, 28, 30, 32
- > 1x Reversible ratchet 1/2"
- > accessories 1/2"; 1x sliding T - handle, 2x extension bar (125, 250mm), 1x universal joint
- > 4x pin punch (article 641/6) dim. 3, 4, 5, 6
- > 1x centre punch (article 642/6) in dim. 5
- > 2x flat chisel (article 660/6) in dim. 150, 200

SKU	
623988	67

Premium Flex

## 964/48SOS

### Set of BI pliers and hammer in SOS tool tray



940E  
940EV  
920PLUS  
3/3  
564 x 364 x 30

- › Tool tray dimension: 564 x 364 x 30 mm
- › Compatible with drawers of Eurostyle, Eurovision, Euromotion, Europlus and Hercules (front drawers) line

**Set includes:**

- › 1x combination pliers (article 406/1BI) dim. 180
- › 1x grip pliers (article 430/3) dim. 250
- › 1x waterpump pliers (article 447/1HPP) dim. 240
- › 1x Heavy duty diagonal cutting nippers (article 466/1BI) dim. 180
- › 1x straight long nose pliers with side cutter and pipe grip (article 508/1BI) dim. 170
- › 2x external lock rings pliers, straight and bent, dim. 180
- › 2x internal lock rings pliers, straight and bent, dim. 180
- › 1x Electricians' scissors (article 582/3P) in dim. 145
- › 1x bumping hammer (article 819A) v dim. 45

**SKU**

623989



11

405/1BI (180), 430/3 (250), 447/1HPP (240), 466/1BI (180), 508/1BI (170), 532/1P (180x19 - 60), 534/1P (180x19 - 60), 536/1P (180x19 - 60), 538/1P (180x19 - 60), 582/3P (145), 819A (45), VL964/48SOS (564x364x30)

## 964/49SOS

### Set of tools in SOS tool tray



940E  
940EV  
920PLUS  
3/3  
564 x 364 x 30

- › Tool tray dimension: 564 x 364 x 30 mm
- › Compatible with drawers of Eurostyle, Eurovision, Euromotion, Europlus and Hercules (front drawers) line

**Set includes:**

- › 1x measuring tape (article 710P) dim. 3m
- › 1x utility knife (article 556A) dim. 160x18
- › 1x saw (article 753P) dim. 150
- › file with handle, half smooth, dim. 200 mm; 1x flat, 1x half-round, 1x three-square, 1x square, 1x round
- › 1x locksmiths' hammer (article 812) dim. 400
- › 1x plastic hammer (article 820) dim. 32
- › 1x tyre lever with handle (article 300/2C) v dim. 320
- › 1x feeler gauges (article 701) v dim. 0.05 - 1x20
- › 1x brush for cleaning disk brake shoes (article 2035)
- › 1x flexible pick up tool with magnet (article 2087)

**SKU**

623990



13

300/2C (320), 556A (160x18), 701 (0.05 - 1x20), 710P (3 m), 753P (150), 760H1/2S (200), 761H1/2S (200), 763H1/2S (200), 764H1/2S (200), 812 (400), 820A (40), 2035 (1), 2087 (1), VL964/49SOS (564x364x30)

## 964/50SOS

### Set of socket wrenches in SOS tool tray



940E  
940EV  
920PLUS  
3/3  
564 x 364 x 30

- › Tool tray dimension: 564 x 364 x 30 mm
- › Compatible with drawers of Eurostyle, Eurovision, Euromotion, Europlus and Hercules (front drawers) line

**Set includes:**

- › 18x socket 1/2", 6 point (article 190/1 6P) dim. 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32
- › 1x Reversible ratchet 1/2"
- › accessories 1/2"; 1x sliding T - handle, 2x extension bar (125, 250mm), 1x universal joint
- › 6x socket 1/2", long type, 12 point (article 190/1L12P) dim. 10, 13, 17, 19, 22, 24
- › 9x hex socket 1/2" (article 192/2HX) dim. 5, 6, 7, 8, 9, 10, 12, 14, 17
- › 9x hex wrench (article 220/3) dim. 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 on plastic clip
- › 6x pin punch (article 641/6) dim. 2, 3, 4, 5, 6, 8)
- › 1x centre punch (article 642/6) in dim. 4
- › 2x chisel dim. 150; flat (artikel 660/6), cross (artikel 670/6)

**SKU**

623991



57

190.1/1ABI (1/2"), 190.2/1BI (1/2"x380), 190.3/1 (1/2"), 190.4/1 (1/2"x125, 1/2"x250), 190.6/2 (1/2"), 190/1 6p (10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32), 190/1L12p (10, 13, 17, 19, 22, 24), 192/2HX (5, 6, 7, 8, 9, 10, 12, 14, 17), 220/3PH (1.5, 2, 2.5, 3, 4, 5, 6, 8, 10), 641/6 (2, 3, 4, 5, 6, 8), 642/6 (4), 660/6 (150), 670/6 (150), VL964/50SOS (564x364x30)

Premium Flex

964/51SOS

Set of BI pliers and hammer in SOS tool tray



940E  
940EV  
920PLUS  
3/3  
564 x 364 x 30

- > Tool tray dimension: 564 x 364 x 30 mm
- > Compatible with drawers of Eurostyle, Eurovision, Euromotion, Europlus and Hercules (front drawers) line

**Set includes:**

- > 1x combination pliers (article 406/1BI) dim. 180
- > 1x grip pliers (article 430/3) dim. 250
- > 1x double groove joint pliers (article 445/1BI) dim. 240
- > 1x Heavy duty diagonal cutting nippers (article 466/1BI) dim. 180
- > 1x straight long nose pliers with side cutter and pipe grip (article 508/1BI) dim. 200
- > 1x long nose pliers with side cutter and pipe grip, bent (article 512/1BI) dim. 200
- > 2x external lock rings pliers, straight and bent, dim. 180
- > 2x internal lock rings pliers, straight and bent, dim. 180
- > 1x centre punch (article 642/6) in dim. 5
- > 1x flat chisel (article 660/6) in dim. 200
- > 1x locksmiths' hammer (article 812) dim. 400
- > 1x plastic hammer (article 820) in dim. 40

SKU	
623992	14

964/52SOS

Set of tools in SOS tool tray



940E  
940EV  
920PLUS  
3/3  
564 x 364 x 30

- > Tool tray dimension: 564 x 364 x 30 mm
- > Compatible with drawers of Eurostyle, Eurovision, Euromotion, Europlus and Hercules (front drawers) line

**Set includes:**

- > 2x locksmiths' hammer (article 812) in dim. 800, 1000
- > 2x tyre lever (article 300/2) v dim. 400, 500
- > 1x hacksaw frame (article 750B) dim. 400
- > file with handle, half smooth, dim. 200 mm; 1x flat, 1x round
- > 1x utility knife (article 556A) dim. 160x18

SKU	
623993	8

964/53SOS

Set of socket wrenches in SOS tool tray



940E  
940EV  
920PLUS  
3/3  
564 x 364 x 30

- > Tool tray dimension: 564 x 364 x 30 mm
- > Compatible with drawers of Eurostyle, Eurovision, Euromotion, Europlus and Hercules (front drawers) line

**Set includes:**

- > 10x socket 3/4", 6 point (article 197/1 6P) dim. 22, 24, 27, 30, 32, 36, 38, 41, 46, 50
- > 4x hex socket 3/4" (article 197/2AHX) dim. 14, 17, 19, 22
- > 1x reversible ratchet 3/4"
- > accessories 1/4"; 1x sliding T - handle, 2x extension bar (200, 400mm), 2x adaptor (3/4"-1/2", 1/2"-3/4")
- > 1x brush for cleaning disk brake shoes (article 2035)
- > 1x flexible pick up tool with magnet (article 2087)

SKU	
623995	22

964/55SOS

Set of long sockets 1/2" in SOS tool tray



940E  
940EV  
920PLUS  
1/3  
188 x 364 x 30

- > Tool tray dimension: 188 x 364 x 30 mm
- > Compatible with drawers of Eurostyle, Eurovision, Euromotion, Europlus and Hercules (front drawers) line

**Set includes:**

- > 17x socket 1/2", long type, 12 point (article 190/1L12P) dim. 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24, 27, 30, 32

SKU	
625332	17

964/59SOS



Set of tools in tool tray

Set includes:

- > 12x long combination wrench (article 120/1) dim. 6, 7, 8, 9, 10, 11, 12, 13, 14, 17, 19, 22
- > 9x hex wrench (article 220/3) dim. 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 on plastic clip
- > 9x wrench with TX profile and hole (article 220/7TXN) dim. TX 8, TX 9, TX 10, TX 15, TX 20, TR 25, TX 27, TX 30, TX 40 on plastic clip
- > 2x adjustable wrench (article 250/1) dim. 150, 250
- > 1x measuring tape (article 710P) dim. 3m
- > 1x utility knife (article 556A) dim. 160x18
- > 1x saw (article 753P) dim. 150
- > 1x universal tin snips (article 563R/7P) dim. 280

SKU	
629980	36
120/1 (6, 7, 8, 9, 10, 11, 12, 13, 14, 17, 19, 22),  220/3PH (1, 2, 2.5, 3, 4, 5, 6, 8, 10),  220/7TXNPH (TX8 - TX40x9),  250/1 (250, 150),  710P (3 m),  556A (160x18),  753P (150),  563R/7PR (280), <b>vI964/59SOS</b> (564x364x30)	

964/60SOS



Set of tools in tool tray

Set includes:

- > 1x Reversible ratchet 1/4"
- > accessories 1/4"; 1x swivel handle, 1x sliding T - handle, 2x extension bar (55, 150mm), 1x universal joint, 1x adaptor (1/4"-3/8")
- > 1x spinner handle 1/4"
- > 10x socket 1/4", 6 point (article 188/2 6P) dim. 4, 5, 6, 7, 8, 9, 10, 11, 12, 13
- > 1x Reversible ratchet 1/2"
- > accessories 1/2"; 1x sliding T - handle, 1x extension bar 125mm, 1x universal joint
- > 19x socket 1/2", 6 point (article 190/1 6P) dim. 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 23, 24, 26, 27, 28, 30, 32
- > 5x screwdriver socket 1/2", with TX profile (article 192/2TX) dim. TX20, TX25, TX27, TX30, TX40
- > 6x T-handle ball-end hex wrench (article 193HXS) dim. 3, 4, 5, 6, 7, 8

SKU	
629981	52
188.1/1ABI (1/4"),  188.2/2BI (1/4"),  188.3/2 (1/4"),  188.4/2 (1/4"x55, 1/4"x150),  188.6/2 (1/4"),  188.8 (1/4"),  188/2 6p (4, 5, 6, 7, 8, 9, 10, 11, 13, 12),  190.1/1ABI (1/2"),  190.3/1 (1/2"),  190.4/1 (1/2"x125),  190.6/2 (1/2"),  190/1 6p (10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 23, 24, 26, 27, 28, 30, 32),  192/2TX (TX 20, TX 25, TX 27, TX 30, TX 40),  193HX (3, 4, 5, 6, 7, 8), <b>vI964/60SOS</b> (564x364x30)	

964/61SOS




Set of tools in tool tray

Set includes:

- > 1x combination pliers (article 406/4G) dim. 180
- > 1x slip joint waterpump pliers (article 441/4P) dim. 240
- > 1x diagonal cutting nippers (article 461/4G) dim. 160
- > 3x flat screwdriver CR (article 605CR) dim. 0.8x4.0x100, 1.0x5.5x125, 1.2x6.5x150
- > 3x crosstip (PH) screwdriver CR (article 615CR) dim. PH 0x60, PH 1x200, PH 2x100
- > 1x crosstip (PH) screwdriver CR (article 626CR) dim. PH 2x25
- > 1x phase tester 220 - 250 V (article 630VDE) dim. 0.6x3.5x180
- > 4x socket wrench with CR handle (article 629CR) dim. 6, 8, 10, 13
- > 1x flat chisel (article 660/6) in dim. 150
- > 1x locksmiths' hammer (article 812) dim. 500

SKU	
629982	18
406/4G (180),  441/4P (240),  461/4G (160),  605CR (0.8 x 4.0x100, 1.0 x 5.5x125, 1.2 x 6.5x150),  615CR (PH 0x60, PH 1x200, PH 2x100),  626CR (PH 2x25),  630VDE (0.6 x 3.5x180),  629CR (6, 8, 10, 13),  660/6 (150),  812 (500), <b>vI964/61SOS</b> (564x364x30)	

964ECO2



Set of combinations wrenches, short type in SOS tool tray

- > Tool tray dimension: 498 x 135 x 30 mm
- > Compatible with drawers of Economic line

Set includes:

- > 12x short combination wrench (article 125/1) dim. 8, 9, 10, 12, 13, 14, 17, 19, 20, 21, 22, 24

SKU	
621287	12
125/1 (8, 9, 10, 12, 13, 14, 17, 19, 20, 21, 22, 24), <b>vI964ECO2</b> (498x135x30)	

**964ECO2A**

**Set of combinations wrenches, long type in SOS tool tray**



- > Tool tray dimension: 498 x 135 x 30 mm
- > Compatible with drawers of Economic line

**Set includes:**

- > 12x long combination wrench (article 120/1) dim. 8, 9, 10, 12, 13, 14, 17, 19, 20, 21, 22, 24

SKU	
621288	12
<b>120/1</b> (8, 9, 10, 12, 13, 14, 17, 19, 20, 21, 22, 24), <b>v1964ECO2A</b> (498x135x30)	

**964ECO5**

**Set of 1/4" socket wrenches with accessories in SOS tool tray**



- > Tool tray dimension: 498 x 135 x 30 mm
- > Compatible with drawers of Economic line


**Set includes:**

- > 11x socket 1/4", 6 point (article 188/2 6P) dim. 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 13
- > 7x socket 1/4" with internal TX profile (article 189/2) dim. E4, E5, E6, E7, E8, E10, E11
- > 19x screwdriver socket 1/4"; hex (article 187/2HX dim. 3, 4, 5, 6, 7), TX profile (article 187/2TX dim. TX8, TX10, TX15, TX20, TX25, TX27, TX30, TX40), crosstip (article 187/2PH dim. PH 1, PH 2, PH 3), flat (article 187/2SL dim. 0.8x4, 1.0x5, 1.2x7)
- > 1x Reversible ratchet 1/4"
- > accessories 1/4": 1x swivel handle, 1x sliding T - handle, 2x extension bar (55, 150mm), 1x universal joint, 1x adaptor (1/4"-3/8")
- > 1x spinner handle 1/4"

SKU	
621290	45
<b>188/2 6p</b> (4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 13), <b>189/2</b> (E4, E5, E6, E7, E8, E10, E11), <b>187/2HX</b> (3, 4, 5, 6, 7), <b>187/2PH</b> (PH 1, PH 2, PH 3), <b>187/2SL</b> (0.8 x 4, 1.0 x 5.5, 1.2 x 7), <b>187/2TX</b> (TX 8, TX 10, TX 15, TX 20, TX 25, TX 27, TX 30, TX 40), <b>188.1/1ABI</b> (1/4"), <b>188.2/2BI</b> (1/4"), <b>188.3/2</b> (1/4"), <b>188.4/2</b> (1/4"x150, 1/4"x55), <b>188.6/2</b> (1/4"), <b>188.7/2</b> (1/4" - 3/8"), <b>188.8</b> (1/4"), <b>v1964ECO5</b> (498x135x30)	

**964ECO6**

**Set of BI pliers in SOS tool tray**



- > Tool tray dimension: 498 x 135 x 30 mm
- > Compatible with drawers of Economic line


**Set includes:**

- > 1x combination pliers (article 406/1BI) dim. 180
- > 1x diagonal cutting nippers (article 461/1BI) dim. 160
- > 1x multifunctional electrician's pliers (article 514/1BI) dim. 160
- > 1x double groove joint pliers (article 445/1BI) dim. 240

SKU	
621291	4
<b>406/1BI</b> (180), <b>461/1BI</b> (160), <b>514/1BI</b> (160), <b>445/1BI</b> (240), <b>v1964ECO6</b> (498x135x30)	

**964ECO9**

**Set of TBI screwdrivers in SOS tool tray**



- > Tool tray dimension: 498 x 135 x 30 mm
- > Compatible with drawers of Economic line


**Set includes:**

- > 4x TBI flat screwdriver (article 605TBI) dim. 0.5x3.0x80, 0.8x4.0x100, 1.0x5.5x125, 1.2x6.5x150
- > 3x TBI crosstip (PH) screwdriver (article 615TBI) dim. PH 0x60, PH 1x80, PH 2x100
- > 1x TBI double-crosstip (PZ) screwdriver (article 625TBI) dim. PZ 2x100

SKU	
621292	8
<b>605TBI</b> (0.5 x 3.0x80, 0.8 x 4.0x100, 1.0 x 5.5x125, 1.2 x 6.5x150), <b>615TBI</b> (PH 0x60, PH 1x80, PH 2x100), <b>625TBI</b> (PZ 2x100), <b>v1964ECO9</b> (498x135x30)	

### 964ECO19

### Set of sockets 1/2" in SOS tool tray



- › Tool tray dimension: 498 x 135 x 30 mm
- › Compatible with drawers of Economic line

**Set includes:**

- › 18x socket 1/2", 6 point (article 190/1 6P) dim. 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32
- › 1x Reversible ratchet 1/2"
- › accessories 1/2"; 1x sliding T - handle, 2x extension bar (125, 250mm), 1x universal joint

SKU	
621294	23
190/1 6p (10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32), 190.6/2 (1/2"), 190.3/1 (1/2"), 190.4/1 (1/2"x250, 1/2"x125), 190.6/2 (1/2"), v1964ECO19 (498x135x30)	

### 964ECO26 1/2S

### Set of files in SOS tool tray



- › Tool tray dimension: 498 x 135 x 30 mm
- › Compatible with drawers of Economic line

**Set includes:**

- › file with handle, half smooth, dim. 200 mm; 1x flat, 1x square, 1x round
- › 1x half-round rasp with handle, half smooth (article 768H1/2S) dim. 200

SKU	
621295	4
760H1/2S (200), 763H1/2S (200), 765H1/2S (200), 768H1/2S (200), v1964ECO26 1/2S (498x135x30)	

### 971/1BI

### Tool set in tool case



SKU	
608540	51
125/1 (6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24), 220/3S (1.5, 2, 2.5, 3, 4, 5, 6, 8, 10), 250/1 (200), 190/1 6p (13, 17, 19, 22, 24), 190.1/1ABI (1/2"), 190.4/1 (1/2"x125), 190.6/2 (1/2"), 406/1BI (180), 447/1HPP (240), 461/1BI (160), 512/1BI (200), 605TBI (0.8 x 4.0x100, 1.0 x 5.5x125, 1.2 x 6.5x150), 615TBI (PH 1x80, PH 2x100), 625TBI (PZ 2x100), 626TBI (PH 2x25), 627TBI (1.2 x 6.5x25), 710P (2 m), 812 (500), 969S (500x420x200)	

### 971/2VDE

### Tool set VDE in tool case



SKU	
608541	53
110/1 (6 x 7, 8 x 9, 10 x 11, 12 x 13, 14 x 15, 16 x 17, 18 x 19, 20 x 22, 21 x 23, 24 x 26, 25 x 28, 27 x 32), 220/3S (1.5, 2, 2.5, 3, 4, 5, 6, 8, 10), 250/1 (200), 406/1VDEBI (160), 420/1VDEBI (180), 425/4AB (1.5 - 6x240), 447/1VDEBI (240), 466/1VDEBI (180), 478/1VDEBI (160), 508/1VDEBI (170), 512/1VDEBI (170), 514/1BI (160), 580/1VDEBI (230), 603VDEBTBI (0.4 x 2.5x75, 0.5 x 3.0x100, 0.8 x 4.0x100, 1.0 x 5.5x125, 1.2 x 6.5x150, 1.2 x 8.0x175), 613VDEBTBI (PH0x60, PH1x80, PH2x100), 630VDE (0.5 x 3.0x140, 0.6 x 3.5x180), 641/6 (5), 660/6 (150), 665/6A (250x12), 710P (3 m), 750B (400), 760HB (200), 761HB (200), 812 (300), 817 (1000), 820 (40), 969S (500x420x200)	

971/3VDE

Tool set in tool case



SKU	
612548	62
<p>  188/2 6p (4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 13),  188.1/1ABI (1/4"),  188.2/2BI (1/4"),  188.3/2 (1/4"),  188.4/2 (1/4"x55, 1/4"x150),  193HX (2.5, 4),  193TX (TX 6, TX 9, TX 20, TX 25),  220/3 (1.5, 2, 2.5, 3, 4, 5, 6, 8, 10),  220/3SL (1.5, 2, 2.5, 3, 4, 5, 6, 8, 10),  250/1 (200),  385H (4 - 28),  406/1VDEBI (180),  461/1VDEBI (160),  466/1VDEBI (180),  478/1VDEBI (160),  508/1VDEBI (200),  512/1VDEBI (200),  580/1VDEBI (170),  603VDEBTBI (0.4 x 2.5x75, 0.5 x 3.0x100, 0.6 x 3.5x100, 0.8 x 4.0x100, 1.0 x 5.5x125, 1.2 x 6.5x150),  613VDEBTBI (PH1x80, PH2x100),  630VDE (0.5 x 3.0x140),  665/6A (250x11),  710P (5 m),  750B (400),  812 (300),  969S (500x420x200)                 </p>	



1000AC

Tool set



> Tool set is intended as a base for any electrician.

SKU	
604577	21
<p>  385H (4 - 28),  406/1VDEBI (180),  461/1VDEBI (160),  472/1VDEBI (160),  478/1VDEBI (160),  508/1VDEBI (200),  603VDEBTBI (0.4 x 2.5x75, 0.6 x 3.5x100, 1.0 x 5.5x125, 1.2 x 6.5x150),  605CR (1.0 x 5.5x125, 1.2 x 6.5x150),  613VDEBTBI (PH1x80, PH2x100),  630VDE (0.5 x 3.0x140),  660/6 (200),  665/6A (250x11),  710P (3 m),  753P (150),  761HB (200),  812 (300)                 </p>	



1000AD

Tool set



> Tool set is intended as a base for any electrician.

SKU	
611884	62
<p>  188/2 6p (4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 13),  188.1/1ABI (1/4"),  188.2/2BI (1/4"),  188.3/2 (1/4"),  188.4/2 (1/4"x55, 1/4"x150),  193HX (2.5, 4),  193TX (TX 6, TX 9, TX 20, TX 25),  220/3 (1.5, 2, 2.5, 3, 4, 5, 6, 8, 10),  220/3SL (1.5, 2, 2.5, 3, 4, 5, 6, 8, 10),  250/1 (200),  385H (4 - 28),  406/1VDEBI (180),  461/1VDEBI (160),  466/1VDEBI (180),  478/1VDEBI (160),  508/1VDEBI (200),  512/1VDEBI (200),  580/1VDEBI (170),  603VDEBTBI (0.4 x 2.5x75, 0.5 x 3.0x100, 0.6 x 3.5x100, 0.8 x 4.0x100, 1.0 x 5.5x125, 1.2 x 6.5x150),  613VDEBTBI (PH1x80, PH2x100),  630VDE (0.5 x 3.0x140),  665/6A (250x11),  710P (5 m),  750B (400),  812 (300)                 </p>	



905BI

Tool set BI in bag



SKU	
620105	13
<p>  406/1BI (160),  461/1BI (160),  478/1BI (160),  472/1BI (160),  556A (160x18),  753P (150),  710P (3 m),  602TBI (0.4 x 2.5x75, 0.8 x 4.0x100, 1.0 x 5.5x125),  615TBI (PH 1x80, PH 2x100),  630VDE (0.5 x 3.0x140)                 </p>	



**905VDEBI**

**Tool set VDE BI in bag**



**Set includes:**

- > 1x combination pliers (article 406/1VDEBI) dim. 180
- > 1x diagonal cutting nippers (article 461/1VDEBI) dim. 160
- > 1x wire stripping pliers (article 478/1VDEBI) dim. 160
- > 1x long flat nose pliers (article 472/1VDEBI) dim. 160
- > 3x electrician's screwdriver with insulated blade VDEBTBI (article 603VDEBTBI) dim. 0.4x2.5x75, 0.8x4.0x100, 1.0x5.5x125
- > 2x VDEBTBI crosstip (PH) screwdriver with insulated blade (article 613VDEBTBI) dim. PH 1x80, PH 2x100
- > 1x phase tester 220 - 250 V (article 630VDE) dim. 0.5x3.0x140
- > 1x measuring tape (article 710P) dim. 3m
- > 1x insulated saw (article 753VDP) dim. 150
- > 1x insulated knife (article 385VDEDP) dim. 180

SKU	
617571	13

**906VDEBI**

**Tool set VDE BI in bag.**



**Set includes:**

- > 1x combination pliers (article 406/1VDEBI) dim. 180
- > 1x diagonal cutting nippers (article 461/1VDEBI) dim. 160
- > 2x electrician's screwdriver with insulated blade VDEBTBI (article 603VDEBTBI) dim. 0.4x2.5x75, 0.8x4.0x100
- > 1x crosstip (PH) screwdriver with insulated blade VDEBTBI (article 613VDEBTBI) dim. PH 2x100
- > 1x phase tester 220 - 250 V (article 630VDE) dim. 0.5x3.0x140

SKU	
617573	6



110/1	2	190.1AVDEDP	103	215/2CB	16	266	248	466/1VDEBI	106	592R/7PR	124	641/6HS-H	292
110/1CB	2	190/1L12p	43	216.1	17	266INS.1	248	466/1VDEDP	106	596.1PLUS/7	127	641/6HSPB	158
110/1CS	2	190.2/1BI	48	216/1	17	266INS.2	248	466/1VDP-H	288	596.2PLUS/7	127	642/6	158
110/1CT	3	190/2VDEDP	102	216/1CB	17	266INS.3	249	466/4G	78	596.3PLUS/7	127	642/6HS-H	293
110/1MS	3	190.3/1	48	217/2	17	270A	253	467SHARK/4P	75	596/6A	126	642A	158
110/1PB	3	190.4/1	48	220/3	20	271	253	469SHARK/4AP	75	596PLUS/6G	127	642LPB	160
110/2VDEDP	100	190.4/1-H	284	220/3L	21	272	254	469SHARK/4P	76	598/6	128	642NPB	160
110/2VDEDP	100	190.4/15	49	220/3LPB2	22	280	250	472/1BI	82	600CS5TBI	132	645	158
112/2	3	190.4/2	48	220/3LPH	22	300/2	267	472/1VDEBI	106	600TBI	132	646	159
114/2	3	190.4/2VDEDP	103	220/3L-SET	22	300/2A	267	472/1VDEDP	107	602TBI	132	646A	159
117/4	4	190.5/2	49	220/3LVDEDP	101	300/2C	267	472/4G	82	603CS6ATVD	113	647	159
118/7	12	190.6/2	49	220/3PB	20	300/6B	267	476/1BI	82	603CS6ATVT	113	647A	159
120/1	5	190.7/2	49	220/3PB1	21	300CCB	267	476/1VDEBI	107	603CS6AVDE	113	647B	159
120/1CB	6	190.9/2ABI	50	220/3PH	21	352.1/6	261	476/1VDEDP	107	603CS6AVT	112	660/6	160
120/1CS	6	190.9/2BI	50	220/3S	22	352.2	261	478/1BI	85	603CS6TVDE	113	660/6A	161
120/1CT	6	190.10	50	220/3-SET	20	352.3	261	478/1VDEBI	107	603CS6TVDE	113	660/6AHS	161
120/1-H	282	190BI6P14	51	220/3SFH	23	352/6PB	261	478/4G	86	603CS6VDE	114	660/6HS	160
120/1MS	6	190BI6P17	52	220/3SL	23	358.1/7A	259	480/6	94	603CS6VDE	114	660/6HS-H	293
125/1	7	190BI6P23	52	220/3SLPB2	24	358/6A	259	481/6	95	603VDE	111	665/6A	161
125/1CB	7	190BI6P24	52	220/3SLPH	24	360/6A	259	481/6-H	288	603VDE	111	666/6A	162
125/1CS	8	190BI6P43	53	220/3SL-SET	23	360/6B	260	482/6	95	604VDE	111	666/6AHS	162
125/1CT	8	190BI12P15	53	220/3SPB1	23	361.1/7A	260	484/6	96	605CR	133	666/6AHS-H	293
135/2	4	190BI12P23	53	220/3SPH	23	361/6A	260	487/2P	96	605E	133	667/6A	162
160/2-H	283	190BI12P23IN	54	220/3S-SET	22	363A	260	492/6	95	605NI	133	667/6AHS	162
160/6	8	190BI12P24	54	220/7TXNFH	24	380	88	492/6-H	288	605TBI	132	670/6	161
160/6CB	9	190BIHX1P20	54	220/7TXNPH	24	385AVDEDP	116	492AL	96	605TBI-H	292	670/6AHS	161
160/6CS	9	190BITX1P22	55	220/7TXPH	24	385CVDEDP	117	492AL-H	289	606B5NI	133	680/2	150
160/6CT	9	190H	50	220FH	21	385G	89	494/6	96	606CS5CR	134	681/2	150
175/2	25	190H1	50	220TV	102	385H	89	506/1BI	79	606CS5E	134	682/2	151
176	14	190H6P6	42	220TV4PB	102	385VDEDP	117	506/1VDEBI	108	606CS5TBI	134	683/2	151
176CB	14	190H12LP7	51	231.4/4	62	400	95	506/1VDEDP	108	607B5CR	134	689.1/5	152
176CS11	15	190H12P15	51	231/4 6p	60	402A	72	506/4G	80	607B5NI	135	689/5ABI	152
177	15	190VDE6P11A	103	231/4AHX	61	402B	72	508/1BI	80	607CS5TBI	135	689/5BI	152
177CB	15	190VDEDP6P13B	103	231/4ATX	61	405/1BI	72	508/1BI-H	289	607CS7CR	135	701	254
177CS6	16	191/1	43	231/4L6p	61	405/1BI-H	285	508/1VDEBI	108	607CS7E	135	701A	254
178.1/2	9	191MB1	55	231/4P	61	405/4G	73	508/1VDEDP	109	607CS7TBI	136	706	257
178/2	9	192/2HX	44	231/4PB1	63	406/1BI	73	508/4G	80	607PB8TBI	136	710P	251
179/2	10	192/2HXL	44	231/4PB2	63	406/1VDEBI	104	512/1BI	81	607PB9TBI	136	710R	251
179/2-H	283	192/2TX	44	231/4PB3	64	406/1VDEDP	104	512/1BI-H	289	608CS5CR	137	710W	251
180/1	10	192/2TXL	45	231/4PB4	64	406/1VDP-H	285	512/1VDEBI	109	608CS5NI	137	714	252
180/1CB	10	192/2ZX	45	231/4PL	62	406/4E	73	512/1VDEDP	109	608CS5TBI	137	721.1/6	256
180/1CS	10	192/2ZXL	45	231/4PPB	64	512/4E	74	512/4E	81	609CS5TBI	137	721/6	256
180/2VDEDP	101	192/12	45	231.6/4	62	407/4P	74	512/4G	81	611VDE	112	721Q/6	256
180/2VDEDP	101	192/14	46	231.7/4	62	420/1BI	74	514/1BI	85	612CR	138	722.1/7	257
182/2A	11	192/15	46	231.8/4	63	420/1VDEBI	104	514/1BI-H	290	613VDE	112	722.1AL	257
182/2ACB	11	192/16	46	232.4/4	65	424/4P	87	516/4	98	613VDE	112	750.1B	258
182/2BTX	11	192/17	47	232/4 6p	65	425/4A	86	528/4BP	92	615CR	138	750B	257
183/2	11	192HHXP6	44	232/4L6p	65	425/4AB	86	529/4PR	92	615E	138	750VDP	117
183/2CB	12	193HX	18	232.6/4	65	425/4B	86	530/4	91	615NI	139	752	258
183/2CT	12	193HXC	18	232.7/4	66	425/4B-H	286	530/4P	91	615TBI	138	753.1	258
184/7	12	193HXCS	18	232.8/4	66	427/2FG	88	531/4	91	615TBI-H	292	753P	258
184/7-H	283	193HX-H	285	232PB1	66	427/4AG	87	531/4P	92	616CR	139	753VDP	117
185/2	25	193HXS	18	233.4/4	67	427/4CG	87	532/1P	89	616TBI	139	755	258
186.4/2	37	193HXSCS	19	233/4 6p	67	427/4DG	87	532/1P-H	290	620/1CR	141	755.1	258
186.4/2A	37	193N	13	233/4L6p	67	428/4	88	534/1P	90	620TBI	141	757	259
187/2HX	30	193NTX	14	233.6/4	67	428/4AGPB	88	536/1P	90	620VDE	114	760H1/2S	262
187/2PH	30	193TX	19	233.7/4	68	429/3	93	536/1P-H	291	621CR	142	760HB	262
187/2SL	30	193TXCB	19	233.8/4	68	429/3-H	286	538/1P	90	621CS6VDE	114	760HB-H	293
187/2TX	30	193TXCS	20	234.4/4	69	430/3	93	539/1PCT	91	621CS7CR	142	760HS	262
187HHXP6	35	196/2	25	234/4 6p	68	431/2	271	542/4PR	129	621CS7TBI	142	761H1/2S	262
188.1/1ABI	31	197.1/1	56	234.7/4	69	432/3A	93	544PR	129	621E	143	761HB	262
188.1/1BBI	32	197/1 6p	55	234.8/4	69	432/3C	93	550.2/9	130	621TBI	142	761HS	263
188.2/2BI	32	197/2AHX	56	236/2HX	37	434/3A	94	550/3PR	130	621VDE	114	762/5 1/2S	263
188/2 6p	31	197/2ATX	56	236/2HXL	38	434/3C	94	555/6	130	623VDE	115	762/5B	263
188/2L6p	31	197/2AZX	56	236/2PH	38	436/4P	94	556.1A	268	623VDE	115	762/5S	263
188.3/2	32	197.3/1	56	238.1/1ABI	38	441/4P	84	556.1B	268	625CR	140	763H1/2S	264
188.4/2	32	197.4/1	57	238.1/1FBI	39	441/7PR	84	556A	268	625NI	140	763HB	263
188.4/2F	32	197.6/1	57	238/1 6p	38	442/1HYPO	83	556A-H	291	625TBI	139	763HS	264
188.6/2	33	197.7/1	57	238.2/1BI	39	442/1HYPO-H	286	556B	268	626CR	140	764H1/2S	264
188.7/2	33	197MB1	57	238.3/1	39	445/1BI	84	558/5P	92	626TBI	140	764HB	264
188.8	33	197MB2	58	238.4/1	40	445/4G	85	563L/7PR	122	627TBI	141	764HS	264
188.9	33	197MB4	58	238.4/2	39	447/1	83	563R/7PR	122	628CR	141	765H1/2S	265
188.10	34	199.1/1	59	238.5/2	40	447/1BI	84	567R/7P	122	629CR	143	765HB	265
188.10A	34	199/1 6p	58	238.6/1	40	447/1HPP	82	568L/7P	122	629CS5TBI	143	768H1/2S	265
188B	36	199/1 12p	59	238.7/1	40	447/1HPP-H	287	568R/7P	123	629CS6VDE	115	777/6A	265
188BI	36	199.3/1	59	238H	40	447/1VDEBI	105	569R/7P	123	629TBI	143	777/6C	265
188BI12P16	36	199.4/1	59	238H1	41	447/4PHPP	83	572L/7PR	123	629VDE	115	778/4APB	266
188C	37	199.7/1	60	239A	41	447/6	83	572R/7PR	123	630VDE	115	778/4PB	266
188H	34	199MB1	60	239C	41	455/1BI	78	573/7P	124	630VDE140ST	116	805	154
188H1	34	200/2	27	239D	42	455/4E	79	580/1BI	124	631	116	805A	154
188H6LP9	35	200/2CB	27	250/1	4	455/4G	79	580/1BI-H	291	631B	116	805A-H	294
188H6P11	35	202/1	14	250/1AP	4	461/1BI	76	580/1VDEBI	110	633	144	806	155
188H6P12	35	205.1	26	250/1-H	282	461/1VDEBI	105	580/1VDEDP	110	636	140	812	154
189/2	31	205/2	25	250/1VDP	100	461/1VDEDP	105	582/3BI	111	638TBI,6,3	144	812A	154
190.1/1ABI	47	206.1	26	251/4	5	461/4E	77	582/3P	110	639A	270	812-H	294
190.1/1ABI-H	284	206/2	26	255/2	13	461/4G	76	582/3PR	110	639B	270	816	155
190.1/1FBI	47	210/2	26	255/2CT	13	461/4P	77	583.1/7A	125	639C	270	817	155
190.1/1LG	48	212/2	27	255/2F	13	462/1BI	77	583.1/7B	125	639D	270	817-H	294
190/1 6p	42	213/6	27	263	249	462/4G	77	583/6	125	639PB	271	818	155
190/1 12p	43	215.1/2	16	264	249	466/1BI	78	585/6	125	640/6	157	819A	156
190/1 12p-H	284	215/2	16	265	250	466/1BI-H	287	585/6P	125	641/6	157	820	156

820A	156	964/26BSOS	305	990MA10	187	1299	254	3800	279
820B	157	964/26SSOS	305	990MA12	188	1300/6	268	6460C6,3	144
905BI	316	964/27SOS	306	990MA13	189	1301.1/4	269	6463TINC6,3	144
905VDEBI	317	964/28SOS	306	990MA14	190	1301/6	269	6465C6,3	145
906VDEBI	317	964/29ASOS	306	990MA15	190	1340VDP	117	6466C6,3	145
909	228	964/30SOS	307	990MA16	191	1341VDP	118	6466TINC6,3	145
909/1	229	964/31SOS	307	990MA17	192	1342	269	6472C6,3	145
909PES	229	964/32ASOS	308	990MA18	193	1343	269	6472TINC6,3	145
911/5	216	964/32SOS	308	990MC4	194	1344	269	6480C8	146
912/5	216	964/33SOS	308	990.MD	215	1345	269	6483C8	146
914/3	216	964/34SOS	309	990NCA	205	1346	269	6486C8	146
914/5	217	964/35SOS	309	990ND6	199	1347	270	6489C8	146
915/5	217	964/36SOS	309	990ND6-BLACK	199	1348	270	6492C8	146
917A	218	964/37SOS	310	990ND6LC100	199	1375/6	271	6503E6,3	147
917C	218	964/46SOS	310	990ND8	200	1376/6	271	6506E6,3	147
930	299	964/47SOS	310	990NDD2	200	1500	244	6509E6,3	147
931	299	964/48SOS	311	990NDD2-BLACK	200	1501	245	6515E6,3	147
932	299	964/49SOS	311	990NDH	201	1502	245	6762.1	147
939/3EV	215	964/50SOS	311	990NDH4	201	1503	245	CT110	28
940.1T	180	964/51SOS	312	990NDP	201	1505	245	CT129	28
940.2H	180	964/52SOS	312	990NDU	202	1506KN7	246	CT252	28
940E1	174	964/53SOS	312	990NDU-BLACK	202	1506KZ7	246	h.990.BAT	212
940E3	174	964/55SOS	312	990PNE	197	1506KZ10	246	h.990.HAM	213
940E4	175	964/59SOS	313	990PNE-BLACK	198	1507Z7	246	h.990.PAP-BLACK	213
940E4/1L-BLACK	175	964/60SOS	313	990S1	210	1507Z10	246	h.990.PIN	214
940ECO	178	964/61SOS	313	990SHELF	210	1508A	244	h.990.PLI	214
940ECOES7	178	964ASOS	175	990SL	209	1508B	244	h.990.SCR	213
940ECOS1	178	964BSOS	176	990SL-BLACK	209	1510	239	h.990.TAB	214
940EM1	171	964ECO2	313	990SM	209	1514	240	h.990.WRE	215
940ES3	176	964ECO2A	314	990SM-BLACK	209	1514.1B	240	h.3002.SCR	279
940ES3A	176	964ECOS	314	990SR	209	1514.2B	241	h.3002.T.WRE	279
940ES5	176	964ECO6	314	990SR-BLACK	209	1514A1	241	K950	226
940ES7	177	964ECO9	314	990T	180	1514A2	241	PB.990HPB	210
940ES8	177	964ECO19	315	990TB1	182	1514A3	241	VL990ND1	211
940ES9	177	964ECO26 1/2S	315	990TB2	183	1514A4	241	VL990WD1	212
940ES10	177	964VDE1	118	990TB3	184	1514A5	241	VL990WD2	212
940EV4	172	964VDE2	118	990TBC	185	1514A6	242	VL990WD3	212
940EV4BLOCK	172	964VDE3BI	119	990TW	203	1515	242		
940EV6	173	964VDE7	119	990TW1	204	1515H	242		
940EV51	173	964VDE8A	119	990TWS	204	1516	243		
940EV54	173	964VDE8B	120	990TW-SST	204	1516A	243		
940EV57	173	969L	227	990WD6	194	1517S	243		
940H2	169	969S	227	990WD6LC100	195	1518	244		
940H2-BLACK	170	971/1BI	315	990WD7-BLACK	195	1522	234		
940H2BLOCK	170	971/2VDE	315	990WD8	195	1531	234		
940H4	169	971/3VDE	316	990WDD2	196	1532	234		
940HS5	170	976A	229	990WDD2-BLACK	196	1541	235		
940JUMBO2	164	977/1	230	990WDP	196	1551	235		
940PLUS3	171	977/2	230	990WDU	197	1552	235		
940T	180	981K1	220	990WDU-BLACK	197	1561	236		
940TWJ	164	981K1/2	220	991.1HDS	165	1562	236		
946A	179	981K1/2R	220	991.2HDS	165	1563	236		
946AC	179	981K1/4	219	991.11HDS	165	1564	237		
946ACR	179	981K3/4	220	991.12HDS	165	1565	237		
949	223	981K3/8	219	991.13HDS	165	1566	237		
949.1	223	981K3/8R	221	991.21HDS	166	1571	238		
949.1-BLACK	224	981PB4	221	991.22HDS	166	1573	238		
949.2	224	981PBM1	222	991.23HDS	166	1575	238		
949.2-BLACK	224	981PBM2	222	991HD-BLACK	164	1591	239		
949-BLACK	223	981PBM3	222	991LMS.C1	167	1592	239		
950.1	226	981PBM5	222	991LMS.C2	167	1596	240		
950/2	225	981PBS1	221	991LMS.PS1	168	1597	240		
950/3V	225	981PBS2	221	991LMS.S1	168	1863	271		
950.4	226	981PBS5	222	994	168	1940/2BI	272		
950/6	225	982PB2	221	996A	230	1944/6	272		
950/9	226	990AD1	194	996B	231	1945	272		
960/2	218	990B	208	997.1	231	1945.1	272		
960/3	219	990BA	208	997.4	231	1976/2	273		
960/6	219	990BA1	208	1000AC	316	2035	273		
964/1ASOS	300	990BIN	198	1000AD	316	2042/2	273		
964/1SOS	299	990BIN-BLACK	198	1011AEV6	296	2051/4	273		
964/2ASOS	300	990BP	184	1011BEV4	296	2077/2BI	97		
964/2CSOS	300	990C	205	1011CEV4	297	2078/2BI	97		
964/2DSOS	301	990CA	206	1011DEV6	297	2082/3	98		
964/2SOS	300	990CAU	206	1011FPLUS3	297	2083	274		
964/3SOS	301	990CAU-BLACK	206	1011GECO	298	2084	274		
964/5SOS	301	990C-BLACK	205	1011KEM1	296	2085	274		
964/6SOS	301	990CWR	207	1012A	298	2086	274		
964/7SOS	302	990HL	211	1018A	298	2087	275		
964/8ASOS	302	990HPB	210	1111	294	2091	275		
964/9BSOS	302	990HPC	211	1112	227	2091A	275		
964/9SOS	302	990IN4	205	1113	228	2203/2BI	276		
964/10SOS	303	990L	202	1210	266	2209	276		
964/13ASOS	303	990LA	202	1250	252	2213/2BI	250		
964/13SOS	303	990LA-BLACK	203	1252	252	3050/2BI	276		
964/14SOS	303	990LB	203	1260/7A	252	3054/4	276		
964/15SOS	304	990LBH	203	1262/5A	253	3200/2BI	277		
964/19SOS	304	990LIGHT	211	1263	253	3302/6	277		
964/22SOS	304	990MA1	181	1272	253	3303/2	277		
964/25SOS	305	990MA6	185	1279	254	3700LIGHT KIT	278		
964/26 1/2SSOS	305	990MA7	186	1280	254	3700MX PROKIT	278		



<b>2-in-1 Plastic hammer</b> 820B	<b>157</b>	<b>Bolt cutters with interchangeable triangular cutting edges</b> 596PLUS/6G	<b>127</b>	<b>Combination wrench, long type, for safe work at heights</b> 120/1-H	<b>282</b>
<b>ABS plate for 940E and 940EV</b> 940ES8	<b>177</b>	<b>BOLTSHARK cutter</b> 469SHARK/4AP	<b>75</b>	<b>Combination wrench, short type</b> 125/1	<b>7</b>
<b>Adaptor 1"</b> 199.7/1	<b>60</b>	<b>BOLTSHARK cutter with groove</b> 469SHARK/4P	<b>76</b>	<b>Connector</b> 990C	<b>205</b>
<b>Adaptor 1/2"</b> 190.7/2	<b>49</b>	<b>Bottle holder 940ECO</b> 940ECOES7	<b>178</b>	<b>Connector</b> 990C-BLACK	<b>205</b>
<b>Adaptor 1/4"</b> 188.7/2	<b>33</b>	<b>Bow saw</b> 755	<b>258</b>	<b>Coupling, female part</b> 1506KN7	<b>246</b>
<b>Adaptor 3/4"</b> 197.7/1	<b>57</b>	<b>Brake spring pliers</b> 431/2	<b>271</b>	<b>Coupling, female part</b> 1506KZ10	<b>246</b>
<b>Adaptor 3/8"</b> 238.7/1	<b>40</b>	<b>Brush for cleaning disk brake shoes</b> 2035	<b>273</b>	<b>Coupling, female part</b> 1506KZ7	<b>246</b>
<b>Adaptor for bits</b> 188.9	<b>33</b>	<b>Cabinet</b> 990CWR	<b>207</b>	<b>Coupling, male part</b> 1507Z10	<b>246</b>
<b>Additional support for 9905</b> 99051	<b>210</b>	<b>Cabinet organizer for documents</b> 991LMS.C1	<b>167</b>	<b>Coupling, male part</b> 1507Z7	<b>246</b>
<b>Adjustable leg for modular work bench</b> 990LA	<b>202</b>	<b>Cabinet organizer for tool trays</b> 991LMS.C2	<b>167</b>	<b>Cover set for angle modular work bench, 2 pcs set</b> 990BA1	<b>208</b>
<b>Adjustable leg for modular work bench</b> 990LA-BLACK	<b>203</b>	<b>Cabinet with roller shutter</b> 990CA	<b>206</b>	<b>Crimp grip pliers</b> 427/2FG	<b>88</b>
<b>Adjustable oil-filter wrench</b> 1976/2	<b>273</b>	<b>Cable shears</b> 580/1BI	<b>124</b>	<b>Crimp grip pliers</b> 427/4AG	<b>87</b>
<b>Adjustable pipe wrench</b> 494/6	<b>96</b>	<b>Cable shears</b> 580/1VDEBI	<b>110</b>	<b>Crimp grip pliers</b> 427/4CG	<b>87</b>
<b>Adjustable wrench</b> 250/1	<b>4</b>	<b>Cable shears</b> 580/1VDEDP	<b>110</b>	<b>Crimp lever pliers</b> 428/4	<b>88</b>
<b>Adjustable wrench</b> 250/1AP	<b>4</b>	<b>Cable shears</b> 585/6	<b>125</b>	<b>Crimping pliers</b> 424/4P	<b>87</b>
<b>Adjustable wrench</b> 251/4	<b>5</b>	<b>Cable shears, for safe work at heights</b> 580/1BI-H	<b>291</b>	<b>Crimping pliers</b> 425/4A	<b>86</b>
<b>Adjustable wrench insert tool for 266</b> 266INS.2	<b>248</b>	<b>Cable stripper with hook knife</b> 385H	<b>89</b>	<b>Crimping pliers</b> 425/4AB	<b>86</b>
<b>Adjustable wrench, for safe work at heights</b> 250/1-H	<b>282</b>	<b>Cable stripper with straight knife</b> 385G	<b>89</b>	<b>Crimping pliers</b> 425/4B	<b>86</b>
<b>Alternator combination socket</b> 2209	<b>276</b>	<b>Calliper with vernier scale</b> 271	<b>253</b>	<b>Crimping pliers, for safe work at heights</b> 425/4B-H	<b>286</b>
<b>Alu - spirit level</b> 1250	<b>252</b>	<b>Car light tester 6 - 12/24 V</b> 631	<b>116</b>	<b>Cross chisel</b> 670/6	<b>161</b>
<b>Alu - spirit level with magnet</b> 1252	<b>252</b>	<b>Car light tester 6 - 12/24 V</b> 631B	<b>116</b>	<b>Cross pointed tweezers</b> 1347	<b>270</b>
<b>Aluminium screeding level</b> 1272	<b>253</b>	<b>Carpenter's lever</b> 300/6B	<b>267</b>	<b>Crosstip (PH) bit, 3 pcs set</b> 6463TINC6,3	<b>144</b>
<b>Angle gauge</b> 2213/2BI	<b>250</b>	<b>Carpenter's pencil - set 10 pieces</b> 1299	<b>254</b>	<b>Crosstip (PH) bit, 3 pcs set</b> 6465C6,3	<b>145</b>
<b>Angle impact wrench</b> 1564	<b>237</b>	<b>Carpenters' hammer</b> 805	<b>154</b>	<b>Crosstip (PH) bit, 3 pcs set</b> 6483C8	<b>146</b>
<b>Angle modular work bench</b> 990AD1	<b>194</b>	<b>Carpenters' hammer with magnet</b> 805A	<b>154</b>	<b>Crosstip (PH) bit, 3 pcs set</b> 6503E6,3	<b>147</b>
<b>Angle wooden bench top</b> 990TW1	<b>204</b>	<b>Carpenters' hammer with magnet, for safe work at heights</b> 805A-H	<b>294</b>	<b>Crosstip (PH) electronic screwdriver</b> 615E	<b>138</b>
<b>Anvil pruner</b> 550/3PR	<b>130</b>	<b>Carpenters' pincers</b> 530/4	<b>91</b>	<b>Crosstip (PH) screwdriver</b> 615NI	<b>139</b>
<b>Automatic centre punch</b> 642A	<b>158</b>	<b>Carpenters' pincers</b> 530/4P	<b>91</b>	<b>Crosstip (PH) screwdriver CR</b> 615CR	<b>138</b>
<b>Awl set</b> 639PB	<b>271</b>	<b>Centre punch</b> 642/6	<b>158</b>	<b>Crosstip (PH) screwdriver CR with hexagon bolster</b> 616CR	<b>139</b>
<b>Awl with round straight blade</b> 639A	<b>270</b>	<b>Centre punch with handle, for safe work at heights</b> 642/6HS-H	<b>293</b>	<b>Crosstip (PH) screwdriver TBI</b> 615TBI	<b>138</b>
<b>Awl with round, 90° bent blade</b> 639B	<b>270</b>	<b>Chain breaker, press and riveting tool for motorbike</b> 3200/2BI	<b>277</b>	<b>Crosstip (PH) screwdriver TBI with hexagon bolster</b> 616TBI	<b>139</b>
<b>Awl with round, double bent blade</b> 639C	<b>270</b>	<b>Chain for 206/2</b> 206.1	<b>26</b>	<b>Crosstip (PH) screwdriver TBI, for safe work at heights</b> 615TBI-H	<b>292</b>
<b>Awl with round, double bent small blade</b> 639D	<b>270</b>	<b>Chain wrench</b> 206/2	<b>26</b>	<b>Crosstip (PH) screwdriver with insulated blade, VDE</b> 613VDE	<b>112</b>
<b>Back door for 940H</b> 940.2H	<b>180</b>	<b>Chisel and punch set</b> 645	<b>158</b>	<b>Crosstip (PH) screwdriver with insulated blade, VDE TBI</b> 613VDETBI	<b>112</b>
<b>Back panel with light and parapet channel</b> 990BP	<b>184</b>	<b>Claw pick-up tool</b> 2085	<b>274</b>	<b>Crosstip screwdriver socket 1/4"</b> 187/2PH	<b>30</b>
<b>Ball-end extension bar 1/2"</b> 190.4/1S	<b>49</b>	<b>Cleaning support for modular work bench</b> 990BIN	<b>198</b>	<b>Crosstip screwdriver socket 3/8"</b> 236/2PH	<b>38</b>
<b>Ball-end hex screwdriver TBI</b> 620TBI	<b>141</b>	<b>Cleaning support for modular work bench</b> 990BIN-BLACK	<b>198</b>	<b>Cutting wheel</b> 358.1/7A	<b>259</b>
<b>Ball-end hex wrench</b> 220/3S	<b>22</b>	<b>Click type torque wrench</b> 264	<b>249</b>	<b>Cutting wheel</b> 361.1/7A	<b>260</b>
<b>Ball-end hex wrench, long type</b> 220/3SL	<b>23</b>	<b>Club hammer</b> 817	<b>155</b>	<b>Dead blow hammer</b> 819A	<b>156</b>
<b>Ball-peen hammer</b> 806	<b>155</b>	<b>Club hammer, for safe work at heights</b> 817-H	<b>294</b>	<b>Diagonal cutting nippers</b> 461/1BI	<b>76</b>
<b>Bending adaptor</b> 352.2	<b>261</b>	<b>Clutch and gear wheel holding tools</b> 3050/2BI	<b>276</b>	<b>Diagonal cutting nippers</b> 461/1VDEBI	<b>105</b>
<b>Bending back</b> 352.3	<b>261</b>	<b>Combination pliers</b> 405/1BI	<b>72</b>	<b>Diagonal cutting nippers</b> 461/1VDEDP	<b>105</b>
<b>Bending pliers</b> 352.1/6	<b>261</b>	<b>Combination pliers</b> 405/4G	<b>73</b>	<b>Diagonal cutting nippers</b> 461/4G	<b>76</b>
<b>Bent flat tweezers</b> 1343	<b>269</b>	<b>Combination pliers</b> 406/1BI	<b>73</b>	<b>Diagonal cutting nippers</b> 461/4P	<b>77</b>
<b>Bent pointed tweezers</b> 1346	<b>269</b>	<b>Combination pliers</b> 406/1VDEBI	<b>104</b>	<b>Digital calliper</b> 270A	<b>253</b>
<b>Bent tweezers</b> 1341VDP	<b>118</b>	<b>Combination pliers</b> 406/1VDEDP	<b>104</b>	<b>Disc spreader for motorcycle</b> 3303/2	<b>277</b>
<b>Big plastic box for bits</b> 982PB2	<b>221</b>	<b>Combination pliers</b> 406/4G	<b>74</b>	<b>Display panel</b> 996A	<b>230</b>
<b>Bit with socket wrench</b> 188.10A	<b>34</b>	<b>Combination pliers, for safe work at heights</b> 405/1BI-H	<b>285</b>	<b>Display panel</b> 996B	<b>231</b>
<b>Bolt cutter</b> 596/6A	<b>126</b>	<b>Combination pliers, for safe work at heights</b> 406/1VDP-H	<b>285</b>	<b>Document holder for 940E and 940EV</b> 940ES5	<b>176</b>
<b>Bolt cutter</b> 598/6	<b>128</b>	<b>Combination wrench, long type</b> 120/1	<b>5</b>	<b>Double ended offset socket wrench</b> 176	<b>14</b>

<b>Double ended offset socket wrench</b> 177	<b>15</b>	<b>Extension bar 1/4"</b> 188.4/2	<b>32</b>	<b>Hand riveter set</b> 1301/6	<b>269</b>
<b>Double groove joint pliers</b> 445/1BI	<b>84</b>	<b>Extension bar 3/4"</b> 197.4/1	<b>57</b>	<b>Hand saw</b> 757	<b>259</b>
<b>Double groove joint pliers</b> 445/4G	<b>85</b>	<b>Extension bar 3/8"</b> 238.4/1	<b>40</b>	<b>Handle for 178/2</b> 178.1/2	<b>9</b>
<b>Double hook, 10 pcs set</b> 997.4	<b>231</b>	<b>Extension bar 3/8"</b> 238.4/2	<b>39</b>	<b>Hanging cabinet for work benches</b> 990CAU	<b>206</b>
<b>Double suction lifter</b> 1944/6	<b>272</b>	<b>External lock rings pliers, straight, for safe work at heights</b> 532/1P-H	<b>290</b>	<b>Hanging cabinet for work benches</b> 990CAU-BLACK	<b>206</b>
<b>Double swivel end socket wrench</b> 202/1	<b>14</b>	<b>External micrometre</b> 272	<b>254</b>	<b>Heavy duty clamp</b> 706	<b>257</b>
<b>Double-crosstip (PZ) bit, 3 pcs set</b> 6466C6,3	<b>145</b>	<b>Feeler gauges</b> 701	<b>254</b>	<b>Heavy duty diagonal cutter, for safe work at heights</b> 466/1BI-H	<b>287</b>
<b>Double-crosstip (PZ) bit, 3 pcs set</b> 6466TINC6,3	<b>145</b>	<b>Flat chisel</b> 1514A1	<b>241</b>	<b>Heavy duty diagonal cutter, for safe work at heights</b> 466/1VDP-H	<b>288</b>
<b>Double-crosstip (PZ) bit, 3 pcs set</b> 6486C8	<b>146</b>	<b>Flat chisel</b> 660/6	<b>160</b>	<b>Heavy duty diagonal cutting nippers</b> 466/1BI	<b>78</b>
<b>Double-crosstip (PZ) bit, 3 pcs set</b> 6506E6,3	<b>147</b>	<b>Flat chisel with guard</b> 660/6HS	<b>160</b>	<b>Heavy duty diagonal cutting nippers</b> 466/1VDEBI	<b>106</b>
<b>Double-crosstip (PZ) screwdriver</b> 625NI	<b>140</b>	<b>Flat chisel with guard, for safe work at heights</b> 660/6HS-H	<b>293</b>	<b>Heavy duty diagonal cutting nippers</b> 466/1VDEDP	<b>106</b>
<b>Double-crosstip (PZ) screwdriver CR</b> 625CR	<b>140</b>	<b>Flat cutting-off wheels, for steel</b> 1210	<b>266</b>	<b>Heavy duty diagonal cutting nippers</b> 466/4G	<b>78</b>
<b>Double-crosstip (PZ) screwdriver TBI</b> 625TBI	<b>139</b>	<b>Flat electrician's screwdriver TBI</b> 602TBI	<b>132</b>	<b>Heavy duty drawer cabinet</b> 991HD-BLACK	<b>164</b>
<b>Double-crosstip (PZ) screwdriver with insulated blade, VDE</b> 623VDE	<b>115</b>	<b>Flat electronic screwdriver</b> 605E	<b>133</b>	<b>Heavy duty pipe wrench AL</b> 492AL	<b>96</b>
<b>Double-crosstip (PZ) screwdriver with insulated blade, VDE TBI</b> 623VDETBI	<b>115</b>	<b>Flat file with handle, bastard</b> 760HB	<b>262</b>	<b>Heavy duty pipe wrench AL, for safe work at heights</b> 492AL-H	<b>289</b>
<b>Double-edged screw extractors set</b> 778/4APB	<b>266</b>	<b>Flat file with handle, bastard, for safe work at heights</b> 760HB-H	<b>293</b>	<b>Heavy duty pipe wrench, for safe work at heights</b> 492/6-H	<b>288</b>
<b>Drain trap pliers</b> 487/2P	<b>96</b>	<b>Flat file with handle, half smooth</b> 760H1/2S	<b>262</b>	<b>Heavy duty tower pincers</b> 529/4PR	<b>92</b>
<b>Drift and centre punch set</b> 646	<b>159</b>	<b>Flat file with handle, smooth</b> 760HS	<b>262</b>	<b>Hex bit</b> 6509E6,3	<b>147</b>
<b>Drift and centre punches set</b> 646A	<b>159</b>	<b>Flat ring wrench</b> 182/2A	<b>11</b>	<b>Hex bit, 3 pcs set</b> 6489C8	<b>146</b>
<b>Drift punch</b> 640/6	<b>157</b>	<b>Flat ring wrench with offset head TX profile</b> 182/2BTX	<b>11</b>	<b>Hex screwdriver CR</b> 620/1CR	<b>141</b>
<b>Easy - cut pruner with aluminium handles</b> 544PR	<b>129</b>	<b>Flat rule</b> 1280	<b>254</b>	<b>Hex screwdriver socket 3/8"</b> 236/2HX	<b>37</b>
<b>Electrical bag</b> 909	<b>228</b>	<b>Flat scraper</b> 777/6A	<b>265</b>	<b>Hex screwdriver with insulated blade VDE TBI</b> 620VDETBI	<b>114</b>
<b>Electrical bag</b> 909/1	<b>229</b>	<b>Flat screwdriver</b> 605NI	<b>133</b>	<b>Hex socket 1/2"</b> 192/2HX	<b>44</b>
<b>Electrical bag</b> 909PES	<b>229</b>	<b>Flat screwdriver CR</b> 605CR	<b>133</b>	<b>Hex socket 1/4"</b> 187/2HX	<b>30</b>
<b>Electrician's crosstip screwdriver CR</b> 612CR	<b>138</b>	<b>Flat screwdriver TBI</b> 605TBI	<b>132</b>	<b>Hex socket 3/4"</b> 197/2AHX	<b>56</b>
<b>Electrician's scissors with cable cutter</b> 582/3PR	<b>110</b>	<b>Flat screwdriver TBI with hexagon bolster</b> 600TBI	<b>132</b>	<b>Hex wrench</b> 220/3	<b>20</b>
<b>Electrician's chisel</b> 665/6A	<b>161</b>	<b>Flat screwdriver TBI, for safe work at heights</b> 605TBI-H	<b>292</b>	<b>Hex wrench, long type</b> 220/3L	<b>21</b>
<b>Electrician's scissors with cable cutter</b> 582/3BI	<b>111</b>	<b>Flat tweezers</b> 1342	<b>269</b>	<b>Hexagonal screwdriver socket set 1/2" in metal box</b> 192/14	<b>46</b>
<b>Electrician's screwdriver with insulated blade, VDE</b> 603VDE	<b>111</b>	<b>Flat tweezers</b> 1344	<b>269</b>	<b>Holder for bottles for 940E and 940EV</b> 940ES7	<b>177</b>
<b>Electrician's screwdriver with insulated blade, VDE TBI</b> 603VDETBI	<b>111</b>	<b>Flat-crosstip (SL/PH) SLIM screwdriver with insulated blade, VDE TBI</b> 611VDETBI	<b>112</b>	<b>Holder for bottles for 940EV</b> 940EV57	<b>173</b>
<b>Electricians' scissors</b> 582/3P	<b>110</b>	<b>Flexible extension bar 1/4"</b> 188.4/2F	<b>32</b>	<b>Holder for cordless screwdriver</b> h.990.BAT	<b>212</b>
<b>Electronic combination pliers</b> 406/4E	<b>73</b>	<b>Flexible hook wrench</b> 255/2F	<b>13</b>	<b>Holder for hammers</b> h.990.HAM	<b>213</b>
<b>Electronic long nose pliers, bent</b> 512/4E	<b>81</b>	<b>Flexible pick up tool with magnet</b> 2087	<b>275</b>	<b>Holder for light with console</b> 990HL	<b>211</b>
<b>Electronic pliers - front cutter</b> 455/4E	<b>79</b>	<b>Flexible reversible ratchet 1/2"</b> 190.1/1FBI	<b>47</b>	<b>Holder for plastic box</b> 990HPB	<b>210</b>
<b>Electronic screwdriver with TX profile</b> 621E	<b>143</b>	<b>Flexible reversible ratchet 3/8"</b> 238.1/1FBI	<b>39</b>	<b>Holder for pliers, 10 pcs set</b> h.990.PLI	<b>214</b>
<b>Electronic side cutter</b> 461/4E	<b>77</b>	<b>Flywheel puller with internal thread</b> 3054/4	<b>276</b>	<b>Holder for screwdrivers</b> h.3002.SCR	<b>279</b>
<b>Electronic torque wrench</b> 266	<b>248</b>	<b>Folding rule</b> 710W	<b>251</b>	<b>Holder for screwdrivers</b> h.990.SCR	<b>213</b>
<b>Empty bag</b> CT110	<b>28</b>	<b>Forged tubular box wrench</b> 216/1	<b>17</b>	<b>Holder for T-handle wrenches</b> h.3002.TWRE	<b>279</b>
<b>Empty bag</b> CT129	<b>28</b>	<b>Four-way rim wrench</b> 213/6	<b>27</b>	<b>Holder for tablet</b> h.990.TAB	<b>214</b>
<b>Empty bag</b> CT252	<b>28</b>	<b>Frame for identification card</b> 950.1	<b>226</b>	<b>Holder for wrenches</b> h.990.WRE	<b>215</b>
<b>Empty SOS tool tray for 920PLUS, 940E and 940EV</b> 964BSOS	<b>176</b>	<b>Grease gun</b> 1376/6	<b>271</b>	<b>Holder with parapet channel</b> 990HPC	<b>211</b>
<b>Empty SOS tool tray for 940PLUS, 940EM, 940H, 940E and 940EV</b> 964ASOS	<b>175</b>	<b>Grip pliers</b> 430/3	<b>93</b>	<b>Holder with pin, 10 pcs set</b> h.990.PIN	<b>214</b>
<b>End cutting nippers</b> 455/1BI	<b>78</b>	<b>Grip pliers for cutting exhaust pipes</b> 2082/3	<b>98</b>	<b>Hook wrench</b> 255/2	<b>13</b>
<b>End cutting nippers</b> 455/4G	<b>79</b>	<b>Hacksaw</b> 750B	<b>257</b>	<b>Hook, 10 pcs set</b> 997.1	<b>231</b>
<b>Expandable collet for 689/5BI</b> 689.1/5	<b>152</b>	<b>Half-round file with handle, bastard</b> 761HB	<b>262</b>	<b>Impact accessories 1.1/2"</b> 234.8/4	<b>69</b>
<b>Extension bar 1"</b> 199.4/1	<b>59</b>	<b>Half-round file with handle, half smooth</b> 761H1/2S	<b>262</b>	<b>Impact accessories 1"</b> 233.8/4	<b>68</b>
<b>Extension bar 1/2"</b> 190.4/1	<b>48</b>	<b>Half-round file with handle, smooth</b> 761HS	<b>263</b>	<b>Impact accessories 1/2"</b> 231.8/4	<b>63</b>
<b>Extension bar 1/2"</b> 190.4/2	<b>48</b>	<b>Half-round rasp with handle, half smooth</b> 768H1/2S	<b>265</b>	<b>Impact accessories 3/4"</b> 232.8/4	<b>66</b>
<b>Extension bar 1/2", for safe work at heights</b> 190.4/1-H	<b>284</b>	<b>Hand riveter</b> 1300/6	<b>268</b>	<b>Impact adaptor 1.1/2"</b> 234.7/4	<b>69</b>
				<b>Impact adaptor 1"</b> 233.7/4	<b>68</b>

<b>Impact adaptor 1/2"</b> 231.7/4	<b>62</b>	<b>Insulated socket set 1/2" in metal box</b> 190VDE6P11A	<b>103</b>	<b>Long screwdriver socket 1/2" with ZX profile</b> 192/2ZXL	<b>45</b>
<b>Impact adaptor 3/4"</b> 232.7/4	<b>66</b>	<b>Insulated socket set 1/2" in metal box</b> 190VDEDP6P13B	<b>103</b>	<b>Magnetic tray</b> 2086	<b>274</b>
<b>Impact extension bar 1.1/2"</b> 234.4/4	<b>69</b>	<b>Insulated socket wrench with VDE TBI handle</b> 629VDETB1	<b>115</b>	<b>Magnetizer/demagnetizer</b> 633	<b>144</b>
<b>Impact extension bar 1"</b> 233.4/4	<b>67</b>	<b>Insulated waterpump box joint pliers</b> 447/1VDEBI	<b>105</b>	<b>Mason's squares with back</b> 1262/5A	<b>253</b>
<b>Impact extension bar 1/2"</b> 231.4/4	<b>62</b>	<b>Internal - external reamer</b> 363A	<b>260</b>	<b>Mason's chisel</b> 660/6A	<b>161</b>
<b>Impact extension bar 3/4"</b> 232.4/4	<b>65</b>	<b>Internal lock rings pliers, straight, for safe work at heights</b> 536/IP-H	<b>291</b>	<b>Mason's chisel with guard</b> 660/6AHS	<b>161</b>
<b>Impact hex socket 1/2"</b> 231.4AHX	<b>61</b>	<b>IRONGATOR engineer's vice</b> 721/6	<b>256</b>	<b>Measuring tape</b> 710P	<b>251</b>
<b>Impact screwdriver</b> 6762.1	<b>147</b>	<b>Jointing chisel</b> 667/6A	<b>162</b>	<b>Measuring tape</b> 710R	<b>251</b>
<b>Impact screwdriver socket 1/2" with TX profile</b> 231.4ATX	<b>61</b>	<b>Jointing chisel with guard</b> 667/6AHS	<b>162</b>	<b>Metal box</b> 981K1	<b>220</b>
<b>Impact socket 1.1/2", 6 point</b> 234.4 6p	<b>68</b>	<b>Key with lock for wardrobe cabinet</b> K950	<b>226</b>	<b>Metal box</b> 981K1/2	<b>220</b>
<b>Impact socket 1", 6 point</b> 233.4 6p	<b>67</b>	<b>LED light</b> 2091	<b>275</b>	<b>Metal box</b> 981K1/2R	<b>220</b>
<b>Impact socket 1", long type, 6 point</b> 233/4L6p	<b>67</b>	<b>LED light</b> 2091A	<b>275</b>	<b>Metal box</b> 981K1/4	<b>219</b>
<b>Impact socket 1/2" for alloy wheels, 6 point</b> 231/4P	<b>61</b>	<b>Left support</b> 990SL	<b>209</b>	<b>Metal box</b> 981K3/4	<b>220</b>
<b>Impact socket 1/2" for alloy wheels, long type, 6 point</b> 231/4PL	<b>62</b>	<b>Left support</b> 990SL-BLACK	<b>209</b>	<b>Metal box</b> 981K3/8	<b>219</b>
<b>Impact socket 1/2", 6 point</b> 231.4 6p	<b>60</b>	<b>Leg for modular work bench</b> 990L	<b>202</b>	<b>Metal box</b> 981K3/8R	<b>221</b>
<b>Impact socket 1/2", long type, 6 point</b> 231/4L6p	<b>61</b>	<b>Light</b> 990LIGHT	<b>211</b>	<b>Metal stand for combination wrenches - long type</b> 977/2	<b>230</b>
<b>Impact socket 3/4", 6 point</b> 232.4 6p	<b>65</b>	<b>Light adventure kit</b> 3700LIGHT KIT	<b>278</b>	<b>Metal stand for open end wrenches</b> 977/1	<b>230</b>
<b>Impact socket 3/4", long type, 6 point</b> 232.4L6p	<b>65</b>	<b>Linemen's pliers</b> 420/TBI	<b>74</b>	<b>Middle support</b> 990SM	<b>209</b>
<b>Impact universal joint 1"</b> 233.6/4	<b>67</b>	<b>Linemen's pliers</b> 420/1VDEBI	<b>104</b>	<b>Middle support</b> 990SM-BLACK	<b>209</b>
<b>Impact universal joint 1/2"</b> 231.6/4	<b>62</b>	<b>Lock rings pliers set in bag</b> 539/1PCT	<b>91</b>	<b>Mobile control trolley</b> 994	<b>168</b>
<b>Impact universal joint 3/4"</b> 232.6/4	<b>65</b>	<b>Locksmiths' hammer, for safe work at heights</b> 812-H	<b>294</b>	<b>Mobile work bench</b> 990T	<b>180</b>
<b>Impact wrench</b> 1541	<b>235</b>	<b>Locksmiths' hammer</b> 812	<b>154</b>	<b>Modular crimping pliers</b> 427/4DG	<b>87</b>
<b>Impact wrench</b> 1561	<b>236</b>	<b>Locksmiths' hammer</b> 812A	<b>154</b>	<b>Modular holder for merchandiser</b> 990.MD	<b>215</b>
<b>Impact wrench</b> 1562	<b>236</b>	<b>Long flat nose pliers</b> 472/TBI	<b>82</b>	<b>Modular work bench - module A1</b> 990MA1	<b>181</b>
<b>Impact wrench</b> 1566	<b>237</b>	<b>Long flat nose pliers</b> 472/1VDEBI	<b>106</b>	<b>Modular work bench - module A10</b> 990MA10	<b>187</b>
<b>Impact wrench</b> 1571	<b>238</b>	<b>Long flat nose pliers</b> 472/1VDEDP	<b>107</b>	<b>Modular work bench - module A12</b> 990MA12	<b>188</b>
<b>Impact wrench</b> 1573	<b>238</b>	<b>Long flat nose pliers</b> 472/4G	<b>82</b>	<b>Modular work bench - module A13</b> 990MA13	<b>189</b>
<b>Impact wrench</b> 1591	<b>239</b>	<b>Long hex screwdriver socket 3/8"</b> 236/2HXL	<b>38</b>	<b>Modular work bench - module A14</b> 990MA14	<b>190</b>
<b>Impact wrench</b> 1592	<b>239</b>	<b>Long hex socket 1/2"</b> 192/2HXL	<b>44</b>	<b>Modular work bench - module A15</b> 990MA15	<b>190</b>
<b>Impact wrench</b> 1596	<b>240</b>	<b>Long measuring tape</b> 714	<b>252</b>	<b>Modular work bench - module A16</b> 990MA16	<b>191</b>
<b>Impact wrench</b> 1597	<b>240</b>	<b>Long nose pliers with side cutter</b> 506/TBI	<b>79</b>	<b>Modular work bench - module A17</b> 990MA17	<b>192</b>
<b>Impact wrench and socket set 1/2" in plastic box</b> 1565	<b>237</b>	<b>Long nose pliers with side cutter</b> 506/1VDEBI	<b>108</b>	<b>Modular work bench - module A18</b> 990MA18	<b>193</b>
<b>Impact wrench and socket set 3/4" in plastic box</b> 1575	<b>238</b>	<b>Long nose pliers with side cutter</b> 506/1VDEDP	<b>108</b>	<b>Modular work bench - module A6</b> 990MA6	<b>185</b>
<b>Industrial torque wrench</b> 265	<b>250</b>	<b>Long nose pliers with side cutter</b> 506/4G	<b>80</b>	<b>Modular work bench - module A7</b> 990MA7	<b>186</b>
<b>Inner bearing puller</b> 689/5ABI	<b>152</b>	<b>Long nose pliers with side cutter and pipe grip, bent</b> 512/TBI	<b>81</b>	<b>Multi-function scraper with blade guard</b> 1945	<b>272</b>
<b>Inner bearing puller</b> 689/5BI	<b>152</b>	<b>Long nose pliers with side cutter and pipe grip, bent</b> 512/1VDEBI	<b>109</b>	<b>Multifunctional diagonal cutting nippers</b> 462/TBI	<b>77</b>
<b>Installers tool box</b> 960/6	<b>219</b>	<b>Long nose pliers with side cutter and pipe grip, bent</b> 512/1VDEDP	<b>109</b>	<b>Multifunctional diagonal cutting nippers</b> 462/4G	<b>77</b>
<b>Insulated adjustable wrench</b> 250/1VDF	<b>100</b>	<b>Long nose pliers with side cutter and pipe grip, bent</b> 512/4G	<b>81</b>	<b>Multifunctional electrician's pliers</b> 514/TBI	<b>85</b>
<b>Insulated extension bar 1/2"</b> 190.4/2VDEDP	<b>103</b>	<b>Long nose pliers with side cutter and pipe grip, bent, for safe work at heights</b> 512/TBI-H	<b>289</b>	<b>Multifunctional electrician's pliers, for safe work at heights</b> 514/TBI-H	<b>290</b>
<b>Insulated hex T wrench</b> 220TV	<b>102</b>	<b>Long nose pliers with side cutter and pipe grip, straight</b> 508/TBI	<b>80</b>	<b>MX Pro Kit tool set</b> 3700MX PROKIT	<b>278</b>
<b>Insulated hex wrench</b> 220/3LVDEDP	<b>101</b>	<b>Long nose pliers with side cutter and pipe grip, straight</b> 508/1VDEBI	<b>108</b>	<b>Narrow drawer cabinet - 2 drawers and door</b> 990NDD2	<b>200</b>
<b>Insulated knife</b> 385AVDEDP	<b>116</b>	<b>Long nose pliers with side cutter and pipe grip, straight</b> 508/1VDEDP	<b>109</b>	<b>Narrow drawer cabinet - 2 drawers and door</b> 990NDD2-BLACK	<b>200</b>
<b>Insulated knife</b> 385CVDEDP	<b>117</b>	<b>Long nose pliers with side cutter and pipe grip, straight</b> 508/4G	<b>80</b>	<b>Narrow drawer cabinet - 6 drawers</b> 990ND6	<b>199</b>
<b>Insulated knife</b> 385VDEDP	<b>117</b>	<b>Long nose pliers with side cutter and pipe grip, straight, for safe work at heights</b> 508/TBI-H	<b>289</b>	<b>Narrow drawer cabinet - 6 drawers</b> 990ND6-BLACK	<b>199</b>
<b>Insulated reversible ratchet 1/2"</b> 190.1AVDEDP	<b>103</b>	<b>Long pneumatic duster</b> 1508B	<b>244</b>	<b>Narrow drawer cabinet - 6 drawers with load capacity 100kg</b> 990ND6LC100	<b>199</b>
<b>Insulated saw</b> 750VDP	<b>117</b>	<b>Long round nose pliers</b> 476/TBI	<b>82</b>	<b>Narrow drawer cabinet - 8 drawers</b> 990ND8	<b>200</b>
<b>Insulated saw</b> 753VDP	<b>117</b>	<b>Long round nose pliers</b> 476/1VDEBI	<b>107</b>	<b>Narrow drawer cabinet mounted under bench top - 4 drawers</b> 990NDH4	<b>201</b>
<b>Insulated single offset ring wrench</b> 180/2VDEDP	<b>101</b>	<b>Long round nose pliers</b> 476/1VDEDP	<b>107</b>	<b>Narrow drawer cabinet underbase</b> 990NDU	<b>202</b>
<b>Insulated single open end wrench</b> 110/2VDEDP	<b>100</b>	<b>Long screwdriver socket 1/2" with TX profile</b> 192/2TXL	<b>45</b>	<b>Narrow tool chest underbase</b> 990NDU-BLACK	<b>202</b>
<b>Insulated socket 1/2", 6 point</b> 190/2VDEDP	<b>102</b>			<b>Offset handle 1/2"</b> 190.5/2	<b>49</b>

<b>Offset handle 3/8"</b> 238.5/2	<b>40</b>	<b>Pneumatic duster</b> 1508A	<b>244</b>	<b>Round file with handle, smooth</b> 763HS	<b>264</b>
<b>Offset open ring wrench</b> 183/2	<b>11</b>	<b>Pneumatic filter regulator and lubricator 1/2"</b> 1502	<b>245</b>	<b>Safety wire twisting pliers</b> 516/4	<b>98</b>
<b>Offset ring wrench</b> 180/1	<b>10</b>	<b>Pneumatic filter regulator and lubricator 1/4"</b> 1500	<b>244</b>	<b>Saw</b> 753P	<b>258</b>
<b>Offset tubular box wrench</b> 217/2	<b>17</b>	<b>Pneumatic filter regulator and lubricator 3/4"</b> 1503	<b>245</b>	<b>Scaffolding wrench</b> 179/2	<b>10</b>
<b>Oil can with flexible spout</b> 1375/6	<b>271</b>	<b>Pneumatic filter regulator and lubricator 3/8"</b> 1501	<b>245</b>	<b>Scaffolding wrench, for safe work at heights</b> 179/2-H	<b>283</b>
<b>One-way ratchet 1/2"</b> 190.9/2BI	<b>50</b>	<b>Pneumatic reversible ratchet</b> 1531	<b>234</b>	<b>Screw extractors set</b> 778/APB	<b>266</b>
<b>One-way ratchet 1/2" without pivot</b> 190.9/2ABI	<b>50</b>	<b>Pneumatic reversible ratchet</b> 1551	<b>235</b>	<b>Screw pliers</b> 407/4P	<b>74</b>
<b>Open end wrench</b> 110/1	<b>1</b>	<b>Pneumatic reversible ratchet with composite housing</b> 1522	<b>234</b>	<b>Screwdriver CR with TX profile</b> 621CR	<b>142</b>
<b>Open end wrench</b> 112/2	<b>3</b>	<b>Pneumatic reversible ratchet with composite housing</b> 1532	<b>234</b>	<b>Screwdriver set CR</b> 606CS5CR	<b>134</b>
<b>Open ring insert tool for 266</b> 266INS.3	<b>249</b>	<b>Pneumatic reversible ratchet with composite housing</b> 1552	<b>235</b>	<b>Screwdriver set CR</b> 607B5CR	<b>134</b>
<b>Paper holder for 940EV</b> 940EVS4	<b>173</b>	<b>Pneumatic sander</b> 1510	<b>239</b>	<b>Screwdriver set CR</b> 607CS7CR	<b>135</b>
<b>Paper roll holder</b> h.990.PAP-BLACK	<b>213</b>	<b>Pointed chisel</b> 1514A2	<b>241</b>	<b>Screwdriver set CR</b> 608CS5CR	<b>137</b>
<b>Partitions for narrow drawers cabinet</b> 990NDP	<b>201</b>	<b>Pointed chisel with guard</b> 670/6AHS	<b>161</b>	<b>Screwdriver set CR with TX profile</b> 621CS7CR	<b>142</b>
<b>Partitions for wide drawer cabinet</b> 990WDP	<b>196</b>	<b>Pointed tweezers</b> 1345	<b>269</b>	<b>Screwdriver set NI</b> 606B5NI	<b>133</b>
<b>Partitions set for small drawer 940E and 940EV</b> 940ES3A	<b>176</b>	<b>Power support for modular work bench</b> 990PNE	<b>197</b>	<b>Screwdriver set NI</b> 607B5NI	<b>135</b>
<b>Partitions set- 4 pieces for 940E</b> 940ES3	<b>176</b>	<b>Power support for modular work bench</b> 990PNE-BLACK	<b>198</b>	<b>Screwdriver set NI</b> 608CS5NI	<b>137</b>
<b>Partitions-3 pcs set for 940ECO</b> 940ECOS1	<b>178</b>	<b>Powershark cutter</b> 467SHARK/4P	<b>75</b>	<b>Screwdriver set TBI</b> 606CS5TBI	<b>134</b>
<b>Perforated back - module C4</b> 990MC4	<b>194</b>	<b>Professional auto inspection set</b> 2084	<b>274</b>	<b>Screwdriver set TBI</b> 607CS5TBI	<b>135</b>
<b>Perforated back for angle modular work bench, 4 pcs set</b> 990BA	<b>208</b>	<b>Pruning saw</b> 752	<b>258</b>	<b>Screwdriver set TBI</b> 607CS7TBI	<b>136</b>
<b>Perforated back, 2 pcs set</b> 990B	<b>208</b>	<b>Pruning shears</b> 542/4PR	<b>129</b>	<b>Screwdriver set TBI</b> 608CS5TBI	<b>137</b>
<b>Phase tester 220 - 250 V</b> 630VDE	<b>115</b>	<b>Puller with three adjustable arms</b> 682/2	<b>151</b>	<b>Screwdriver set TBI</b> 609CS5TBI	<b>137</b>
<b>Pin punch</b> 641/6	<b>157</b>	<b>Puller with two adjustable arms</b> 680/2	<b>150</b>	<b>Screwdriver set TBI in plastic box</b> 607PB8TBI	<b>136</b>
<b>Pin punch set</b> 647	<b>159</b>	<b>Puller with two sliding arms</b> 681/2	<b>150</b>	<b>Screwdriver set TBI in plastic box</b> 607PB9TBI	<b>136</b>
<b>Pin punch with handle, for safe work at heights</b> 641/6HS-H	<b>292</b>	<b>Puller with two sliding arms</b> 683/2	<b>151</b>	<b>Screwdriver set TBI with hexagon bolster</b> 600CS5TBI	<b>132</b>
<b>Pin punches set</b> 647A	<b>159</b>	<b>PVC pipe cutter</b> 583/6	<b>125</b>	<b>Screwdriver set TBI with TX profile</b> 621CS7TBI	<b>142</b>
<b>Pin punches set</b> 647B	<b>159</b>	<b>Quick change retainer for 1514</b> 1514.2B	<b>241</b>	<b>Screwdriver set VDE</b> 603CS6AVDE	<b>113</b>
<b>Pipe wrench 45°, Swedish pattern</b> 481/6	<b>95</b>	<b>Quick IRONGATOR engineer's vice with quick moving system</b> 721Q/6	<b>256</b>	<b>Screwdriver set VDE</b> 603CS6VDE	<b>114</b>
<b>Pipe wrench 45°, Swedish pattern, for safe work at heights</b> 481/6-H	<b>288</b>	<b>Rail for 1/4" sockets</b> 188H	<b>34</b>	<b>Screwdriver set VDE TBI</b> 603CS6AVT	<b>112</b>
<b>Pipe wrench 45°, Swedish pattern, S - form</b> 482/6	<b>95</b>	<b>Rail for 3/8" sockets</b> 238H	<b>40</b>	<b>Screwdriver set VDE TBI</b> 603CS6VDE/TBI	<b>114</b>
<b>Pipe wrench 90°, Swedish pattern</b> 480/6	<b>94</b>	<b>Rail for sockets 1/2"</b> 190H	<b>50</b>	<b>Screwdriver set VDE TBI with phase tester</b> 603CS6ATVT	<b>113</b>
<b>Plastic box for socket wrenches</b> 981PB4	<b>221</b>	<b>Ratchet combination wrench</b> 160/6	<b>8</b>	<b>Screwdriver set VDE TBI with phase tester</b> 603CS6TVDE/TBI	<b>113</b>
<b>Plastic box for socket wrenches</b> 981PBM1	<b>222</b>	<b>Ratchet combination wrench, for safe work at heights</b> 160/2-H	<b>283</b>	<b>Screwdriver set VDE with phase tester</b> 603CS6ATVD	<b>113</b>
<b>Plastic box for socket wrenches</b> 981PBM2	<b>222</b>	<b>Ratchet for bits 6,3</b> 188.1/1BBI	<b>32</b>	<b>Screwdriver set VDE with phase tester</b> 603CS6TVDE	<b>113</b>
<b>Plastic box for socket wrenches</b> 981PBM3	<b>222</b>	<b>Ratchet insert tool for 266</b> 266INS.1	<b>248</b>	<b>Screwdriver socket 1/2" with TX profile</b> 192/2TX	<b>44</b>
<b>Plastic box for socket wrenches</b> 981PBM5	<b>222</b>	<b>Replacement square 1/2"</b> 190.10	<b>50</b>	<b>Screwdriver socket 1/2" with ZX profile</b> 192/2ZX	<b>45</b>
<b>Plastic box for socket wrenches</b> 981PBS1	<b>221</b>	<b>Reversible ratchet 1"</b> 199.1/1	<b>59</b>	<b>Screwdriver socket 3/4" with ZX profile</b> 197/2AZX	<b>56</b>
<b>Plastic box for socket wrenches</b> 981PBS2	<b>221</b>	<b>Reversible ratchet 1/2"</b> 190.1/1ABI	<b>47</b>	<b>Screwdriver socket set with HX profile 1/2" on rail</b> 192HHXP6	<b>44</b>
<b>Plastic box for socket wrenches</b> 981PBS5	<b>222</b>	<b>Reversible ratchet 1/2", for safe work at heights</b> 190.1/1ABI-H	<b>284</b>	<b>Screwdriver socket set with HX profile 1/4" on rail</b> 187HHXP6	<b>35</b>
<b>Plastic hammer</b> 820	<b>156</b>	<b>Reversible ratchet 1/4"</b> 188.1/1ABI	<b>31</b>	<b>Screwdriver socket with TX profile 1/4"</b> 187/2TX	<b>30</b>
<b>Plastic hammer</b> 820A	<b>156</b>	<b>Reversible ratchet 3/4"</b> 197.1/1	<b>56</b>	<b>Screwdriver socket with TX profile 3/4"</b> 197/2ATX	<b>56</b>
<b>Plastic tool box</b> 917A	<b>218</b>	<b>Reversible ratchet 3/8"</b> 238.1/1ABI	<b>38</b>	<b>Screwdriver TBI with TX profile</b> 621TBI	<b>142</b>
<b>Plastic tool box</b> 917C	<b>218</b>	<b>Reversible screwdriver</b> 636	<b>141</b>	<b>Screwdriver with insulated blade VDE TBI with TX profile</b> 621VDE/TBI	<b>114</b>
<b>Pliers set in carton box</b> 402A	<b>72</b>	<b>Revolving punch pliers with 6 punches</b> 558/5P	<b>92</b>	<b>Screwdrivers hanger for 940E and 940EV</b> 940ES10	<b>177</b>
<b>Pliers set in carton box</b> 402B	<b>72</b>	<b>Right support</b> 990SR	<b>209</b>	<b>Scriber</b> 1279	<b>254</b>
<b>Pneumatic angle die grinder</b> 1516A	<b>243</b>	<b>Right support</b> 990SR-BLACK	<b>209</b>	<b>Self standing narrow cabinet</b> 990NCA	<b>205</b>
<b>Pneumatic angle grinder</b> 1518	<b>244</b>	<b>Rivet and welding slag chisel</b> 1514A3	<b>241</b>	<b>Self-standing panel</b> 976A	<b>229</b>
<b>Pneumatic angle sander</b> 1517S	<b>243</b>	<b>Rod for 215/2</b> 215.1/2	<b>16</b>	<b>Service trolley</b> 940T	<b>180</b>
<b>Pneumatic die grinder</b> 1516	<b>243</b>	<b>Rod for 216/1</b> 216.1	<b>17</b>	<b>Set 4 insert nuts</b> 990IN4	<b>205</b>
<b>Pneumatic drill</b> 1515	<b>242</b>	<b>Round file with handle, bastard</b> 763HB	<b>263</b>	<b>Set for high adjustment of support 990LB</b> 990LBH	<b>203</b>
<b>Pneumatic drill with handle</b> 1515H	<b>242</b>	<b>Round file with handle, half smooth</b> 763H1/2S	<b>264</b>	<b>Set of 1/2" impact sockets for alloy wheels in plastic box</b> 231/4PPB	<b>64</b>

<b>Set of 1/4" socket wrenches with accessories in SOS tool tray</b> 964/5SOS	<b>301</b>	<b>Set of files in SOS tool tray</b> 964ECO26 1/2S	<b>315</b>	<b>Set of open end wrenches in carton box</b> 110/1CS	<b>2</b>
<b>Set of 1/4" socket wrenches with accessories in SOS tool tray</b> 964ECOS	<b>314</b>	<b>Set of files, bastard in carton box</b> 762/5B	<b>263</b>	<b>Set of open end wrenches in plastic wallet</b> 110/1PB	<b>3</b>
<b>Set of 10 pieces socket clips 1/2" for 190H</b> 190H1	<b>50</b>	<b>Set of files, half smooth in carton box</b> 762/5 1/2S	<b>263</b>	<b>Set of open end wrenches in SOS tool tray</b> 964/1ASOS	<b>300</b>
<b>Set of 10 pieces socket clips 1/4" for 188H</b> 188H1	<b>34</b>	<b>Set of files, smooth in carton box</b> 762/5S	<b>263</b>	<b>Set of open end wrenches in SOS tool tray</b> 964/1SOS	<b>299</b>
<b>Set of 10 pieces socket clips 3/8" for 238H</b> 238H1	<b>41</b>	<b>Set of flat ring wrenches in carton box</b> 182/2ACB	<b>11</b>	<b>Set of open end wrenches on metal stand</b> 110/1MS	<b>3</b>
<b>Set of 10 spare blades for utility knife 556A</b> 556.1A	<b>268</b>	<b>Set of forged tubular box wrenches in carton box</b> 216/1CB	<b>17</b>	<b>Set of partitions for 991HD big drawer, 3 pieces</b> 991.2HDS	<b>165</b>
<b>Set of 10 spare blades for utility knife 556A and 556B</b> 556.1B	<b>268</b>	<b>Set of grip crimp pliers with exchangeable jaws in plastic box</b> 428/4AGPB	<b>88</b>	<b>Set of partitions for 991HD small drawer, 3 pieces</b> 991.1HDS	<b>165</b>
<b>Set of 5 blades for 1945</b> 1945.1	<b>272</b>	<b>Set of half smooth files in SOS tool tray</b> 964/26 1/2SOS	<b>305</b>	<b>Set of phase testers on carton display</b> 630VDE140ST	<b>116</b>
<b>Set of ball-end hex wrenches</b> 220/3S-SET	<b>22</b>	<b>Set of hammers and punches in SOS tool tray</b> 964/10SOS	<b>303</b>	<b>Set of pin punches with handle in plastic box</b> 641/6HSPB	<b>158</b>
<b>Set of ball-end hex wrenches in folding holder</b> 220/3SFH	<b>23</b>	<b>Set of hand tools in SOS tool tray</b> 964/31SOS	<b>307</b>	<b>Set of pipe wrenches and waterpump box joint pliers in carton box</b> 400	<b>95</b>
<b>Set of ball-end hex wrenches in plastic box</b> 220/3SPB1	<b>23</b>	<b>Set of hex wrenches</b> 220/3-SET	<b>20</b>	<b>Set of ratchet combination wrenches in a bag</b> 160/6CT	<b>9</b>
<b>Set of ball-end hex wrenches on plastic clip</b> 220/3SPH	<b>23</b>	<b>Set of hex wrenches in plastic box</b> 220/3PB1	<b>21</b>	<b>Set of ratchet combination wrenches in carton box</b> 160/6CB	<b>9</b>
<b>Set of ball-end hex wrenches, long type</b> 220/3SL-SET	<b>23</b>	<b>Set of hex wrenches in plastic wallet</b> 220/3PB	<b>20</b>	<b>Set of ratchet combination wrenches in carton box</b> 160/6CS	<b>9</b>
<b>Set of ball-end hex wrenches, long type in plastic box</b> 220/3SLPB2	<b>24</b>	<b>Set of hex wrenches on plastic clip</b> 220/3PH	<b>21</b>	<b>Set of ratchet combination wrenches in SOS tool tray</b> 964/27SOS	<b>306</b>
<b>Set of ball-end hex wrenches, long type on plastic clip</b> 220/3SLPH	<b>24</b>	<b>Set of hex wrenches, long type</b> 220/3L-SET	<b>22</b>	<b>Set of screwdriver sockets with TX profile 1/2" in metal box</b> 192/12	<b>45</b>
<b>Set of ball-end hexagonal screwdrivers with T handle in SOS tool tray</b> 964/13SOS	<b>303</b>	<b>Set of hex wrenches, long type in plastic box</b> 220/3LPB2	<b>22</b>	<b>Set of screwdriver sockets with ZX profile 1/2" in plastic box</b> 192/15	<b>46</b>
<b>Set of bastard files in SOS tool tray</b> 964/26BSOS	<b>305</b>	<b>Set of hex wrenches, long type on plastic clip</b> 220/3LPH	<b>22</b>	<b>Set of screwdriver with TX profile and T handle in SOS tool tray</b> 964/14SOS	<b>303</b>
<b>Set of BI and grip pliers in SOS tool tray</b> 964/7SOS	<b>302</b>	<b>Set of hexagon wrenches in folding holder</b> 220FH	<b>21</b>	<b>Set of screwdrivers in SOS tool tray</b> 964/33SOS	<b>308</b>
<b>Set of BI pliers and hammer in SOS tool tray</b> 964/32ASOS	<b>308</b>	<b>Set of hexagonal screwdrivers with T handle in SOS tool tray</b> 964/13ASOS	<b>303</b>	<b>Set of screwdrivers in SOS tool tray</b> 964/37SOS	<b>310</b>
<b>Set of BI pliers and hammer in SOS tool tray</b> 964/32SOS	<b>308</b>	<b>Set of hook wrenches in bag</b> 255/2CT	<b>13</b>	<b>Set of screwdrivers with T handle in SOS tool tray</b> 964/34SOS	<b>309</b>
<b>Set of BI pliers and hammer in SOS tool tray</b> 964/48SOS	<b>311</b>	<b>Set of impact sockets 1/2" in plastic box</b> 231/4PB1	<b>63</b>	<b>Set of smooth files in SOS tool tray</b> 964/26SOS	<b>305</b>
<b>Set of BI pliers and hammer in SOS tool tray</b> 964/51SOS	<b>312</b>	<b>Set of impact sockets 1/2" in plastic box</b> 231/4PB2	<b>63</b>	<b>Set of socket wrenches in SOS tool tray</b> 964/47SOS	<b>310</b>
<b>Set of BI pliers in SOS tool tray</b> 964/6SOS	<b>301</b>	<b>Set of impact sockets 1/2" in plastic box</b> 231/4PB3	<b>64</b>	<b>Set of socket wrenches in SOS tool tray</b> 964/50SOS	<b>311</b>
<b>Set of BI pliers in SOS tool tray</b> 964ECO6	<b>314</b>	<b>Set of impact sockets 1/2" with external and internal TX profile in plastic box</b> 231/4PB4	<b>64</b>	<b>Set of socket wrenches in SOS tool tray</b> 964/53SOS	<b>312</b>
<b>Set of combination and hexagon wrenches, long in SOS tool tray</b> 964/2DSOS	<b>301</b>	<b>Set of insulated crosstip screwdriver VDE TBI in SOS tool tray</b> 964VDE8B	<b>120</b>	<b>Set of socket wrenches with accessories in SOS tool tray</b> 964/30SOS	<b>307</b>
<b>Set of combination wrenches, long type in bag</b> 120/1CT	<b>6</b>	<b>Set of insulated flat screwdriver VDE TBI in SOS tool tray</b> 964VDE8A	<b>119</b>	<b>Set of socket wrenches with accessories in SOS tool tray</b> 964/36SOS	<b>309</b>
<b>Set of combination wrenches, long type in carton box</b> 120/1CB	<b>6</b>	<b>Set of insulated hex T wrenches in plastic box</b> 220TV4PB	<b>102</b>	<b>Set of socket wrenches with TBI handle</b> 629CS5TBI	<b>143</b>
<b>Set of combination wrenches, long type in carton box</b> 120/1CS	<b>6</b>	<b>Set of insulated hexagon wrenches SOS tool tray</b> 964VDE7	<b>119</b>	<b>Set of socket wrenches with TBI handle in SOS tool tray</b> 964/9BSOS	<b>302</b>
<b>Set of combination wrenches, long type on metal stand</b> 120/1MS	<b>6</b>	<b>Set of insulated offset ring wrenches in SOS tool tray</b> 964VDE2	<b>118</b>	<b>Set of sockets 1/2" in SOS tool tray</b> 964/19SOS	<b>304</b>
<b>Set of combination wrenches, short type in bag</b> 125/1CT	<b>8</b>	<b>Set of insulated open end wrenches in carton box</b> 110/2VDEDPCEB	<b>100</b>	<b>Set of sockets 1/2" in SOS tool tray</b> 964ECO19	<b>315</b>
<b>Set of combination wrenches, short type in carton box</b> 125/1CB	<b>7</b>	<b>Set of insulated open end wrenches in SOS tool tray</b> 964VDE1	<b>118</b>	<b>Set of sockets 3/8" in SOS tool tray</b> 964/25SOS	<b>305</b>
<b>Set of combination wrenches, short type in carton box</b> 125/1CS	<b>8</b>	<b>Set of insulated pliers in tool tray</b> 964VDE3BI	<b>119</b>	<b>Set of sockets with internal TX profile 1/2" in metal box</b> 191MB1	<b>55</b>
<b>Set of combinations wrenches in SOS tool tray</b> 964/2SOS	<b>300</b>	<b>Set of insulated screwdrivers VDE TBI with TX profile</b> 621CS6VDE TBI	<b>114</b>	<b>Set of starter and block wrenches in carton box</b> 200/2CB	<b>27</b>
<b>Set of combinations wrenches, long in SOS tool tray</b> 964/2ASOS	<b>300</b>	<b>Set of insulated single offset ring wrench in carton box</b> 180/2VDEDPCEB	<b>101</b>	<b>Set of TBI screwdrivers in SOS tool tray</b> 964/9SOS	<b>302</b>
<b>Set of combinations wrenches, long in SOS tool tray</b> 964/2CSOS	<b>300</b>	<b>Set of insulated socket wrenches with VDE TBI handle</b> 629CS6VDE TBI	<b>115</b>	<b>Set of TBI screwdrivers in SOS tool tray</b> 964ECO9	<b>314</b>
<b>Set of combinations wrenches, long type in SOS tool tray</b> 964ECO2A	<b>314</b>	<b>Set of letter steel punches</b> 642LPB	<b>160</b>	<b>Set of tools for servicing heavy machinery and vehicles</b> 1012A	<b>298</b>
<b>Set of combinations wrenches, short type in SOS tool tray</b> 964ECO2	<b>313</b>	<b>Set of locking ring pliers in SOS tool tray</b> 964/8ASOS	<b>302</b>	<b>Set of tools in SOS tool tray</b> 964/49SOS	<b>311</b>
<b>Set of dividers for 991HD big drawer, 5 pieces</b> 991.21HDS	<b>166</b>	<b>Set of long hexagonal screwdriver socket 1/2" in plastic box</b> 192/16	<b>46</b>	<b>Set of tools in SOS tool tray</b> 964/52SOS	<b>312</b>
<b>Set of dividers for 991HD big drawer, 5 pieces</b> 991.22HDS	<b>166</b>	<b>Set of long impact socket 3/4" in plastic box</b> 232PB1	<b>66</b>	<b>Set of tools in tool tray</b> 964/59SOS	<b>313</b>
<b>Set of dividers for 991HD big drawer, 5 pieces</b> 991.23HDS	<b>166</b>	<b>Set of long screwdriver socket with TX profile 1/2" in plastic box</b> 192/17	<b>47</b>	<b>Set of tools in tool tray</b> 964/60SOS	<b>313</b>
<b>Set of dividers for 991HD small drawer, 5 pieces</b> 991.11HDS	<b>165</b>	<b>Set of long sockets 1/2" in SOS tool tray</b> 964/55SOS	<b>312</b>	<b>Set of tools in tool tray</b> 964/61SOS	<b>313</b>
<b>Set of dividers for 991HD small drawer, 5 pieces</b> 991.12HDS	<b>165</b>	<b>Set of number steel punches</b> 642NPB	<b>160</b>	<b>Set of tubular box wrenches in carton box</b> 215/2CB	<b>16</b>
<b>Set of dividers for 991HD small drawer, 5 pieces</b> 991.13HDS	<b>165</b>	<b>Set of offset open ring wrenches in bag</b> 183/2CT	<b>12</b>	<b>Set of tyre levers with handle</b> 300CCB	<b>267</b>
<b>Set of double ended offset socket wrenches in carton box</b> 176CB	<b>14</b>	<b>Set of offset open ring wrenches in carton box</b> 183/2CB	<b>12</b>	<b>Set of VDE BI tools in SOS tool tray</b> 964/15SOS	<b>304</b>
<b>Set of double ended offset socket wrenches in carton box</b> 176CS11	<b>15</b>	<b>Set of offset ring wrenches in carton box</b> 180/1CB	<b>10</b>	<b>Set of VDE tools, premium</b> 1018A	<b>298</b>
<b>Set of double ended offset socket wrenches in carton box</b> 177CB	<b>15</b>	<b>Set of offset ring wrenches in carton box</b> 180/1CS	<b>10</b>	<b>Set of wrenches and screwdrivers in SOS tool tray</b> 964/46SOS	<b>310</b>
<b>Set of double ended offset socket wrenches in carton box</b> 177CS6	<b>16</b>	<b>Set of offset ring wrenches in SOS tool tray</b> 964/3SOS	<b>301</b>	<b>Set of wrenches in SOS tool tray</b> 964/28SOS	<b>306</b>
<b>Set of electronic screwdrivers in carton box</b> 606CSSE	<b>134</b>	<b>Set of open end wrenches in bag</b> 110/1CT	<b>3</b>	<b>Set of wrenches in SOS tool tray</b> 964/29ASOS	<b>306</b>
<b>Set of electronic screwdrivers in carton box</b> 607CS7E	<b>135</b>	<b>Set of open end wrenches in carton box</b> 110/1CB	<b>2</b>	<b>Set of wrenches in SOS tool tray</b> 964/35SOS	<b>309</b>

<b>Set of wrenches with TX profile and hole in plastic clip</b> 220/7TXPH	<b>24</b>	<b>Socket set 1/2" in metal box</b> 190BI6P14	<b>51</b>	<b>Spark plug wrench</b> 185/2	<b>25</b>
<b>Set of wrenches with TX profile in folding holder</b> 220/7TXNFH	<b>24</b>	<b>Socket set 1/2" in metal box</b> 190BI6P23	<b>52</b>	<b>Spinner handle 1/4"</b> 188.8	<b>33</b>
<b>Set of wrenches with TX profile in plastic clip</b> 220/7TXNPH	<b>24</b>	<b>Socket set 1/2" in metal box</b> 190BI6P24	<b>52</b>	<b>Spiral pneumatic hose</b> 1505	<b>245</b>
<b>Shape tin snips</b> 572L/7PR	<b>123</b>	<b>Socket set 1/2" in metal box</b> 190BIH1P20	<b>54</b>	<b>Spray holder for 940H</b> 940H55	<b>170</b>
<b>Shape tin snips</b> 572R/7PR	<b>123</b>	<b>Socket set 1/2" in metal box</b> 190BITX1P22	<b>55</b>	<b>Spring clip pliers</b> 2077/2BI	<b>97</b>
<b>Sheet cutting chisel</b> 1514A4	<b>241</b>	<b>Socket set 1/2" in plastic box</b> 190BI6P17	<b>52</b>	<b>Spring for 1514</b> 1514.1B	<b>240</b>
<b>Sheet metal basket for 940EV</b> 940EVS1	<b>173</b>	<b>Socket set 1/2" on rail</b> 190HI2P15	<b>51</b>	<b>Square (SQ) bit, 3 pcs set</b> 6515E6,3	<b>147</b>
<b>Shelf for 940T</b> 940.1T	<b>180</b>	<b>Socket set 1/2" on rail</b> 190H6P6	<b>42</b>	<b>Square file with handle, bastard</b> 765HB	<b>265</b>
<b>Shelf with holders</b> 990SHLFF	<b>210</b>	<b>Socket set 1/2", long type on rail</b> 190HI2LP7	<b>51</b>	<b>Square file with handle, half smooth</b> 765HI1/2S	<b>265</b>
<b>Single offset ring wrench</b> 178/2	<b>9</b>	<b>Socket set 1/4" in metal box</b> 188B	<b>36</b>	<b>Stackable storage bin, 3 pcs set</b> PB.990HPB	<b>210</b>
<b>Single open end wrench</b> 117/4	<b>4</b>	<b>Socket set 1/4" in metal box</b> 188BI	<b>36</b>	<b>Stainless worktop</b> 990TWS	<b>204</b>
<b>Single open end wrench for gas</b> 135/2	<b>4</b>	<b>Socket set 1/4" in metal box</b> 188BI12P16	<b>36</b>	<b>Stand for motorcycle wheel alignment</b> 3302/6	<b>277</b>
<b>Sledge hammer</b> 816	<b>155</b>	<b>Socket set 1/4" in metal box</b> 188C	<b>37</b>	<b>Starter and block wrench</b> 200/2	<b>27</b>
<b>Sledge hammer</b> 818	<b>155</b>	<b>Socket set 1/4" on rail</b> 188H6P11	<b>35</b>	<b>Storage&amp;transport metal tray</b> 991LMS.S1	<b>168</b>
<b>Sliding T - handle 1/2"</b> 190.3/1	<b>48</b>	<b>Socket set 1/4" on rail</b> 188H6P12	<b>35</b>	<b>Straight tweezers</b> 1340VDP	<b>117</b>
<b>Sliding T - handle 1/4"</b> 188.3/2	<b>32</b>	<b>Socket set 1/4", long type on rail</b> 188H6LP9	<b>35</b>	<b>Strap for 205/2</b> 205.1	<b>26</b>
<b>Sliding T-handle 1"</b> 199.3/1	<b>59</b>	<b>Socket set 3/4" in metal box</b> 197MB1	<b>57</b>	<b>Strap wrench</b> 205/2	<b>25</b>
<b>Sliding T-handle 3/4"</b> 197.3/1	<b>56</b>	<b>Socket set 3/4" in metal box</b> 197MB2	<b>58</b>	<b>Stroke pneumatic hammer</b> 1514	<b>240</b>
<b>Sliding T-handle 3/8"</b> 238.3/1	<b>39</b>	<b>Socket set 3/4" in metal box</b> 197MB4	<b>58</b>	<b>Strong reversible ratchet 1/2"</b> 190.1/1LG	<b>48</b>
<b>SLIM electrician's screwdriver with insulated blade, VDE TBI</b> 604VDE.TBI	<b>111</b>	<b>Socket set 3/8" in metal box</b> 239A	<b>41</b>	<b>Stubby crosstip (PH) screwdriver CR</b> 626CR	<b>140</b>
<b>Slip joint waterpump pliers</b> 441/4P	<b>84</b>	<b>Socket set 3/8" in metal box</b> 239C	<b>41</b>	<b>Stubby crosstip (PH) screwdriver TBI</b> 626TBI	<b>140</b>
<b>Slitting chisel</b> 666/6A	<b>162</b>	<b>Socket set 3/8" in metal box</b> 239D	<b>42</b>	<b>Stubby double-crosstip (PZ) screwdriver CR</b> 628CR	<b>141</b>
<b>Slitting chisel with guard</b> 666/6AHS	<b>162</b>	<b>Socket with internal TX profile 1/2"</b> 191/1	<b>43</b>	<b>Stubby flat screwdriver TBI</b> 627TBI	<b>141</b>
<b>Slitting chisel with guard, for safe work at heights</b> 666/6AHS-H	<b>293</b>	<b>Socket with internal TX profile 1/4"</b> 189/2	<b>31</b>	<b>Stubby impact wrench</b> 1563	<b>236</b>
<b>Slogging open end wrench</b> 118/7	<b>12</b>	<b>Socket with internal TX profile and T-handle</b> 193NTX	<b>14</b>	<b>Support for angle modular work bench, 2 pcs set</b> 990LB	<b>203</b>
<b>Slogging ring wrench</b> 184/7	<b>12</b>	<b>Socket wrench with CR handle</b> 629CR	<b>143</b>	<b>Suspension compressor for shock absorber springs</b> 2051/4	<b>273</b>
<b>Slogging ring wrench, for safe work at heights</b> 184/7-H	<b>283</b>	<b>Socket wrench with T-handle</b> 193N	<b>13</b>	<b>Swivel base for 721/6 and 721Q/6</b> 721.1/6	<b>256</b>
<b>Slotholder pliers for OETIKER® collars</b> 2078/2BI	<b>97</b>	<b>Socket wrench with T-handle</b> 196/2	<b>25</b>	<b>Swivel handle 1/2"</b> 190.2/1BI	<b>48</b>
<b>Slotted bit, 3 pcs set</b> 6460C6,3	<b>144</b>	<b>Socket wrench with TBI handle</b> 629TBI	<b>143</b>	<b>Swivel handle 1/4"</b> 188.2/2BI	<b>32</b>
<b>Slotted bit, 3 pcs set</b> 6480C8	<b>146</b>	<b>SOS tool tray with compartment for work bench narrow drawer cabinet</b> VL990ND1	<b>211</b>	<b>Swivel handle 3/8"</b> 238.2/1BI	<b>39</b>
<b>Slotted screwdriver socket 1/4"</b> 187/2SL	<b>30</b>	<b>SOS tool tray with compartment for work bench wide drawer cabinet</b> VL990WD1	<b>212</b>	<b>T-handle ball - end hex wrench set</b> 193HXSCS	<b>19</b>
<b>Small double open ended wrench ELECTRIC</b> 114/2	<b>3</b>	<b>SOS tool tray with compartment for work bench wide drawer cabinet</b> VL990WD2	<b>212</b>	<b>T-handle ball-end hex wrench</b> 193HXS	<b>18</b>
<b>Socket 1", 12 point</b> 199/1 12p	<b>59</b>	<b>SOS tool tray with compartment for work bench wide drawer cabinet</b> VL990WD3	<b>212</b>	<b>T-handle hex wrench</b> 193HX	<b>18</b>
<b>Socket 1", 6 point</b> 199/1 6p	<b>58</b>	<b>Spade chisel</b> 1514A6	<b>242</b>	<b>T-handle hex wrench set</b> 193HXCB	<b>18</b>
<b>Socket 1/2", 12 point</b> 190/1 12p	<b>43</b>	<b>Spade pointed tweezers</b> 1348	<b>270</b>	<b>T-handle hex wrench set</b> 193HXCS	<b>18</b>
<b>Socket 1/2", 12 point, for safe work at heights</b> 190/1 12p-H	<b>284</b>	<b>Spare aluminium jaws for 721/6 and 721Q/6</b> 722.1AL	<b>257</b>	<b>T-handle hex wrench, for safe work at heights</b> 193HX-H	<b>285</b>
<b>Socket 1/2", 6 point</b> 190/1 6p	<b>42</b>	<b>Spare blade for 550/3PR</b> 550.2/9	<b>130</b>	<b>T-handle TX wrench</b> 193TX	<b>19</b>
<b>Socket 1/2", long type, 12 point</b> 190/1LI12p	<b>43</b>	<b>Spare blade for 750B, 2 pcs set</b> 750.1B	<b>258</b>	<b>T-handle TX wrench set</b> 193TXCB	<b>19</b>
<b>Socket 1/4", 6 point</b> 188/2 6p	<b>31</b>	<b>Spare blade for 753P and 753VDP, 2 pcs set</b> 753.1	<b>258</b>	<b>T-handle TX wrench set</b> 193TXCS	<b>20</b>
<b>Socket 1/4", long type, 6 point</b> 188/2L6p	<b>31</b>	<b>Spare blade for 755</b> 755.1	<b>258</b>	<b>TBI handle for bits 6,3</b> 638TBI6,3	<b>144</b>
<b>Socket 3/4", 6 point</b> 197/1 6p	<b>55</b>	<b>Spare cutter for 583/6</b> 583.1/7A	<b>125</b>	<b>Tech Bench with two wide cabinets</b> 990TB2	<b>183</b>
<b>Socket 3/8", 6 point</b> 238/1 6p	<b>38</b>	<b>Spare cutter for 583/6</b> 583.1/7B	<b>125</b>	<b>Tech Bench, full front</b> 990TB3	<b>184</b>
<b>Socket adaptor</b> 188.10	<b>34</b>	<b>Spare cutting edge for 596PLUS/6G</b> 596.3PLUS/7	<b>127</b>	<b>Tech Bench, full front with back panel and light</b> 990TB1	<b>182</b>
<b>Socket remover</b> 1111	<b>294</b>	<b>Spare cutting edges for 596PLUS/6G</b> 596.2PLUS/7	<b>127</b>	<b>Tech Corner Bench with narrow cabinet and back panel</b> 990TBC	<b>185</b>
<b>Socket set 1" in metal box</b> 199MB1	<b>60</b>	<b>Spare jaw for 596PLUS/6G</b> 596.1PLUS/7	<b>127</b>	<b>Telescopic magnetic pick-up tool with light</b> 2083	<b>274</b>
<b>Socket set 1/2" and 1/4" in plastic box</b> 190BI6P43	<b>53</b>	<b>Spare jaw for 721/6 and 721Q/6</b> 722.1/7	<b>257</b>	<b>Thread pitch gauge</b> 701A	<b>254</b>
<b>Socket set 1/2" in metal box</b> 190BI12P15	<b>53</b>	<b>Spark plug socket 3/8"</b> 186.4/2	<b>37</b>	<b>Three-square file with handle, bastard</b> 764HB	<b>264</b>
<b>Socket set 1/2" in metal box</b> 190BI12P23	<b>53</b>	<b>Spark plug socket 3/8"</b> 186.4/2A	<b>37</b>	<b>Three-square file with handle, half smooth</b> 764HI1/2S	<b>264</b>
<b>Socket set 1/2" in metal box</b> 190BI12P23IN	<b>54</b>			<b>Three-square file with handle, smooth</b> 764HS	<b>264</b>
<b>Socket set 1/2" in metal box</b> 190BI12P24	<b>54</b>			<b>Tile pincers</b> 528/4BP	<b>92</b>

<b>Tin snips „berliner“ type</b> 569R/7P	123	<b>Tool set in tool case</b> 971/3VDE	316	<b>Variable joint „HYPO“ pliers, for safe work at heights</b> 442/1HYPO-H	286
<b>Tin snips „ideal“ type</b> 568L/7P	122	<b>Tool set VDE BI in bag</b> 905VDEBI	317	<b>Wardrobe cabinet, 2 compartments</b> 950/2	225
<b>Tin snips „ideal“ type</b> 568R/7P	123	<b>Tool set VDE BI in bag.</b> 906VDEBI	317	<b>Wardrobe cabinet, 3 compartments</b> 950/3V	225
<b>Tin snips „pelican“ type</b> 567R/7P	122	<b>Tool set VDE in tool case</b> 971/2VDE	315	<b>Wardrobe cabinet, 6 compartments</b> 950/6	225
<b>Tin snips „pelican“ type</b> 592R/7PR	124	<b>Tool set with tool box 912/5</b> 930	299	<b>Wardrobe cabinet, 9 compartments</b> 950/9	226
<b>Tin snips straight</b> 573/7P	124	<b>Tool set with tool box 912/5</b> 931	299	<b>Waterpump box joint pliers</b> 447/1	83
<b>Tool bag</b> 1112	227	<b>Tool set with tool box 912/5</b> 932	299	<b>Waterpump box joint pliers</b> 447/1BI	84
<b>Tool bag with wheels</b> 1113	228	<b>Tool set with tool carriage 940ECO</b> 1011GECO	298	<b>Waterpump box joint pliers</b> 447/6	83
<b>Tool box</b> 3800	279	<b>Tool set with tool carriage 940EM1</b> 1011KEM1	296	<b>Waterpump pliers</b> 441/7PR	84
<b>Tool box</b> 960/2	218	<b>Tool set with tool carriage 940EV4</b> 1011BEV4	296	<b>Waterpump pliers</b> 447/1HPP	82
<b>Tool box</b> 960/3	219	<b>Tool set with tool carriage 940EV4</b> 1011CEV4	297	<b>Waterpump pliers</b> 447/4PHPP	83
<b>Tool box - 3 compartments</b> 914/3	216	<b>Tool set with tool carriage 940EV6</b> 1011AEV6	296	<b>Waterpump pliers, for safe work at heights</b> 447/1HPP-H	287
<b>Tool box - 5 compartments</b> 911/5	216	<b>Tool set with tool carriage 940PLUS3</b> 1011FPLUS3	297	<b>Waved plastic insert for 950/9,6,3,2,1</b> 950.4	226
<b>Tool box - 5 compartments</b> 912/5	216	<b>Tool set with tool carriage 940EV6</b> 1011DEV6	297	<b>Welders' lock - grip pliers</b> 432/3A	93
<b>Tool box - 5 compartments</b> 914/5	217	<b>Torque multiplier</b> 280	250	<b>Welders' lock - grip pliers</b> 432/3C	93
<b>Tool box - 5 compartments</b> 915/5	217	<b>Torque wrench</b> 263	249	<b>Wheel and rack grip pliers</b> 434/3A	94
<b>Tool cabinet</b> 949	223	<b>Tower pinners</b> 531/4	91	<b>Wheel and rack grip pliers</b> 434/3C	94
<b>Tool cabinet</b> 949-BLACK	223	<b>Tower pinners</b> 531/4P	92	<b>Wheel nut wrench</b> 210/2	26
<b>Tool cabinet</b> 949.1	223	<b>Tree pruner</b> 555/6	130	<b>Wheel nut wrench</b> 212/2	27
<b>Tool cabinet</b> 949.1-BLACK	224	<b>Triangular spoon scraper</b> 777/6C	265	<b>Wide drawer cabinet - 2 drawers and door</b> 990WDD2	196
<b>Tool cabinet</b> 949.2	224	<b>Trim pin remover</b> 1940/2BI	272	<b>Wide drawer cabinet - 2 drawers and door</b> 990WDD2-BLACK	196
<b>Tool cabinet</b> 949.2-BLACK	224	<b>Try square</b> 1263	253	<b>Wide drawer cabinet - 6 drawers</b> 990WD6	194
<b>Tool cabinet mounted under bench top</b> 990NDH	201	<b>Try square with back</b> 1260/7A	252	<b>Wide drawer cabinet - 6 drawers with load capacity 100kg</b> 990WD6LC100	195
<b>Tool carriage Economic</b> 940ECO	178	<b>Tube bending set</b> 352/6PB	261	<b>Wide drawer cabinet - 8 drawers</b> 990WD8	195
<b>Tool carriage Euromotion</b> 940EM1	171	<b>Tube cutter</b> 358/6A	259	<b>Wide drawer cabinet underbase</b> 990WDU	197
<b>Tool carriage Europlus</b> 940PLUS3	171	<b>Tube cutter</b> 360/6A	259	<b>Wide tool chest underbase</b> 990WDU-BLACK	197
<b>Tool carriage Eurostyle</b> 940E1	174	<b>Tube cutter</b> 360/6B	260	<b>Wire rope shears</b> 585/6P	125
<b>Tool carriage Eurostyle</b> 940E3	174	<b>Tube cutter</b> 361/6A	260	<b>Wire stripper</b> 380	88
<b>Tool carriage Eurostyle</b> 940E4	175	<b>Tubular box wrench</b> 215/2	16	<b>Wire stripping pliers</b> 478/1BI	85
<b>Tool carriage Eurostyle</b> 940E4/1L-BLACK	175	<b>TX profile bit, 3 pcs set</b> 6472C6,3	145	<b>Wire stripping pliers</b> 478/1VDEBI	107
<b>Tool carriage Eurovision</b> 940EV4	172	<b>TX profile bit, 3 pcs set</b> 6472TINC6,3	145	<b>Wire stripping pliers</b> 478/4G	86
<b>Tool carriage Eurovision</b> 940EV6	173	<b>TX profile bit, 3 pcs set</b> 6492C8	146	<b>Wooden bench top</b> 990TW	203
<b>Tool carriage Eurovision with BLOCK safety system</b> 940EV4BLOCK	172	<b>Tyre lever</b> 300/2	267	<b>Wooden plate for 940E and 940EV</b> 940ES9	177
<b>Tool carriage Hercules</b> 940H2	169	<b>Tyre lever</b> 300/2A	267	<b>Wooden top for 940JUMBO</b> 940TWW	164
<b>Tool carriage Hercules</b> 940H2-BLACK	170	<b>Tyre lever with handle</b> 300/2C	267	<b>Wooden working plate with stainless steel cover</b> 990TW-SST	204
<b>Tool carriage Hercules</b> 940H4	169	<b>Universal joint 1/2“</b> 190.6/2	49	<b>Work bench</b> 946A	179
<b>Tool carriage Hercules with block system</b> 940H2BLOCK	170	<b>Universal joint 1/4“</b> 188.6/2	33	<b>Work bench with cabinet</b> 946AC	179
<b>Tool carriage Jumbo</b> 940JUMBO2	164	<b>Universal joint 3/4“</b> 197.6/1	57	<b>Work bench with cabinet with roller shutter</b> 946ACR	179
<b>Tool case</b> 969L	227	<b>Universal joint 3/8“</b> 238.6/1	40	<b>Wrench for oil drain plugs</b> 175/2	25
<b>Tool case</b> 969S	227	<b>Universal kneeling and sitting pad</b> 1863	271		
<b>Tool charging station</b> 991LMS.PS1	168	<b>Universal lock - grip pliers</b> 429/3	93		
<b>Tool chest Eurovision - 3 compartments</b> 939/3EV	215	<b>Universal lock - grip pliers, for safe work at heights</b> 429/3-H	286		
<b>Tool chest wide - 7 drawers</b> 990WD7-BLACK	195	<b>Universal tin snips</b> 563L/7PR	122		
<b>Tool for rotating camshaft pulley</b> 2203/2BI	276	<b>Universal tin snips</b> 563R/7PR	122		
<b>Tool for tyres valvelets</b> 2042/2	273	<b>Universal welding pliers</b> 436/4P	94		
<b>Tool set</b> 1000AC	316	<b>Utility knife</b> 556A	268		
<b>Tool set</b> 1000AD	316	<b>Utility knife</b> 556B	268		
<b>Tool set BI in bag</b> 905BI	316	<b>Utility knife, for safe work at heights</b> 556A-H	291		
<b>Tool set in SOS tool tray</b> 964/22SOS	304	<b>V edge chisel</b> 1514A5	241		
<b>Tool set in tool case</b> 971/1BI	315	<b>Variable joint „HYPO“ pliers</b> 442/1HYPO	83		







**Unior d.d.**

Kovaška cesta 10  
3214 Zreče, Slovenija

☎ + 386 3 75 78 172

🌐 [www.uniortools.com](http://www.uniortools.com)



**MADE  
FOR  
WORK.**

